

Списък на цитатите (без самоцитирания)
на публикациите на доц. дфн Даниела Йорданова
за периода 2005 – 2015г.
източник: база данни SCOPUS
общ брой 764

Цитирания в международни издания

Kovacheva, M., Pares, J., Jordanova, N., Karloukovski, V. 1995. A new contribution to the archaeomagnetic study of a Roman pottery kiln from Calahorra (Spain). Geophysical Journal International, 123, Issue 3, 931-936

Цитирана в:

- 1) Ferk, A., Leonhardt, R., Hess, K.-U., Dingwell, D.B. Volcanic glass and its suitability to recover the ancient geomagnetic field strength (2015) Geological Society Special Publication, 396, pp. 265-276.
- 2) Ferk, A., Leonhardt, R., Von Aulock, F.W., Hess, K.-U., Dingwell, D.B. Paleointensities of phonolitic obsidian: Influence of emplacement rotations and devitrification (2011) Journal of Geophysical Research: Solid Earth, 116 (12), art. no. B12113,
- 3) Gallet, Y., Genevey, A., Le Goff, M., Warmé, N., Gran-Aymerich, J., Lefèvre, A. On the use of archeology in geomagnetism, and vice-versa: Recent developments in archeomagnetism (2009) Comptes Rendus Physique, 10 (7), pp. 630-648.
- 4) Schnepf, E., Lanos, P., Chauvin, A. Geomagnetic paleointensity between 1300 and 1750 A.D. derived from a bread oven floor sequence in Lübeck, Germany (2009) Geochemistry, Geophysics, Geosystems, 10 (8), art. no. Q08003, .
- 5) Hartmann, G.A., Trindade, R.I.F., Goguitchaichvili, A., Etchevarne, C., Morales, J., Afonso, M.C. First archeointensity results from Portuguese potteries (1550-1750 AD) (2009) Earth, Planets and Space, 61 (1), pp. 93-100.
- 6) Gómez-Paccard, M., Chauvin, A., Lanos, P., Thiriot, J. New archeointensity data from Spain and the geomagnetic dipole moment in western Europe over the past 2000 years (2008) Journal of Geophysical Research: Solid Earth, 113 (9), art. no. B09103,
- 7) Gómez-Paccard, M., Beamud, E. Recent achievements in archaeomagnetic dating in the Iberian Peninsula: application to Roman and Mediaeval Spanish structures (2008) Journal of Archaeological Science, 35 (5), pp. 1389-1398.
- 8) Gómez-paccard, M., Catanzariti, G., Ruiz-Martínez, V.C., McIntosh, G., Núñez, J.I., Osete, M.L., Chauvin, A., Lanos, Ph., Tarling, D.H., Bernal-Casasola, D., Thiriot, J., Sáez-Espligares, A., Garcia-Villanueva, I., Gisbert-Santonja, J.A., Hervás, M.A., Jiménez-Castillo, P., Mesquida-García, M., Navarro, I., Orfila-Pons, M., Ramirez-González, I., Retuerce, M., Urbina, D., Urquijo, C. A catalogue of Spanish archaeomagnetic data (2006) Geophysical Journal International, 166 (3), pp. 1125-1143.
- 9) Gómez-Paccard, M., Chauvin, A., Lanos, Ph., Thiriot, J., Jiménez-Castillo, P. Archeomagnetic study of seven contemporaneous kilns from Murcia (Spain) (2006) Physics of the Earth and Planetary Interiors, 157 (1-2), pp. 16-32.
- 10) Korte, M., Genevey, A., Constable, C.G., Frank, U., Schnepf, E. Continuous geomagnetic field models for the past 7 millennia: 1. A new global data compilation (2005) Geochemistry, Geophysics, Geosystems, 6 (2), art. no. Q02H15, .

Jordanova, N. , Jordanova, D. , Karloukovski, V. 1996. Magnetic fabric of Bulgarian loess sediments derived by using various sampling techniques Studia Geophysica et Geodaetica Volume 40, Issue 1, 36-49.

Цитирана в:

- 1) Taylor, S.N., Lacroix, F. Magnetic anisotropy reveals the depositional and postdepositional history of a loess-paleosol sequence at Nussloch (Germany) (2015) Journal of Geophysical Research B: Solid Earth, 120 (5), pp. 2859-2876

Jordanova, N., Petrovsky, E., Kovacheva, M. 1997. Preliminary rock magnetic study of archaeological samples from Bulgarian sites of BC time. J. Geomagn. Geoelectr. 49, 543-566

Цитирана в:

- 1) McIntosh, G., Kovacheva, M., Catanzariti, G., Donadini, F., Lopez, M.L.O. High coercivity remanence in baked clay materials used in archeomagnetism (2011) *Geochemistry, Geophysics, Geosystems*, 12 (2), art. no. Q02003, .
- 2) Donadini, F., Korte, M., Constable, C. Millennial variations of the geomagnetic field: From data recovery to field reconstruction (2010) *Space Science Reviews*, 155 (1-4), pp. 219-246.
- 3) Donadini, F., Kovacheva, M., Kostadinova, M., Hedley, I.G., Pesonen, L.J. Palaeointensity determination on an early medieval kiln from Switzerland and the effect of cooling rate (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 449-457.
- 4) Kostadinova, M., Kovacheva, M. Case study of the Bulgarian Neolithic archaeological site of Piperkov Chiflik and its archaeomagnetic dating (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 511-522.

Kapicka A., Petrovsky E., Jordanova N., 1997. Comparison of in situ field measurements of soil magnetic susceptibility with laboratory data , Studia Geophysica et Geodaetica, (4) 391-395

Цитирана в:

1. Dankoub, Z., Khademi, H., Ayoubi, Sh. Magnetic susceptibility and its relationship with the concentration of selected heavy metals and soil properties in surface soils of the isfahan region (2012) *Journal of Environmental Studies*, 38 (63), pp. 17-26.
2. Zawadzki, J., Magiera, T., Fabijańczyk, P., Kusza, G. Geostatistical 3-dimensional integration of measurements of soil magnetic susceptibility (2012) *Environmental Monitoring and Assessment*, 184 (5), pp. 3267-3278.

Jordanova, D., E. Petrovsky, N. Jordanova, J. Evlogiev and V. Butchvarova, 1997. Rockmagnetic properties of recent soils from North Eastern Bulgaria. Geophys.J.Int., 128, 474-488.

Цитирана в:

- 1) Bartel, A.A., Bidegain, J.C., Sinito, A.M. Magnetic parameter analysis of a climosequence of soils in the southern Pampean region, Argentina (2011) *Geofisica Internacional*, 50 (1), pp. 9-22.
- 2) Han, G.-Z. , Zhang, G.-L. Changes in magnetic properties and their pedogenetic implications for paddy soil chronosequences from different parent materials in south China. (2013) *European Journal of Soil Science*
- 3) Dytłow, S.K. , Górka-Kostrubiec, B. Magnetic parameters as an indicator of the processes occurring in the degraded chernozem developed in loess from Miechow area. *Scientific Review Engineering and Environmental Sciences*, (2014) Volume 23, Issue 2, 170-184.
- 4) Lu, S.-G., Xue, Q.-F., Zhu, L., Yu, J.-Y. Mineral magnetic properties of a weathering sequence of soils derived from basalt in Eastern China (2008) *Catena*, 73 (1), pp. 23-33.
- 5) Vasquez, C.A., Nami, H.G. Rock magnetic study of fluvial Holocene soil from Buenos Aires province (Argentina) (2006) *Earth, Planets and Space*, 58 (10), pp. 1381-1387.
- 6) Rivas, J., Ortega, B., Sedov, S., Solleiro, E., Sychera, S. Rock magnetism and pedogenetic processes in Luvisol profiles: Examples from Central Russia and Central Mexico (2006) *Quaternary International*, 156-157 (SPEC. ISS.), pp. 212-223.

Kovacheva M., Jordanova N., Karloukovski V. , 1998. Geomagnetic field variations as determined from Bulgarian archaeomagnetic data. Part II: The last 8000 years. Surveys in Geophysics, (2-5) 431-460

Цитирана в:

- 1) Kondopoulou, D., Aidona, E., Ioannidis, N., Polymeris, G.S., Tsolakis, S. Archaeomagnetic study and thermoluminescence dating of Protobyzantine kilns (Megali Kypsa, North Greece) (2015) *Journal of Archaeological Science: Reports*, 2, pp. 156-168.
- 2) Downey, W.S. The cretan middle bronze age ‘Minoan Kernos’ was designed to predict a total solar eclipse and to facilitate a magnetic compass (2015) *Mediterranean Archaeology and Archaeometry*, 15 (1), pp. 95-107.

- 3) Kondopoulou, D., Zananiri, I., Rathossi, C., De Marco, E., Spatharas, V., Hasaki, E. An archaeometric and archaeological approach to Hellenistic–Early Roman ceramic workshops in Greece: Contribution to dating (2014) *Radiocarbon*, 56 (4), pp. S27-S38.
- 4) Downey, W.S., Liritzis, I. Archaeomagnetic intensity of ceramic sherds from two Rhodian Byzantine churches: A preliminary initiative (2013) *Mediterranean Archaeology and Archaeometry*, 13 (2), pp. 221-229.
- 5) Tema, E., Fantino, F., Ferrara, E., Lo Giudice, A., Morales, J., Goguitchaichvili, A., Camps, P., Barello, F., Gulmini, M. Combined archaeomagnetic and thermoluminescence study of a brick kiln excavated at Fontanetto Po (Vercelli, Northern Italy) (2013) *Journal of Archaeological Science*, 40 (4), pp. 2025-2035.
- 6) Ertepinar, P., Langereis, C.G., Biggin, A.J., Frangipane, M., Matney, T., Ökse, T., Engin, A. Archaeomagnetic study of five mounds from Upper Mesopotamia between 2500 and 700 BCE: Further evidence for an extremely strong geomagnetic field ca. 3000 years ago (2012) *Earth and Planetary Science Letters*, 357-358, pp. 84-98.
- 7) Carrancho, Á., Villalain, J.J., Straus, L.G. Preliminary archaeomagnetic and rock-magnetic results from the holocene fire lenses in el mirón cave (2012) *El Mirón Cave, Cantabrian Spain: The Site and its Holocene Archaeological Record*, pp. 103-118.
- 8) Aidona, E., Kondopoulou, D. First archaeomagnetic results and dating of Neolithic structures in northern Greece (2012) *Studia Geophysica et Geodaetica*, 56 (3), pp. 827-844.
- 9) Calvo-Rathert, M., Carrancho, Á., Stark, F., Villalain, J.J., Hill, M. Are burnt sediments reliable recorders of geomagnetic field strength? (2012) *Quaternary Research*, 77 (2), pp. 326-330.
- 10) Catanzariti, G., Gómez-Paccard, M., McIntosh, G., Pavón-Carrasco, F.J., Chauvin, A., Osete, M.L. New archaeomagnetic data recovered from the study of Roman and Visigothic remains from central Spain (3rd-7th centuries) (2012) *Geophysical Journal International*, 188 (3), pp. 979-993.
- 11) Downey, W.S. Palaeomagnetic results from minoan ashdeposits in (rv vema) cores V10-50 and V10-58, South Aegean sea (2011) *Mediterranean Archaeology and Archaeometry*, 11 (2), pp. 151-168.
- 12) Tema, E., Kondopoulou, D. Secular variation of the Earth's magnetic field in the Balkan region during the last eight millennia based on archaeomagnetic data (2011) *Geophysical Journal International*, 186 (2), pp. 603-614.
- 13) Downey, W.S. Orientations of minoan buildings on crete may indicate the first recorded use of the magnetic compass (2011) *Mediterranean Archaeology and Archaeometry*, 11 (1), pp. 9-20.
- 14) Malfatti, J., Principe, C., Gattiglia, G. Archaeomagnetic investigation of a metallurgical furnace in Pisa (Italy) (2011) *Journal of Cultural Heritage*, 12 (1), pp. 1-10.
- 15) Lengyel, S.N., Eighmy, J.L., Van Buren, M. Archaeomagnetic research in the Andean highlands (2011) *Journal of Archaeological Science*, 38 (1), pp. 147-155.
- 16) Velraj, G., Mohamed Musthafa, A., Janaki, K., Deenadayalan, K., Basavaiah, N. Estimation of firing temperature and ancient geomagnetic field intensity of archaeological potteries recently excavated from Tamilnadu, India. (2010) *Applied Clay Science*, 50 (1), pp. 148-153.
- 17) Speranza, F., Landi, P., D'Ajello Caracciolo, F., Pignatelli, A. Paleomagnetic dating of the most recent silicic eruptive activity at Pantelleria (Strait of Sicily) (2010) *Bulletin of Volcanology*, 72 (7), pp. 847-858.
- 18) Tema, E., Goguitchaichvili, A., Camps, P. Archaeointensity determinations from Italy: New data and the Earth's magnetic field strength variation over the past three millennia (2010) *Geophysical Journal International*, 180 (2), pp. 596-608.
- 19) Vezzoli, L., Principe, C., Malfatti, J., Arrighi, S., Tanguy, J.-C., Le Goff, M. Modes and times of caldera resurgence: The < 10 ka evolution of Ischia Caldera, Italy, from high-precision archaeomagnetic dating (2009) *Journal of Volcanology and Geothermal Research*, 186 (3-4), pp. 305-319.
- 20) Lodge, A., Holme, R. Towards a new approach to archaeomagnetic dating in Europe using geomagnetic field modeling (2009) *Archaeometry*, 51 (2), pp. 309-322.
- 21) Manoharan, C., Veeramuthu, K., Venkatachalapathy, R., Radhakrishna, T., Ilango, R. Spectroscopic and ancient geomagnetic field intensity studies on archaeological pottery amples, India (2008) *Lithuanian Journal of Physics*, 48 (2), pp. 195-202.
- 22) Gómez-Paccard, M., Chauvin, A., Lanos, P., Thiriot, J. New archeointensity data from Spain and the geomagnetic dipole moment in western Europe over the past 2000 years (2008) *Journal of Geophysical Research: Solid Earth*, 113 (9), art. no. B09103, .
- 23) Speranza, F., Pompilio, M., Caracciolo, F.D., Sagnotti, L. Holocene eruptive history of the Stromboli volcano: Constraints from paleomagnetic dating (2008) *Journal of Geophysical Research: Solid Earth*, 113 (9), art. no. B09101, .

- 24) Pavón-Carrasco, F.J., Osete, M.L., Torta, J.M., Gaya-Piqué, L.R. A regional archaeomagnetic model for the palaeointensity in Europe for the last 2000 years and its implications for climatic change (2008) *Pure and Applied Geophysics*, 165 (6), pp. 1209-1225.
- 25) Ben-Yosef, E., Ron, H., Tauxe, L., Agnon, A., Genevey, A., Levy, T.E., Avner, U., Najjar, M. Application of copper slag in geomagnetic archaeointensity research (2008) *Journal of Geophysical Research: Solid Earth*, 113 (8), art. no. B08101, .
- 26) Manoharan, C., Veeramuthu, K., Venkatachalapathy, R., Ilango, R. Studies on rock magnetic and paleointensity of some archaeological artifacts from Tamilnadu, India (2008) *Journal of Zhejiang University: Science A*, 9 (7), pp. 988-993.
- 27) Gómez-Paccard, M., Beamud, E. Recent achievements in archaeomagnetic dating in the Iberian Peninsula: application to Roman and Mediaeval Spanish structures (2008) *Journal of Archaeological Science*, 35 (5), pp. 1389-1398.
- 28) Spassov, S., Hus, J., Geeraerts, R., Heller, F. Archaeomagnetic dating of a High Middle Age likely iron working site in Corroy-le-Grand (Belgium) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 544-556.
- 29) Suteu, C.A., Batt, C.M., Zananiri, I. New developments in archaeomagnetic dating for Romania - A progress report on recent directional studies (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 557-565.
- 30) De Marco, E., Spatharas, V., Gómez-Paccard, M., Chauvin, A., Kondopoulou, D. New archaeointensity results from archaeological sites and variation of the geomagnetic field intensity for the last 7 millennia in Greece (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 578-595.
- 31) De Marco, E., Spassov, S., Kondopoulou, D., Zananiri, I., Gerofoka, E. Archaeomagnetic study and dating of a Hellenistic site in Katerini (N. Greece) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 481-495.
- 32) Tema, E., Lanza, R. Archaeomagnetic study of a lime kiln at Bazzano (northern Italy) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 534-543.
- 33) Pavón-Carrasco, Fco.J., Osete, M.L., Torta, J.M., Gaya-Piqué, L.R., Lanos, Ph. Initial SCHA.DI.00 regional archaeomagnetic model for Europe for the last 2000 years (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 596-608.
- 34) Frank, U., Nowaczyk, N.R., Negendank, J.F.W. Palaeomagnetism of greigite bearing sediments from the Dead Sea, Israel (2007) *Geophysical Journal International*, 168 (3), pp. 904-920.
- 35) Speranza, F., Branca, S., Coltelli, M., Caracciolo, F.D., Vigliotti, L. How accurate is "paleomagnetic dating"? New evidence from historical lavas from Mount Etna (2006) *Journal of Geophysical Research: Solid Earth*, 111 (12), art. no. B12S33,
- 36) Gómez-Paccard, M., Chauvin, A., Lanos, P., McIntosh, G., Osete, M.L., Catanzariti, G., Ruiz-Martínez, V.C., Núñez, J.I. First archaeomagnetic secular variation curve for the Iberian Peninsula: Comparison with other data from western Europe and with global geomagnetic field models (2006) *Geochemistry, Geophysics, Geosystems*, 7 (12), art. no. Q12001,
- 37) Tema, E., Hedley, I., Lanos, P. Archaeomagnetism in Italy: A compilation of data including new results and a preliminary Italian secular variation curve (2006) *Geophysical Journal International*, 167 (3), pp. 1160-1171.
- 38) Spassov, S., Hus, J. Estimating baking temperatures in a Roman pottery kiln by rock magnetic properties: Implications of thermochemical alteration on archaeointensity determinations (2006) *Geophysical Journal International*, 167 (2), pp. 592-604.
- 39) Evans, M.E. Archaeomagnetic investigations in Greece and their bearing on geomagnetic secular variation (2006) *Physics of the Earth and Planetary Interiors*, 159 (1-2), pp. 90-95.
- 40) Gómez-Paccard, M., Chauvin, A., Lanos, Ph., Thiriot, J., Jiménez-Castillo, P. Archeomagnetic study of seven contemporaneous kilns from Murcia (Spain) (2006) *Physics of the Earth and Planetary Interiors*, 157 (1-2), pp. 16-32.
- 41) Aidona, E., Scholger, R., Mauritsch, H.J., Schnepf, E., Klemm, S. Spatial distribution of archaeomagnetic vectors within archaeological samples from Eisenerz (Austria) (2006) *Geophysical Journal International*, 166 (1), pp. 46-58.
- 42) Speranza, F., Maritan, L., Mazzoli, C., Morandi Bonacossi, D., D'Ajello Caracciolo, F. First directional archaeomagnetic results from Syria: Evidence from Tell Mishrifeh/Qatna (2006) *Geophysical Journal International*, 165 (1), pp. 47-52.
- 43) Schnepf, E., Lanos, P. Archaeomagnetic secular variation in Germany during the past 2500 years (2005) *Geophysical Journal International*, 163 (2), pp. 479-490.

- 44) Evans, M.E., Hoyer, G.S. Archaeomagnetic results from southern Italy and their bearing on geomagnetic secular variation (2005) *Physics of the Earth and Planetary Interiors*, 151 (1-2), pp. 155-162.
- 45) Hus, J., Geeraerts, R. Origin of deviations between the remanent magnetisation and inducing geomagnetic field direction in kilns and implications on archaeomagnetic dating (2005) *Studia Geophysica et Geodaetica*, 49 (2), pp. 233-253.
- 46) Lanos, P., Le Goff, M., Kovacheva, M., Schnepf, E. Hierarchical modelling of archaeomagnetic data and curve estimation by moving average technique (2005) *Geophysical Journal International*, 160 (2), pp. 440-476.

Jordanova D., Jordanova N. Magnetic characteristics of different soil types from Bulgaria
Studia Geophysica et Geodaetica, 43 (3), 1999, 303-318.

Цитирана в:

- 1) Yang, P.G., Yang, M., Mao, R.Z., Byrne, J.M. Impact of long-term irrigation with treated sewage on soil magnetic susceptibility and organic matter content in North China (2015) *Bulletin of Environmental Contamination and Toxicology*, 95 (1), pp. 102-107.
- 2) Chen, T., Wang, Z., Wu, X., Gao, X., Li, L., Zhan, Q. Magnetic properties of tidal flat sediments on the Yangtze coast, China: Early diagenetic alteration and implications (2015) *Holocene*, 25 (5), pp. 832-843.
- 3) Ananthapadmanabha, A.L., Shankar, R., Sandeep, K. Rock magnetic characterisation of tropical soils from Southern India: Implications to pedogenesis and soil erosion (2014) *International Journal of Environmental Research*, 8 (3), pp. 659-670.
- 4) Chen, T., Wang, Z.-H., Qiang, X.-K., Ma, C.-Y., Zhan, Q. Magnetic properties of minerals recorded by the borehole WJ and Late Quaternary transgressions in the Taihu plain, southern Yangtze Delta (2013) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 56 (8), pp. 2748-2759.
- 5) El Baghdadi, M., Barakat, A., Sajieddine, M., Nadem, S. Heavy metal pollution and soil magnetic susceptibility in urban soil of Beni Mellal City (Morocco) (2012) *Environmental Earth Sciences*, 66 (1), pp. 141-155.
- 6) Kapička, A., Kodešová, R., Petrovský, E., Hůlka, Z., Grison, H., Kaška, M. Experimental study of fly-ash migration by using magnetic method (2011) *Studia Geophysica et Geodaetica*, 55 (4), pp. 683-696.
- 7) Magiera, T., Jankowski, M., Switoniak, M., Rachwał, M. Study of forest soils on an area of magnetic and geochemical anomaly in north-eastern Poland (2011) *Geoderma*, 160 (3-4), pp. 559-568.
- 8) Bartel, A.A., Bidegain, J.C., Sinito, A.M. Magnetic parameter analysis of a climosequence of soils in the southern pampean region, Argentina (2011) *Geofísica Internacional*, 50 (1), pp. 9-22.
- 9) Orgeira, M.J., Vázquez, C.A., Compagnucci, R.H., Raposo, I., Pereyra, F.X. Rock magnetism in soils of the Pampean plain, Buenos Aires province, Argentina. Linking climate and magnetic behaviour [Magnetismo de rocas en suelos actuales de la Pampa Ondulada, provincia de Buenos Aires, Argentina. Vinculación del clima con el comportamiento magnético] (2009) *Revista Mexicana de Ciencias Geológicas*, 26 (1), pp. 65-78.
- 10) Vázquez, C.A., Orgeira, M.J., Sinito, A.M. Origin of superparamagnetic particles in Argiudolls developed on loess, Buenos Aires (Argentina) (2009) *Environmental Geology*, 56 (8), pp. 1653-1661.
- 11) Hannam, J.A., Dearing, J.A. Mapping soil magnetic properties in Bosnia and Herzegovina for landmine clearance operations (2008) *Earth and Planetary Science Letters*, 274 (3-4), pp. 285-294.
- 12) Orgeira, M.J., Pereyra, F.X., Vázquez, C., Castañeda, E., Compagnucci, R. Rock magnetism in modern soils, Buenos Aires Province, Argentina (2008) *Journal of South American Earth Sciences*, 26 (2), pp. 217-224.
- 13) Jeleńska, M., Hasso-Agopsowicz, A., Kadziąłko-Hofmókl, M., Sukhorada, A., Bondar, K., Matviishina, Z.H. Magnetic iron oxides occurring in chernozem soil from Ukraine and Poland as indicators of pedogenic processes (2008) *Studia Geophysica et Geodaetica*, 52 (2), pp. 255-270.
- 14) Eckmeier, E., Gerlach, R., Gehrt, E., Schmidt, M.W.I. Pedogenesis of Chernozems in Central Europe - A review (2007) *Geoderma*, 139 (3-4), pp. 288-299.
- 15) Gladysheva, M.A., Ivanov, A.V., Stroganova, M.N. Detection of technogenically contaminated soil areas based on their magnetic susceptibility (2007) *Eurasian Soil Science*, 40 (2), pp. 215-222.
- 16) Vázquez, C.A., Nami, H.G. Rock magnetic study of fluvial Holocene soil from Buenos Aires province (Argentina) (2006) *Earth, Planets and Space*, 58 (10), pp. 1381-1387.

- 17) Booth, C.A., Fullen, M.A., Smith, J.P., Hallett, M.D., Walden, J., Harris, J., Holland, K. Factor analysis of particle size specific mineral magnetic measurements on agricultural topsoils from the Isle of Man (2006) *Communications in Soil Science and Plant Analysis*, 37 (1-2), pp. 249-273.
- 18) Hanesch, M., Scholger, R. The influence of soil type on the magnetic susceptibility measured throughout soil profiles (2005) *Geophysical Journal International*, 161 (1), pp. 50-56.

Petrovsky E., Kapicka A., Jordanova N., Knab M., Hoffmann V. Low-field magnetic susceptibility: A proxy method of estimating increased pollution of different environmental systems Environmental Geology, 39 (3-4), 2000, 312-318.

Цитирана в:

- 1) Magiera, T., Parzentny, H., Róg, L., Chybiorz, R., Wawer, M. Spatial variation of soil magnetic susceptibility in relation to different emission sources in southern Poland (2015) *Geoderma*, 255-256, pp. 94-103.
- 2) Yang, P.G., Yang, M., Mao, R.Z., Byrne, J.M. Impact of long-term irrigation with treated sewage on soil magnetic susceptibility and organic matter content in North China (2015) *Bulletin of Environmental Contamination and Toxicology*, 95 (1), pp. 102-107.
- 3) Zawadzki, J., Fabijańczyk, P., Magiera, T., Rachwał, M. Micro-scale spatial correlation of magnetic susceptibility in soil profile in forest located in an industrial area (2015) *Geoderma*, 249-250, pp. 61-68.
- 4) Szuszkiewicz, M., Magiera, T., Kapička, A., Petrovský, E., Grison, H., Gołuchowska, B. Magnetic characteristics of industrial dust from different sources of emission: A case study of Poland (2015) *Journal of Applied Geophysics*, 116, pp. 84-92.
- 5) Zawadzki, J., Fabijańczyk, P., Magiera, T., Rachwał, M. Geostatistical microscale study of magnetic susceptibility in soil profile and magnetic indicators of potential soil pollution (2015) *Water, Air, and Soil Pollution*, 226 (5), art. no. 226, .
- 6) Yan, Y., Sun, Y.B., Weiss, D., Liang, L.J., Chen, H.Y. Polluted dust derived from long-range transport as a major end member of urban aerosols and its implication of non-point pollution in northern China (2015) *Science of the Total Environment*, 506-507, pp. 538-545.
- 7) Aydin, A., Akyol, E. Observing urban soil pollution using magnetic susceptibility (2015) *International Journal of Environmental Research*, 9 (1), pp. 295-302.
- 8) Lourenço, A., Esteves, I., Rocha, A., Abrantes, I., Gomes, C. Relation between magnetic parameters and nematode abundance in agricultural soils of Portugal—a multidisciplinary study in the scope of environmental magnetism (2015) *Environmental Monitoring and Assessment*, 187 (4), 15 p.
- 9) Usapkar, A., Dewangan, P., Kocherla, M., Ramprasad, T., Mazumdar, A., Ramana, M.V. Enhanced methane flux event and sediment dispersal pattern in the Krishna-Godavari offshore basin: Evidences from rock magnetic techniques (2014) *Marine and Petroleum Geology*, 58 (PA), pp. 461-475.
- 10) Salo, H., Mäkinen, J. Magnetic biomonitoring by moss bags for industry-derived air pollution in SW Finland (2014) *Atmospheric Environment*, 97, pp. 19-27.
- 11) Kanu, M.O., Meludu, O.C., Oniku, S.A. Comparative study of top soil magnetic susceptibility variation based on some human activities (2014) *Geofisica Internacional*, 53 (4), pp. 411-423.
- 12) Frančišković-Bilinski, S., Scholger, R., Bilinski, H., Tibljaš, D. Magnetic, geochemical and mineralogical properties of sediments from karstic and flysch rivers of Croatia and Slovenia (2014) *Environmental Earth Sciences*, 72 (10), pp. 3939-3953.
- 13) Frančišković-Bilinski, S., Bilinski, H., Scholger, R., Tomašić, N., Maldini, K. Magnetic spherules in sediments of the karstic Dobra River (Croatia) (2014) *Journal of Soils and Sediments*, 14 (3), pp. 600-614.
- 14) Ďurža, O., Hiller, E., Lachká, L., Tóth, R. Soil magnetic susceptibility and contamination of soils from kindergartens areas by potentially toxic elements in Bratislava (Slovakia) [Magnetická susceptibilita a znečistenie pôd v areáloch materských škôlok Bratislavy potenciálne toxickými prvkami (Slovensko)] (2013) *Acta Geologica Slovaca*, 5 (2), pp. 155-162.
- 15) Salo, H., Vahtovuori, E. Enviromagnetic methods and their use in studies of spatial and temporal changes in airborne pollution load using the moss bag technique [Ympäristömagneettiset menetelmät ja niiden käyttö ympäristön ilmaperäisen kuormituksen spatiaalisten ja ajallisten muutosten tutkimuksessa sammalpallotekniikan avulla] (2013) *Terra*, 125 (4), pp. 191-206.
- 16) Wang, X.S. Magnetic properties and heavy metal pollution of soils in the vicinity of a cement plant, xuzhou (china) (2013) *Journal of Applied Geophysics*, 98, pp. 73-78.

- 17) Reyes, B.A., Mejía, V., Goguitchaichvili, A., Escobar, J., Bayona, G., Bautista, F., Morales, J.C., Ihl, T.J. Reconnaissance environmental magnetic study of urban soils, dust and leaves from Bogotá, Colombia (2013) *Studia Geophysica et Geodaetica*, 57 (4), pp. 741-754.
- 18) Kanu, M.O., Meludu, O.C., Oniku, S.A. Measurement of magnetic susceptibility of soils in Jalingo, N-E Nigeria: A case study of the Jalingo Mechanic village (2013) *World Applied Sciences Journal*, 24 (2), pp. 178-187.
- 19) El-Hasan, T., Lataifeh, M. Field and dual magnetic susceptibility proxies for heavy metal pollution assessment in the urban soil of Al-Karak City, South Jordan (2013) *Environmental Earth Sciences*, 69 (7), pp. 2299-2310.
- 20) Wang, X.S. Assessment of heavy metal pollution in Xuzhou urban topsoils by magnetic susceptibility measurements. (2013) *Journal of Applied Geophysics*, 92, pp. 76-83.
- 21) Vodyanitskii, Y.N. Biogeochemical role of magnetite in urban soils (Review of publications) (2013) *Eurasian Soil Science*, 46 (3), pp. 317-324.
- 22) Reyes, B.A., Bautista, F., Goguitchaichvili, A., Contreras, J.J.M., Owen, P.Q., Carvallo, C., Battu, J. Rock-magnetic properties of topsoils and urban dust from Morelia (>800,000 inhabitants), Mexico: Implications for anthropogenic pollution monitoring in Mexico's medium size cities (2013) *Geofisica Internacional*, 52 (2), pp. 121-133.
- 23) Cowan, E.A., Seramur, K.C., Hageman, S.J. Magnetic susceptibility measurements to detect coal fly ash from the Kingston Tennessee spill in Watts Bar Reservoir (2013) *Environmental Pollution*, 174, pp. 179-188.
- 24) Menshov, O.I. Reconnaissance magnetic investigations of the atmospheric pollution, case study from Kyiv (2013) *GeoInformatics 2013 - 12th International Conference on Geoinformatics: Theoretical and Applied Aspects*, .
- 25) Dankoub, Z., Khademi, H., Ayoubi, Sh. Magnetic susceptibility and its relationship with the concentration of selected heavy metals and soil properties in surface soils of the isfahan region (2012) *Journal of Environmental Studies*, 38 (63), pp. 17-26.
- 26) Lourenço, A.M., Rocha, F., Gomes, C.R. Relationships between magnetic parameters, chemical composition and clay minerals of topsoils near Coimbra, central Portugal. (2012) *Natural Hazards and Earth System Science*, 12 (8), pp. 2545-2555.
- 27) Yang, P., Yang, M., Shao, H. Magnetic Susceptibility and Heavy Metals Distribution from Risk-cultivated Soil around the Iron-Steel Plant, China (2012) *Clean - Soil, Air, Water*, 40 (6), pp. 615-618.
- 28) Górka-Kostrubiec, B., Król, E., Jeleńska, M. Dependence of air pollution on meteorological conditions based on magnetic susceptibility measurements: A case study from Warsaw (2012) *Studia Geophysica et Geodaetica*, 56 (3), pp. 861-877.
- 29) Zawadzki, J., Magiera, T., Fabijańczyk, P., Kusza, G. Geostatistical 3-dimensional integration of measurements of soil magnetic susceptibility (2012) *Environmental Monitoring and Assessment*, 184 (5), pp. 3267-3278.
- 30) Yang, T., Liu, Q., Zeng, Q., Chan, L. Relationship between magnetic properties and heavy metals of urban soils with different soil types and environmental settings: Implications for magnetic mapping (2012) *Environmental Earth Sciences*, 66 (2), pp. 409-420.
- 31) Sapkota, B., Cioppa, M.T. Assessing the use of magnetic methods to monitor vertical migration of metal pollutants in soil (2012) *Water, Air, and Soil Pollution*, 223 (2), pp. 901-914.
- 32) Dankoub, Z., Ayoubi, S., Khademi, H., Lu, S.-G. Spatial Distribution of Magnetic Properties and Selected Heavy Metals in Calcareous Soils as Affected by Land Use in the Isfahan Region, Central Iran (2012) *Pedosphere*, 22 (1), pp. 33-47.
- 33) Aydin, A. Using susceptibility measurements on polluted areas by exhaust gases. (2011) *Environmental Earth Sciences*, pp. 861-873.
- 34) Li, F., Li, G., Ji, J. Increasing magnetic susceptibility of the suspended particles in Yangtze River and possible contribution of fly ash (2011) *Catena*, 87 (1), pp. 141-146.
- 35) Yan, H.T., Hu, S.Y., Blaha, U., Rösler, W., Duan, X.M., Appel, E. Paddy soil - A suitable target for monitoring heavy metal pollution by magnetic proxies. (2011) *Journal of Applied Geophysics*, 75 (2), pp. 211-219.
- 36) Zhang, C., Qiao, Q., Piper, J.D.A., Huang, B. Assessment of heavy metal pollution from a Fe-smelting plant in urban river sediments using environmental magnetic and geochemical methods. (2011) *Environmental Pollution*, 159 (10), pp. 3057-3070.

- 37) Wang, B., Xia, D., Yu, Y., Jia, J., Tian, S., Liu, X. Use of environmental magnetism to monitor pollution in the river sediment of an urban area. (2011) *Huanjing Kexue Xuebao/Acta Scientiae Circumstantiae*, 31 (9), pp. 1979-1991.
- 38) Lu, S.G., Wang, H.Y., Guo, J.L. Magnetic enhancement of urban roadside soils as a proxy of degree of pollution by traffic-related activities. (2011) *Environmental Earth Sciences*, 64 (2), pp. 359-371.
- 39) Magiera, T., Jabłońska, M., Strzyszczyński, Z., Rachwał, M. Morphological and mineralogical forms of technogenic magnetic particles in industrial dusts. (2011) *Atmospheric Environment*, 45 (25), pp. 4281-4290.
- 40) Mohamed, A.-M.O., Marwan, S.S. Impact of soil magnetic properties on moisture content prediction using TDR. (2011) *Geotechnical Testing Journal*, 34 (3), .
- 41) Chaparro, M.A.E., Chaparro, M.A.E., Rajkumar, P., Ramasamy, V., Sinito, A.M. Magnetic parameters, trace elements, and multivariate statistical studies of river sediments from southeastern India: A case study from the Vellar River. (2011) *Environmental Earth Sciences*, 63 (2), pp. 297-310.
- 42) Fabian, K., Reimann, C., McEnroe, S.A., Willemoes-Wissing, B. Magnetic properties of terrestrial moss (*Hylocomium splendens*) along a north-south profile crossing the city of Oslo, Norway (2011) *Science of the Total Environment*, 409 (11), pp. 2252-2260.
- 43) Reyes, B.A., Bautista, F., Goguitchaichvili, A., Morton, O. Magnetic monitoring of top soils of Merida (Southern Mexico) (2011) *Studia Geophysica et Geodaetica*, 55 (2), pp. 377-388.
- 44) Sandeep, K., Shankar, R., Krishnaswamy, J. Assessment of suspended particulate pollution in the Bhadra River catchment, Southern India: An environmental magnetic approach. (2011) *Environmental Earth Sciences*, 62 (3), pp. 625-637.
- 45) Bučko, M.S., Magiera, T., Pesonen, L.J., Janus, B. Magnetic, geochemical, and microstructural characteristics of road dust on roadsides with different traffic volumes-case study from Finland. (2010) *Water, Air, and Soil Pollution*, 209 (1-4), pp. 295-306.
- 46) Rosowiecka, O., Nawrocki, J. Assessment of soils pollution extent in surroundings of ironworks based on magnetic analysis. (2010) *Studia Geophysica et Geodaetica*, 54 (1), pp. 185-194.
- 47) Chlupáčová, M., Hanák, J., Müller, P. Magnetic susceptibility of cambisol profiles in the vicinity of the Vír dam, Czech Republic. (2010) *Studia Geophysica et Geodaetica*, 54 (1), pp. 153-184.
- 48) Bondar, K., Virshylo, I., Slobodyanyk, I., Stakhiv, I. Monitoring of air pollution using magnetic susceptibility measurements of soils and vegetation in Kyiv, Ukraine. (2010) *Geoinformatics 2010 - 9th International Conference on Geoinformatics: Theoretical and Applied Aspects*, art. no. A006,
- 49) Liu, Q., Zeng, Q., Yang, T., Qiu, N., Chan, L. Magnetic properties of street dust from Chibi City, Hubei Province, China: Its implications for urban environment (2009) *Journal of Earth Science*, 20 (5), pp. 848-857.
- 50) Zhang, C.-X., Huang, B.-C., Liu, Q.-S. Magnetic properties of different pollution receptors around steel plants and their environmental significance (2009) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 52 (11), pp. 2826-2839.
- 51) Blundell, A., Hannam, J.A., Dearing, J.A., Boyle, J.F. Detecting atmospheric pollution in surface soils using magnetic measurements: A reappraisal using an England and Wales database (2009) *Environmental Pollution*, 157 (10), pp. 2878-2890.
- 52) Alagarsamy, R. Environmental magnetism and application in the continental shelf sediments of India (2009) *Marine Environmental Research*, 68 (2), pp. 49-58.
- 53) Zawadzki, J., Magiera, T., Fabijańczyk, P. Geostatistical evaluation of magnetic indicators of forest soil contamination with heavy metals (2009) *Studia Geophysica et Geodaetica*, 53 (1), pp. 133-149.
- 54) Horng, C.-S., Huh, C.-A., Chen, K.-H., Huang, P.-R., Hsiung, K.-H., Lin, H.-L. Air pollution history elucidated from anthropogenic spherules and their magnetic signatures in marine sediments offshore of Southwestern Taiwan (2009) *Journal of Marine Systems*, 76 (4), pp. 468-478.
- 55) Lu, S., Wang, H., Bai, S. Heavy metal contents and magnetic susceptibility of soils along an urban - Rural gradient in rapidly growing city of eastern China (2009) *Environmental Monitoring and Assessment*, 155 (1-4), pp. 91-101.
- 56) Frančiskovic-Bilinski, S. Detection of coal combustion products in stream sediments by chemical analysis and magnetic-susceptibility measurements (2008) *Mineralogical Magazine*, 72 (1), pp. 43-48.
- 57) Mohamed, A.M.O. Impact of soil magnetic permeability on water content prediction using TDR (2008) *12th International Conference on Computer Methods and Advances in Geomechanics 2008*, 2, pp. 1365-1372.
- 58) Magiera, T., Kapička, A., Petrovský, E., Strzyszczyński, Z., Fialová, H., Rachwał, M. Magnetic anomalies of forest soils in the Upper Silesia-Northern Moravia region (2008) *Environmental Pollution*, 156 (3), pp. 618-627.

- 59) Chaparro, M.A.E., Sinito, A.M., Ramasamy, V., Marinelli, C., Chaparro, M.A.E., Mullainathan, S., Murugesan, S. Magnetic measurements and pollutants of sediments from Cauvery and Palaru River, India (2008) *Environmental Geology*, 56 (2), pp. 425-437.
- 60) Lu, S.-G., Bai, S.-Q. Magnetic characterization and magnetic mineralogy of the Hangzhou urban soils and its environmental implications (2008) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 51 (3), pp. 762-769.
- 61) Szönyi, M., Sagnotti, L., Hirt, A.M. A refined biomonitoring study of airborne particulate matter pollution in Rome, with magnetic measurements on *Quercus Ilex* tree leaves (2008) *Geophysical Journal International*, 173 (1), pp. 127-141.
- 62) Zhang, C., Huang, B., Piper, J.D.A., Luo, R. Biomonitoring of atmospheric particulate matter using magnetic properties of *Salix matsudana* tree ring cores (2008) *Science of the Total Environment*, 393 (1), pp. 177-190.
- 63) Chaparro, M.A.E., Chaparro, M.A.E., Marinelli, C., Sinito, A.M. Multivariate techniques as alternative statistical tools applied to magnetic proxies for pollution: A case study from Argentina and Antarctica (2008) *Environmental Geology*, 54 (2), pp. 365-371.
- 64) Matysek, D., Raclavska, H., Raclavsky, K. Correlation between magnetic susceptibility and heavy metal concentrations in forest soils of the eastern Czech Republic (2008) *Journal of Environmental and Engineering Geophysics*, 13 (1), pp. 13-26.
- 65) El-Hasan, T. The detection of roadside pollution of rapidly growing city in arid region using the magnetic proxies (2008) *Environmental Geology*, 54 (1), pp. 23-29.
- 66) Sharma, A.P., Tripathi, B.D. Magnetic mapping of fly-ash pollution and heavy metals from soil samples around a point source in a dry tropical environment (2008) *Environmental Monitoring and Assessment*, 138 (1-3), pp. 31-39.
- 67) Monna, F., Puertas, A., Lévêque, F., Losno, R., Fronteau, G., Marin, B., Dominik, J., Petit, C., Forel, B., Chateau, C. Geochemical records of limestone façades exposed to urban atmospheric contamination as monitoring tools? (2008) *Atmospheric Environment*, 42 (6), pp. 999-1011.
- 68) Lu, S.G., Bai, S.Q., Xue, Q.F. Magnetic properties as indicators of heavy metals pollution in urban topsoils: A case study from the city of Luoyang, China (2007) *Geophysical Journal International*, 171 (2), pp. 568-580.
- 69) Yang, T., Liu, Q., Chan, L., Cao, G. Magnetic investigation of heavy metals contamination in urban topsoils around the East Lake, Wuhan, China (2007) *Geophysical Journal International*, 171 (2), pp. 603-612.
- 70) Zawadzki, J., Fabijańczyk, P. Use of variograms for field magnetometry analysis in Upper Silesia Industrial Region (2007) *Studia Geophysica et Geodaetica*, 51 (4), pp. 535-550.
- 71) Chaparro, M.A.E., Nuñez, H., Lirio, J.M., Gogorza, C.S.G., Sinito, A.M. Magnetic screening and heavy metal pollution studies in soils from Marambio Station, Antarctica (2007) *Antarctic Science*, 19 (3), pp. 379-393.
- 72) Rothwell, J.J., Lindsay, J.B. Mapping contemporary magnetic mineral concentrations in peat soils using fine-resolution digital terrain data (2007) *Catena*, 70 (3), pp. 465-474.
- 73) Yang, T., Liu, Q., Chan, L., Liu, Z. Magnetic signature of heavy metals pollution of sediments: Case study from the East Lake in Wuhan, China (2007) *Environmental Geology*, 52 (8), pp. 1639-1650.
- 74) Van Hengstum, P.J., Reinhardt, E.G., Boyce, J.I., Clark, C. Changing sedimentation patterns due to historical land-use change in Frenchman's Bay, Pickering, Canada: Evidence from high-resolution textural analysis (2007) *Journal of Paleolimnology*, 37 (4), pp. 603-618.
- 75) Chaparro, M.A.E., Gogorza, C.S.G., Chaparro, M.A.E., Irurzun, M.A., Sinito, A.M. Review of magnetism and heavy metal pollution studies of various environments in Argentina (2006) *Earth, Planets and Space*, 58 (10), pp. 1411-1422.
- 76) Shen, M.-J., Hu, S.-Y., Blaha, Y., Yan, H.-T., Rösler, W., Hoffmann, V. A magnetic study of a polluted soil profile at the Shijingshan industrial area, Western Beijing, China (2006) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 49 (6), pp. 1665-1673.
- 77) Lu, S.G., Bai, S.Q. Study on the correlation of magnetic properties and heavy metals content in urban soils of Hangzhou City, China (2006) *Journal of Applied Geophysics*, 60 (1), pp. 1-12.
- 78) Wang, X.-S., Qin, Y. Comparison of magnetic parameters with vehicular Br levels in urban roadside soils (2006) *Environmental Geology*, 50 (6), pp. 787-791.
- 79) Chianese, D., D'Emilio, M., Bavusi, M., Lapenna, V., Macchiato, M. Magnetic and ground probing radar measurements for soil pollution mapping in the industrial area of Val Basento (Basilicata Region, Southern Italy): A case study (2006) *Environmental Geology*, 49 (3), pp. 389-404.

- 80) Wang, X.S., Qin, Y. Correlation between magnetic susceptibility and heavy metals in urban topsoil: A case study from the city of Xuzhou, China (2005) *Environmental Geology*, 49 (1), pp. 10-18.
- 81) Spiteri, C., Kalinski, V., Rösler, W., Hoffmann, V., Appel, E. Magnetic screening of a pollution hotspot in the Lausitz area, Eastern Germany: Correlation analysis between magnetic proxies and heavy metal contamination in soils (2005) *Environmental Geology*, 49 (1), pp. 1-9.
- 82) Lu, S.-G., Bai, S.-Q., Cai, J.-B., Xu, C. Magnetic properties and heavy metal contents of automobile emission particulates (2005) *Journal of Zhejiang University: Science*, 6 B (8), pp. 731-735.

Zhu R., Kazansky A., Matasova G., Guo B., Zykina V., Petrovsky E., **Jordanova N.**, 2000. *Rock-magnetic investigation of Siberia loess and its implication. Chinese Science Bulletin*, (23) 2192-2198

Цитирана в:

- 1) Lü, B., Liu, X.-M., Chen, Q., Zhao, G.-Y., Chen, J.-S., Mao, X.-G., Guo, X.-L. Effects of CBD treatment on magnetic minerals of natural samples (2012) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 55 (5), pp. 552-563.
- 2) Liu, Y., Shi, Z., Deng, C., Su, H., Zhang, W. Mineral magnetic investigation of the Taledo loess-palaeosol sequence since the last interglacial in the Yili Basin in the Asian interior (2012) *Geophysical Journal International*, 190 (1), pp. 267-277.
- 3) Song, Y. Paleoclimatic implication of temperature-dependence of susceptibility of Tianshan loess, Central Asia. (2012) *Advanced Science Letters*, 6, pp. 167-172
- 4) Chen, Q., Liu, X.M., Heller, F., Hirt, A.M., Lü, B., Guo, X.L., Mao, X.G., Chen, J.S., Zhao, G.Y., Feng, H., Guo, H. Susceptibility variations of multiple origins of loess from the Ily Basin (NW China) (2012) *Chinese Science Bulletin*, 57 (15), pp. 1844-1855.
- 5) Lv, B., Liu, X.-M., Chen, Q., Zhao, G.-Y., Chen, J.-S., Mao, X.-G., Guo, X.-L. Effects of CBD treatment on magnetic minerals of natural samples. (2012) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 55 (9), pp. 3077-3087.
- 6) Zan, J.B., Fang, X.M., Nie, J.S., Yang, S.L., Song, C.H., Dai, S. Magnetic properties of surface soils across the southern Tarim Basin and their relationship with climate and source materials. (2011) *Chinese Science Bulletin*, 56 (3), pp. 290-296.
- 7) Duan, X.M., Hu, S.Y., Yan, H.T., Blaha, U., Roesler, W., Appel, E., Sun, W.H. Relationship between magnetic parameters and heavy element contents of arable soil around a steel company, Nanjing. (2010) *Science China Earth Sciences*, 53 (3), pp. 411-418.
- 8) Song, Y.G., Shi, Z.T., Fang, X.M., Nie, J.S., Naoto, I., Qiang, X.K., Wang, X.L. Loess magnetic properties in the Ili Basin and their correlation with the Chinese Loess Plateau. (2010) *Science China Earth Sciences*, 53 (3), pp. 419-431.
- 9) Liu, X.M., Liu, T.S., Paul, H., Xia, D.S., Jiri, C., Wang, G. Two pedogenic models for paleoclimatic records of magnetic susceptibility from Chinese and Siberian loess (2008) *Science in China, Series D: Earth Sciences*, 51 (2), pp. 284-293.
- 10) Liu, Q., Deng, C., Torrent, J., Zhu, R. Review of recent developments in mineral magnetism of the Chinese loess (2007) *Quaternary Science Reviews*, 26 (3-4), pp. 368-385
- 11) Hanesch, M., Stanjek, H., Petersen, N. Thermomagnetic measurements of soil iron minerals: The role of organic carbon (2006) *Geophysical Journal International*, 165 (1), pp. 53-61.
- 12) Matasova, G.G., Kazansky, A.Yu. Contribution of paramagnetic minerals to magnetic properties of loess-soil deposits in Siberia and its paleoclimatic implications (2005) *Izvestiya, Physics of the Solid Earth*, 41 (9), pp. 758-766.
- 13) Liu, J., Zhu, R., Li, S., Chang, J.-H. Magnetic mineral diagenesis in the post-glacial muddy sediments from the southeastern South Yellow Sea: Response to marine environmental changes (2005) *Science in China, Series D: Earth Sciences*, 48 (1), pp. 134-144.

Kapicka A., **Jordanova N.**, Petrovsky E., Ustjak S. *Magnetic stability of power-plant fly ash in different soil solutions Physics and Chemistry of the Earth, Part A: Solid Earth and Geodesy*, 25 (5), 2000., 431-436.

Цитирана в:

- 1) Ma, M., Hu, S., Cao, L., Appel, E., Wang, L. Atmospheric pollution history at Linfen (China) uncovered by magnetic and chemical parameters of sediments from a water reservoir (2015) *Environmental Pollution*, 204, pp. 161-172.
- 2) Ananthapadmanabha, A.L., Shankar, R., Sandeep, K. Rock magnetic properties of lateritic soil profiles from southern India: Evidence for pedogenic processes. (2014) *Journal of Applied Geophysics*, 111, pp. 203-210.
- 3) Warriar, A.K., Shankar, R., Manjunatha, B.R., Harshavardhana, B.G. Mineral magnetism of atmospheric dust over southwest coast of India: Impact of anthropogenic activities and implications to public health. (2014) *Journal of Applied Geophysics*, 102, pp. 1-9.
- 4) Wang, X.S. Mineralogical and chemical composition of magnetic fly ash fraction. (2014) *Environmental Earth Sciences*, 71 (4), pp. 1673-1681.
- 5) Yang, H., Xiong, H.-G., Chen, X.-G. Environmental magnetic properties and their spatial variability of topsoil in Shihezi city. (2014) *Huanjing Kexue/Environmental Science*, 35 (9), pp. 3537-3545.
- 6) Reyes, B.A., Mejía, V., Goguitchaichvili, A., Escobar, J., Bayona, G., Bautista, F., Morales, J.C., Ihl, T.J. Reconnaissance environmental magnetic study of urban soils, dust and leaves from Bogotá, Colombia. (2013) *Studia Geophysica et Geodaetica*, 57 (4), pp. 741-754.
- 7) El-Hasan, T., Lataifeh, M. Field and dual magnetic susceptibility proxies for heavy metal pollution assessment in the urban soil of Al-Karak City, South Jordan. (2013) *Environmental Earth Sciences*, 69 (7), pp. 2299-2310.
- 8) Famera, M., Babek, O., Matys Grygar, T., Novakova, T. Distribution of heavy-metal contamination in regulated river-channel deposits: A magnetic susceptibility and grain-size approach; River morava, Czech republic. (2013) *Water, Air, and Soil Pollution*, 224 (5), art. no. 1525, .
- 9) Reyes, B.A., Bautista, F., Goguitchaichvili, A., Contreras, J.J.M., Owen, P.Q., Carvallo, C., Battu, J. Rock-magnetic properties of topsoils and urban dust from Morelia (>800,000 inhabitants), Mexico: Implications for anthropogenic pollution monitoring in Mexico's medium size cities. (2013) *Geofisica Internacional*, 52 (2), pp. 121-133.
- 10) Cowan, E.A., Seramur, K.C., Hageman, S.J. Magnetic susceptibility measurements to detect coal fly ash from the Kingston Tennessee spill in Watts Bar Reservoir. (2013) *Environmental Pollution*, 174, pp. 179-188.
- 11) Gudadhe, S.S., Sangode, S.J., Patil, S.K., Chate, D.M., Meshram, D.C., Badekar, A.G. Pre- and post-monsoon variations in the magnetic susceptibilities of soils of Mumbai metropolitan region: Implications to surface redistribution of urban soils loaded with anthropogenic particulates. (2012) *Environmental Earth Sciences*, 67 (3), pp. 813-831.
- 12) Zhu, Z., Han, Z., Bi, X., Yang, W. The relationship between magnetic parameters and heavy metal contents of indoor dust in e-waste recycling impacted area, Southeast China. (2012) *Science of the Total Environment*, 433, pp. 302-308.
- 13) Lourenço, A.M., Rocha, F., Gomes, C.R. Relationships between magnetic parameters, chemical composition and clay minerals of topsoils near Coimbra, central Portugal. (2012) *Natural Hazards and Earth System Science*, 12 (8), pp. 2545-2555.
- 14) Zhang, C., Qiao, Q., Appel, E., Huang, B. Discriminating sources of anthropogenic heavy metals in urban street dusts using magnetic and chemical methods. (2012) *Journal of Geochemical Exploration*, 119-120, pp. 60-75.
- 15) Rijal, M.L., Porsch, K., Appel, E., Kappler, A. Magnetic signature of hydrocarbon-contaminated soils and sediments at the former oil field Hänigsen, Germany. (2012) *Studia Geophysica et Geodaetica*, 56 (3), pp. 889-908.
- 16) Zuna, M., Ettler, V., Šebek, O., Mihaljevič, M. Mercury accumulation in peatbogs at Czech sites with contrasting pollution histories. (2012) *Science of the Total Environment*, 424, pp. 322-330.
- 17) Li, F., Li, G., Ji, J. Increasing magnetic susceptibility of the suspended particles in Yangtze River and possible contribution of fly ash. (2011) *Catena*, 87 (1), pp. 141-146.
- 18) Meena, N.K., Maiti, S., Shrivastava, A. Discrimination between anthropogenic (pollution) and lithogenic magnetic fraction in urban soils (Delhi, India) using environmental magnetism. (2011) *Journal of Applied Geophysics*, 73 (2), pp. 121-129.
- 19) Huliselan, E.K., Bijaksana, S., Srigutomo, W., Kardenia, E. Scanning electron microscopy and magnetic characterization of iron oxides in solid waste landfill leachate. (2010) *Journal of Hazardous Materials*, 179 (1-3), pp. 701-708.
- 20) Zhang, C., Liu, Q., Huang, B., Su, Y. Magnetic enhancement upon heating of environmentally polluted samples containing haematite and iron. (2010) *Geophysical Journal International*, 181 (3), pp. 1381-1394.

- 21) Sangode, S.J., Vhatkar, K., Patil, S.K., Meshram, D.C., Pawar, N.J., Gudadhe, S.S., Badekar Kumaravel, A.G. Magnetic susceptibility distribution in the soils of Pune metropolitan region: Implications to soil magnetometry of anthropogenic loading. (2010) *Current Science*, 98 (4), pp. 516-527.
- 22) Blundell, A., Hannam, J.A., Dearing, J.A., Boyle, J.F. Detecting atmospheric pollution in surface soils using magnetic measurements: A reappraisal using an England and Wales database (2009) *Environmental Pollution*, 157 (10), pp. 2878-2890.
- 23) Blaha, U., Sapkota, B., Appel, E., Stanjek, H., Rösler, W. Micro-scale grain-size analysis and magnetic properties of coal-fired power plant fly ash and its relevance for environmental magnetic pollution studies (2008) *Atmospheric Environment*, 42 (36), pp. 8359-8370.
- 24) Zhang, C., Huang, B., Piper, J.D.A., Luo, R. Biomonitoring of atmospheric particulate matter using magnetic properties of *Salix matsudana* tree ring cores (2008) *Science of the Total Environment*, 393 (1), pp. 177-190.
- 25) D'Emilio, M., Chianese, D., Coppola, R., Macchiato, M., Ragosta, M. Magnetic susceptibility measurements as proxy method to monitor soil pollution: Development of experimental protocols for field surveys (2007) *Environmental Monitoring and Assessment*, 125 (1-3), pp. 137-146.
- 26) Martins, C.C., Mahiques, M.M., Bicego, M.C., Fukumoto, M.M., Montone, R.C. Comparison between anthropogenic hydrocarbons and magnetic susceptibility in sediment cores from the Santos Estuary, Brazil (2007) *Marine Pollution Bulletin*, 54 (2), pp. 240-246.
- 27) Ďurža, O., Dlapa, P. Lead contents and magnetic susceptibility in alluvial soils of the Štiavnica brook (2006) *Contributions to Geophysics and Geodesy*, 36 (SPEC. ISS), pp. 81-88.
- 28) Shen, M.-J., Hu, S.-Y., Blaha, Y., Yan, H.-T., Rösler, W., Hoffmann, V. A magnetic study of a polluted soil profile at the Shijingshan industrial area, Western Beijing, China (2006) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 49 (6), pp. 1665-1673.
- 29) Wang, X.-S., Qin, Y. Magnetic properties of urban topsoils and correlation with heavy metals: A case study from the city of Xuzhou, China (2006) *Environmental Geology*, 49 (6), pp. 897-904.
- 30) Chianese, D., D'Emilio, M., Bavusi, M., Lapenna, V., Macchiato, M. Magnetic and ground probing radar measurements for soil pollution mapping in the industrial area of Val Basento (Basilicata Region, Southern Italy): A case study (2006) *Environmental Geology*, 49 (3), pp. 389-404.
- 31) Wang, X.S., Qin, Y. Correlation between magnetic susceptibility and heavy metals in urban topsoil: A case study from the city of Xuzhou, China (2005) *Environmental Geology*, 49 (1), pp. 10-18

Kovacheva M., Jordanova N., 2001. Bulgarian archaeomagnetic studies: A review of methodological progress and applications in archaeology, Journal of Radioanalytical and Nuclear Chemistry, (3) 685-696

Цитирана в:

- 1) Casas, L., Linford, P., Shaw, J. Archaeomagnetic dating of Dogmersfield Park brick kiln (Southern England) (2007) *Journal of Archaeological Science*, 34 (2), pp. 205-213.

Petrovsky E., Kapicka A., Jordanova N., Boruvka L. Magnetic properties of alluvial soils contaminated with lead, zinc and cadmium Journal of Applied Geophysics, 48 (2), 2001, 127-136.

Цитирана в:

- 1) Ma, M., Hu, S., Cao, L., Appel, E., Wang, L. Atmospheric pollution history at Linfen (China) uncovered by magnetic and chemical parameters of sediments from a water reservoir (2015) *Environmental Pollution*, 204, pp. 161-172.
- 2) Nováková, T., Kotková, K., Elznicová, J., Strnad, L., Engel, Z., Matys Grygar, T. Pollutant dispersal and stability in a severely polluted floodplain: A case study in the Litavka River, Czech Republic (2015) *Journal of Geochemical Exploration*, 156, pp. 131-144.
- 3) Xia, D., Wang, B., Yu, Y., Jia, J., Nie, Y., Wang, X., Xu, S. Combination of magnetic parameters and heavy metals to discriminate soil-contamination sources in Yinchuan - A typical oasis city of Northwestern China. (2014) *Science of the Total Environment*, 485-486 (1), pp. 83-92.
- 4) Singh, K.T., Nayak, G.N., Fernandes, L.L., Borole, D.V., Basavaiah, N. Changing environmental conditions in recent past - Reading through the study of geochemical characteristics, magnetic parameters and

- sedimentation rate of mudflats, central west coast of India. (2014) *Palaeogeography, Palaeoclimatology, Palaeoecology*, 397, pp. 61-74.
- 5) Wang, B., Xia, D., Yu, Y., Jia, J., Xu, S. Detection and differentiation of pollution in urban surface soils using magnetic properties in arid and semi-arid regions of northwestern China. (2014) *Environmental Pollution*, 184, pp. 335-346.
 - 6) Ma, M.M., Hu, S.Y., Lin, H., Cao, L.W., Wang, L.S. Magnetic responses to traffic related contamination recorded by backfills: A case study from Tongling City, China. (2014) *Journal of Applied Geophysics*, 107, pp. 119-128.
 - 7) Chaparro, M.A.E., Suresh, G., Chaparro, M.A.E., Ramasamy, V., Sinito, A.M. Magnetic studies and elemental analysis of river sediments: A case study from the Ponnaiyar River (Southeastern India). (2013) *Environmental Earth Sciences*, 70 (1), pp. 201-213.
 - 8) Wang, B., Xia, D., Jia, J., Yu, Y., Xu, S. Magnetic responses of heavy metals in urban topsoil of typical steel industrial city, Northwest China. (2013) *Jilin Daxue Xuebao (Diqu Kexue Ban)/Journal of Jilin University (Earth Science Edition)*, 43 (3), pp. 962-973.
 - 9) Wang, B., Xia, D.S., Yu, Y., Jia, J., Xu, S.J. Magnetic records of heavy metal pollution in urban topsoil in Lanzhou, China. (2013) *Chinese Science Bulletin*, 58 (3), pp. 384-395.
 - 10) Suresh, G., Sutharsan, P., Ramasamy, V., Venkatachalapathy, R. Assessment of spatial distribution and potential ecological risk of the heavy metals in relation to granulometric contents of Veeranam lake sediments, India. (2012) *Ecotoxicology and Environmental Safety*, 84, pp. 117-124.
 - 11) Zhang, C., Qiao, Q., Appel, E., Huang, B. Discriminating sources of anthropogenic heavy metals in urban street dusts using magnetic and chemical methods. (2012) *Journal of Geochemical Exploration*, 119-120, pp. 60-75.
 - 12) Chaparro, M.A.E., Chaparro, M.A.E., Sinito, A.M. An interval fuzzy model for magnetic monitoring: Estimation of a pollution index. (2012) *Environmental Earth Sciences*, 66 (5), pp. 1477-1485.
 - 13) Ashraf, M.A., Maah, M.J., Yusoff, I. Chemical speciation and potential mobility of heavy metals in the soil of former tin mining catchment. (2012) *The Scientific World Journal*, 2012, art. no. 125608, .
 - 14) El Baghdadi, M., Barakat, A., Sajieddine, M., Nadem, S. Heavy metal pollution and soil magnetic susceptibility in urban soil of Beni Mellal City (Morocco). (2012) *Environmental Earth Sciences*, 66 (1), pp. 141-155.
 - 15) Grygar, T.M., Sedláček, J., Bábek, O., Nováková, T., Strnad, L., Mihaljevič, M. Regional contamination of Moravia (south-eastern Czech Republic): Temporal shift of Pb and Zn loading in fluvial sediments. (2012) *Water, Air, and Soil Pollution*, 223 (2), pp. 739-753.
 - 16) El Baghdadi, M., Jakani, K., Barakat, A., Bay, Y. Magnetic susceptibility and heavy metal contamination in agricultural soil of Tadla plain. (2011) *Journal of Materials and Environmental Science*, 2 (SUPPL. 1), pp. 513-519.
 - 17) Zhang, C., Qiao, Q., Piper, J.D.A., Huang, B. Assessment of heavy metal pollution from a Fe-smelting plant in urban river sediments using environmental magnetic and geochemical methods. (2011) *Environmental Pollution*, 159 (10), pp. 3057-3070.
 - 18) Yang, T., Zeng, Q., Liu, Z., Liu, Q. Magnetic properties of the road dusts from two parks in Wuhan city, China: Implications for mapping urban environment. (2011) *Environmental Monitoring and Assessment*, 177 (1-4), pp. 637-648.
 - 19) Song, Y., Ji, J., Yang, Z., Yuan, X., Mao, C., Frost, R.L., Ayoko, G.A. Geochemical behavior assessment and apportionment of heavy metal contaminants in the bottom sediments of lower reach of Changjiang River. (2011) *Catena*, 85 (1), pp. 73-81.
 - 20) D'Emilio, M., Caggiano, R., Coppola, R., MacChiato, M., Ragosta, M. Magnetic susceptibility measurements as proxy method to monitor soil pollution: The case study of S. Nicola di Melfi. (2010) *Environmental Monitoring and Assessment*, 169 (1-4), pp. 619-630.
 - 21) Huliselan, E.K., Bijaksana, S., Srigutomo, W., Kardena, E. Scanning electron microscopy and magnetic characterization of iron oxides in solid waste landfill leachate. (2010) *Journal of Hazardous Materials*, 179 (1-3), pp. 701-708.
 - 22) Bijaksana, S., Huliselan, E.K. Magnetic properties and heavy metal content of sanitary leachate sludge in two landfill sites near Bandung, Indonesia. (2010) *Environmental Earth Sciences*, 60 (2), pp. 409-419.
 - 23) Chlupáčová, M., Hanák, J., Müller, P. Magnetic susceptibility of cambisol profiles in the vicinity of the Vír dam, Czech Republic. (2010) *Studia Geophysica et Geodaetica*, 54 (1), pp. 153-184.

- 24) Canbay, M., Aydin, A., Kurtulus, C. Magnetic susceptibility and heavy-metal contamination in topsoils along the Izmit Gulf coastal area and IZAYTAS (Turkey). (2010) *Journal of Applied Geophysics*, 70 (1), pp. 46-57.
- 25) Eleni, K. Magnetic susceptibility as a proxy method to characterize geological formations (2009) *Proceedings of the 2nd WSEAS International Conference on Engineering Mechanics, Structures and Engineering Geology*, EMESEG '09, pp. 196-201.
- 26) Zhang, C.-X., Huang, B.-C., Liu, Q.-S. Magnetic properties of different pollution receptors around steel plants and their environmental significance (2009) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 52 (11), pp. 2826-2839.
- 27) Sarris, A., Kokinou, E., Aidona, E., Kallithrakas-Kontos, N., Koulouridakis, P., Kakoulaki, G., Droulia, K., Damianovits, O. Environmental study for pollution in the area of Megalopolis power plant (Peloponnesos, Greece) (2009) *Environmental Geology*, 58 (8), pp. 1769-1783.
- 28) Alagarsamy, R. Environmental magnetism and application in the continental shelf sediments of India (2009) *Marine Environmental Research*, 68 (2), pp. 49-58.
- 29) Morton-Bermea, O., Hernandez, E., Martinez-Pichardo, E., Soler-Arechalde, A.M., Santa-Cruz, R.L., Gonzalez-Hernandez, G., Beramendi-Orosco, L., Urrutia-Fucugauchi, J. Mexico City topsoils: Heavy metals vs. magnetic susceptibility (2009) *Geoderma*, 151 (3-4), pp. 121-125.
- 30) Vasquez, C.A., Orgeira, M.J., Sinito, A.M. Origin of superparamagnetic particles in Argiudolls developed on loess, Buenos Aires (Argentina) (2009) *Environmental Geology*, 56 (8), pp. 1653-1661.
- 31) LU, S.-G., BAI, S.-Q., FU, L.-X. Magnetic Properties as Indicators of Cu and Zn Contamination in Soils 1 Project supported by the National Natural Science Foundation of China (No. 40371056) and the Natural Science Foundation of Zhejiang Province, China (No. R305078). (2008) *Pedosphere*, 18 (4), pp. 479-485.
- 32) Szönyi, M., Sagnotti, L., Hirt, A.M. A refined biomonitoring study of airborne particulate matter pollution in Rome, with magnetic measurements on Quercus Ilex tree leaves (2008) *Geophysical Journal International*, 173 (1), pp. 127-141.
- 33) Sharma, A.P., Tripathi, B.D. Magnetic mapping of fly-ash pollution and heavy metals from soil samples around a point source in a dry tropical environment (2008) *Environmental Monitoring and Assessment*, 138 (1-3), pp. 31-39.
- 34) Chaparro, M.A.E., Chaparro, M.A.E., Marinelli, C., Sinito, A.M. Multivariate techniques as alternative statistical tools applied to magnetic proxies for pollution: A case study from Argentina and Antarctica (2008) *Environmental Geology*, 54 (2), pp. 365-371.
- 35) Zawadzki, J., Fabijańczyk, P. Use of variograms for field magnetometry analysis in Upper Silesia Industrial Region (2007) *Studia Geophysica et Geodaetica*, 51 (4), pp. 535-550.
- 36) Yang, T., Liu, Q., Chan, L., Liu, Z. Magnetic signature of heavy metals pollution of sediments: Case study from the East Lake in Wuhan, China (2007) *Environmental Geology*, 52 (8), pp. 1639-1650.
- 37) Rothwell, J.J., Lindsay, J.B. Mapping contemporary magnetic mineral concentrations in peat soils using fine-resolution digital terrain data (2007) *Catena*, 70 (3), pp. 465-474.
- 38) D'Emilio, M., Chianese, D., Coppola, R., Macchiato, M., Ragosta, M. Magnetic susceptibility measurements as proxy method to monitor soil pollution: Development of experimental protocols for field surveys (2007) *Environmental Monitoring and Assessment*, 125 (1-3), pp. 137-146.
- 39) Vasquez, C.A., Nami, H.G. Rock magnetic study of fluvial Holocene soil from Buenos Aires province (Argentina) (2006) *Earth, Planets and Space*, 58 (10), pp. 1381-1387.
- 40) Suteerasak, T., Bhongsuwan, T. Magnetic properties of bottom sediment from different geological areas (2006) *Songklanakarin Journal of Science and Technology*, 28 (5), pp. 1135-1148.
- 41) Lu, S.G., Bai, S.Q. Study on the correlation of magnetic properties and heavy metals content in urban soils of Hangzhou City, China (2006) *Journal of Applied Geophysics*, 60 (1), pp. 1-12.
- 42) Liu, Z.-D., Liu, Q.-S., Wang, H.-S., Wang, Z.-Y., Yang, T., Cao, G.-D. Relationship between magnetic properties and heavy metals of sediments in Donghu lake, Wuhan, China (2006) *Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science - Journal of China University of Geosciences*, 31 (2), pp. 266-272.
- 43) Hendrickx, J.M.H., Harrison, J.B.J., Van Dam, R.L., Borchers, B., Norman, D.I., Dedzoe, C.D., Antwi, B.O., Asiamah, R.D., Rodgers, C., Vlek, P., Friesen, J. Magnetic soil properties in Ghana (2005) *Proceedings of SPIE - The International Society for Optical Engineering*, 5794 (PART I), art. no. 18, pp. 165-176.

Jordanova N., Petrovsky E., Kovacheva M., Jordanova D. Factors determining magnetic enhancement of burnt clay from Archaeological sites. Journal of Archaeological Science, 28 (11) , pp. 1137-1148, 2001.

Цитирана в:

- 1) Kondopoulou, D., Aidona, E., Ioannidis, N., Polymeris, G.S., Tsolakis, S. Archaeomagnetic study and thermoluminescence dating of Protobyzantine kilns (Megali Kypsa, North Greece) (2015) *Journal of Archaeological Science: Reports*, 2, pp. 156-168.
- 2) Buggle, B., Hambach, U., Müller, K., Zöller, L., Marković, S.B., Glaser, B. Iron mineralogical proxies and quaternary climate change in SE-european loess-paleosol sequences. (2014) *Catena*, 117, pp. 4-22.
- 3) Tsatskin, A., Zaidner, Y. Geoarchaeological context of the later phases of Mousterian occupation (80-115ka) at Nesher Ramla, Israel: Soil erosion, deposition and pedogenic processes. (2014) *Quaternary International*, 331, pp. 103-114.
- 4) Ekinici, Y.L., Balkaya, Ç., Şeren, A., Kaya, M.A., Lightfoot, C.S. Geomagnetic and geoelectrical prospection for buried archaeological remains on the Upper City of Amorium, a Byzantine city in midwestern Turkey. (2014) *Journal of Geophysics and Engineering*, 11 (1), art. no. 015012, .
- 5) Söderström, M., Eriksson, J., Isendahl, C., Araújo, S.R., Rebellato, L., Pahl Schaas, D., Stenborg, P. Using proximal soil sensors and fuzzy classification for mapping Amazonian Dark Earths. (2013) *Agricultural and Food Science*, 22 (4), pp. 380-389.
- 6) Donadini, F., Motschi, A., Rösch, C., Hajdas, I. Combining an archaeomagnetic and radiocarbon study: Dating of medieval fireplaces at the Mühlegasse, Zürich. (2012) *Journal of Archaeological Science*, 39 (7), pp. 2153-2166.
- 7) Rasmussen, K.L., De La Fuente, G.A., Bond, A.D., Mathiesen, K.K., Vera, S.D. Pottery firing temperatures: A new method for determining the firing temperature of ceramics and burnt clay. (2012) *Journal of Archaeological Science*, 39 (6), pp. 1705-1716.
- 8) Srivastava, P., Sangode, S.J., Meshram, D.C., Gudadhe, S.S., Nagaraju, E., Kumar, A., Venkateshwarlu, M. Paleoweathering and depositional conditions in the inter-flow sediment units (bole beds) of Deccan Volcanic Province, India: A mineral magnetic approach. (2012) *Geoderma*, 177-178, pp. 90-109.
- 9) Carrancho, Á., Villalaín, J.J. Different mechanisms of magnetisation recorded in experimental fires: Archaeomagnetic implications. (2011) *Earth and Planetary Science Letters*, 312 (1-2), pp. 176-187.
- 10) Quesnel, Y., Jrad, A., Mocci, F., Gattacceca, J., Mathé, P.-E., Parisot, J.-C., Hermitte, D., Dumas, V., Dussouillez, P., Walsh, K., Miramont, C., Bonnet, S., Uehara, M. Geophysical signatures of a roman and early medieval necropolis. (2011) *Archaeological Prospection*, 18 (2), pp. 105-115.
- 11) McIntosh, G., Kovacheva, M., Catanzariti, G., Donadini, F., Lopez, M.L.O. High coercivity remanence in baked clay materials used in archeomagnetism. (2011) *Geochemistry, Geophysics, Geosystems*, 12 (2), art. no. Q02003, .
- 12) Spatharas, V., Kondopoulou, D., Aidona, E., Efthimiadis, K.G. New magnetic mineralogy and archaeointensity results from Greek kilns and baked clays. (2011) *Studia Geophysica et Geodaetica*, 55 (1), pp. 131-157.
- 13) Arroyo-Kalin, M., Neves, E.G., Woods, W.I. Anthropogenic dark earths of the central Amazon region: Remarks on their evolution and polygenetic composition (2009) *Amazonian Dark Earths: Wim Sombroek's Vision*, pp. 99-125.
- 14) Venkatachalapathy, R., Loganathan, A., Basavaiah, N., Manoharan, C. The use of mineral magnetic parameters to characterize archaeological artifacts (2009) *Lithuanian Journal of Physics*, 49 (4), pp. 479-485.
- 15) Carrancho, Á., Villalaín, J.J., Angelucci, D.E., Dekkers, M.J., Vallverdú, J., Vergès, J.M. Rock-magnetic analyses as a tool to investigate archaeological fired sediments: A case study of mirador cave (Sierra de Atapuerca, Spain) (2009) *Geophysical Journal International*, 179 (1), pp. 79-96.
- 16) Simpson, D., Lehouck, A., Verdonck, L., Vermeersch, H., Van Meirvenne, M., Bourgeois, J., Thoen, E., Docter, R. Comparison between electromagnetic induction and fluxgate gradiometer measurements on the buried remains of a 17th century castle (2009) *Journal of Applied Geophysics*, 68 (2), pp. 294-300.
- 17) Manoharan, C., Veeramuthu, K., Venkatachalapathy, R., Radhakrishna, T., Ilango, R. Spectroscopic and ancient geomagnetic field intensity studies on archaeological pottery samples, India (2008) *Lithuanian Journal of Physics*, 48 (2), pp. 195-202.
- 18) Venkatachalapathy, R., Bakas, T., Basavaiah, N., Deenadayalan, K. Mössbauer and mineral magnetic studies on archaeological potteries from Adhichanallur, Tamilnadu, India (2008) *Hyperfine Interactions*, 186 (1-3), pp. 89-98.

Jordanova N., Henry B., Jordanova D., Ivanov Z., Dimov D., Bergerat F., 2001. Paleomagnetism in northwestern Bulgaria: Geological implications of widespread remagnetization. *Tectonophysics*, (1-2) 79-92
Цитирана в:

- 1) Font, E., Rapalini, A.E., Tomezzoli, R.N., Trindade, R.I.F., Tohver, E. Episodic remagnetizations related to tectonic events and their consequences for the South America polar wander path. (2012) Geological Society Special Publication, 371 (1), pp. 55-87.
- 2) Grabowski, J., Michalík, J., Szaniawski, R., Grotek, I. Synthrusting remagnetization of the Křížna nappe: High resolution palaeo- and rock magnetic study in the Strážovce section, Strážovské vrchy Mts, Central West Carpathians (Slovakia) (2009) *Acta Geologica Polonica*, 59 (2), pp. 137-155.
- 3) van Hinsbergen, D.J.J., Dupont-Nivet, G., Nakov, R., Oud, K., Panaiotu, C. No significant post-Eocene rotation of the Moesian Platform and Rhodope (Bulgaria): Implications for the kinematic evolution of the Carpathian and Aegean arcs (2008) *Earth and Planetary Science Letters*, 273 (3-4), pp. 345-358.
- 4) Smith, B., Derder, M.E.M., Henry, B., Bayou, B., Yelles, A.K., Djellit, H., Amenna, M., Garces, M., Beamud, E., Callot, J.P., Eschard, R., Chambers, A., Aifa, T., Ait Ouali, R., Gandriche, H. Relative importance of the Hercynian and post-Jurassic tectonic phases in the Saharan platform: A palaeomagnetic study of Jurassic sills in the Reggane Basin (Algeria) (2006) *Geophysical Journal International*, 167 (1), pp. 380-396.
- 5) Waldhör, M., Appel, E. Intersections of remanence small circles: New tools to improve data processing and interpretation in palaeomagnetism (2006) *Geophysical Journal International*, 166 (1), pp. 33-45.

Kapicka A., Jordanova N., Petrovsky E., Ustjak S. Effect of different soil conditions on magnetic parameters of power-plant fly ashes *Journal of Applied Geophysics*, 48 (2), 2001, 93-102.

Цитирана в:

- 1) Essefi, E., Komatsu, G., Fairén, A.G., Chan, M.A., Yaich, C. Models of formation and activity of spring mounds in the Mechertate-Chrita-Sidi El Hani system, Eastern Tunisia: Implications for the habitability of mars. (2014) *Life*, 4 (3), pp. 386-432.
- 2) Wang, B., Xia, D., Yu, Y., Jia, J., Xu, S. Detection and differentiation of pollution in urban surface soils using magnetic properties in arid and semi-arid regions of northwestern China. (2014) *Environmental Pollution*, 184, pp. 335-346.
- 3) Siqueira, D.S., Marques, J., Pereira, G.T., Barbosa, R.S., Teixeira, D.B., Peluco, R.G. Sampling density and proportion for the characterization of the variability of Oxisol attributes on different materials. (2014) *Geoderma*, 232-234, pp. 172-182.
- 4) Yang, T., Chen, J., Yang, X., Wang, H., Jin, H. Differences in magnetic properties of fragments and matrix of breccias from the rupture of the 2008 Wenchuan earthquake, China: Relationship to faulting. (2013) *Tectonophysics*, 601, pp. 112-124.
- 5) Reyes, B.A., Bautista, F., Goguitchaichvili, A., Contreras, J.J.M., Owen, P.Q., Carvallo, C., Battu, J. Rock-magnetic properties of topsoils and urban dust from Morelia (>800,000 inhabitants), Mexico: Implications for anthropogenic pollution monitoring in Mexico's medium size cities. (2013) *Geofisica Internacional*, 52 (2), pp. 121-133.
- 6) Yang, T., Liu, Q., Zeng, Q., Chan, L. Relationship between magnetic properties and heavy metals of urban soils with different soil types and environmental settings: Implications for magnetic mapping. (2012) *Environmental Earth Sciences*, 66 (2), pp. 409-420.
- 87 Zawadzki, J., Magiera, T., Fabijańczyk, P., Kusza, G. Geostatistical 3-dimensional integration of measurements of soil magnetic susceptibility. (2012) *Environmental Monitoring and Assessment*, 184 (5), pp. 3267-3278.
- 8) Sapkota, B., Cioppa, M.T., Gagnon, J.E. Investigation of the changes in magnetic and chemical properties of soil during plant growth in a controlled environment. (2012) *Environmental Earth Sciences*, 65 (1), pp. 385-399.
- 9) Li, F., Li, G., Ji, J. Increasing magnetic susceptibility of the suspended particles in Yangtze River and possible contribution of fly ash. (2011) *Catena*, 87 (1), pp. 141-146.
- 10) Zhang, C., Qiao, Q., Piper, J.D.A., Huang, B. Assessment of heavy metal pollution from a Fe-smelting plant in urban river sediments using environmental magnetic and geochemical methods. (2011) *Environmental Pollution*, 159 (10), pp. 3057-3070.

- 11) Yang, T., Zeng, Q., Liu, Z., Liu, Q. Magnetic properties of the road dusts from two parks in Wuhan city, China: Implications for mapping urban environment. (2011) *Environmental Monitoring and Assessment*, 177 (1-4), pp. 637-648.
- 12) Mohamed, A.-M.O., Marwan, S.S. Impact of soil magnetic properties on moisture content prediction using TDR. (2011) *Geotechnical Testing Journal*, 34 (3), .
- 13) Fürst, C., Lorz, C., Zirlwagen, D., Makeschin, F. Testing the indicative value of magnetic susceptibility measurements for concluding on site potentials and risks provoked by fly ash deposition. (2010) *Environmental Management*, 46 (6), pp. 894-907.
- 14) Huliselan, E.K., Bijaksana, S., Srigutomo, W., Kardena, E. Scanning electron microscopy and magnetic characterization of iron oxides in solid waste landfill leachate. (2010) *Journal of Hazardous Materials*, 179 (1-3), pp. 701-708.
- 15) Zhang, C., Liu, Q., Huang, B., Su, Y. Magnetic enhancement upon heating of environmentally polluted samples containing haematite and iron. (2010) *Geophysical Journal International*, 181 (3), pp. 1381-1394.
- 16) Chlupáčová, M., Hanák, J., Müller, P. Magnetic susceptibility of cambisol profiles in the vicinity of the Vír dam, Czech Republic. (2010) *Studia Geophysica et Geodaetica*, 54 (1), pp. 153-184.
- 17) Lu, S.G., Chen, Y.Y., Shan, H.D., Bai, S.Q. Mineralogy and heavy metal leachability of magnetic fractions separated from some Chinese coal fly ashes (2009) *Journal of Hazardous Materials*, 169 (1-3), pp. 246-255.
- 18) Kim, W., Doh, S.-J., Yu, Y. Anthropogenic contribution of magnetic particulates in urban roadside dust (2009) *Atmospheric Environment*, 43 (19), pp. 3137-3144.
- 19) Frančiskovic-Bilinski, S. Detection of coal combustion products in stream sediments by chemical analysis and magnetic-susceptibility measurements (2008) *Mineralogical Magazine*, 72 (1), pp. 43-48.
- 20) Mohamed, A.M.O. Impact of soil magnetic permeability on water content prediction using TDR (2008) 12th International Conference on Computer Methods and Advances in Geomechanics 2008, 2, pp. 1365-1372.
- 21) Zhang, C., Huang, B., Piper, J.D.A., Luo, R. Biomonitoring of atmospheric particulate matter using magnetic properties of *Salix matsudana* tree ring cores (2008) *Science of the Total Environment*, 393 (1), pp. 177-190.
- 22) Grimley, D.A., Arruda, N.K. Observations of magnetite dissolution in poorly drained soils (2007) *Soil Science*, 172 (12), pp. 968-982.
- 23) Kim, W., Doh, S.-J., Park, Y.-H., Yun, S.-T. Two-year magnetic monitoring in conjunction with geochemical and electron microscopic data of roadside dust in Seoul, Korea (2007) *Atmospheric Environment*, 41 (35), pp. 7627-7641.
- 24) Shen, M.-J., Hu, S.-Y., Blaha, Y., Yan, H.-T., Rösler, W., Hoffmann, V. A magnetic study of a polluted soil profile at the Shijingshan industrial area, Western Beijing, China (2006) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 49 (6), pp. 1665-1673.
- 25) Maier, G., Scholger, R., Schön, J. The influence of soil moisture on magnetic susceptibility measurements (2006) *Journal of Applied Geophysics*, 59 (2), pp. 162-175.
- 26) Shen, M.-J., Hu, S.-Y., Blaha, U., Yan, H.-T., Rösler, W., Appel, E., Hoffmann, V. Magnetic responses to heavy metal pollution and its statistics significance for site 722 soil vertical profile in eastern Beijing (2006) *Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science - Journal of China University of Geosciences*, 31 (3), pp. 399-404.
- 27) Liu, Z.-D., Liu, Q.-S., Wang, H.-S., Wang, Z.-Y., Yang, T., Cao, G.-D. Relationship between magnetic properties and heavy metals of sediments in Donghu lake, Wuhan, China (2006) *Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science - Journal of China University of Geosciences*, 31 (2), pp. 266-272.
- 28) Amereih, S., Meisel, T., Scholger, R., Wegscheider, W. Antimony speciation in soil samples along two Austrian motorways by HPLC-ID-ICP-MS (2005) *Journal of Environmental Monitoring*, 7 (12), pp. 1200-1206.

Jordanova N., Jordanova D., Petrovsky E., Kovacheva M. , 2001. Changes in magnetic properties of baked archaeological samples. Implications for palaeointensity determination. *Studia Geophysica et Geodaetica*, (3) 297-31

Цитирана в:

- 1) Roperch, P., Chauvin, A., Valdez, F. Partial self-reversal of TRM in baked soils and ceramics from Ecuador. (2012) *Physics of the Earth and Planetary Interiors*, 210-211, pp. 8-20.

- 2) Venkatachalapathy, R., Bakas, T., Basavaiah, N., Deenadayalan, K. Mössbauer and mineral magnetic studies on archaeological potteries from Adhichanallur, Tamilnadu, India (2008) *Hyperfine Interactions*, 186 (1-3), pp. 89-98.
- 3) Spassov, S., Hus, J. Estimating baking temperatures in a Roman pottery kiln by rock magnetic properties: Implications of thermochemical alteration on archaeointensity determinations (2006) *Geophysical Journal International*, 167 (2), pp. 592-604.

Matasova G., Petrovsky E., **Jordanova N.**, Zykina V., Kapicka A. Magnetic study of Late Pleistocene loess/palaeosol sections from Siberia: Palaeoenvironmental implications *Geophysical Journal International*, 147 (2), 2001, 367-380.

Цитирана в:

- 1) Taylor, S.N., Lagroix, F. Magnetic anisotropy reveals the depositional and postdepositional history of a loess-paleosol sequence at Nussloch (Germany) (2015) *Journal of Geophysical Research B: Solid Earth*, 120 (5), pp. 2859-2876.
- 2) Bradák, B., Kovács, J. Quaternary surface processes indicated by the magnetic fabric of undisturbed, reworked and fine-layered loess in Hungary. (2014) *Quaternary International*, 319, pp. 76-87.
- 3) Taylor, S.N., Lagroix, F., Rousseau, D.-D., Antoine, P. Mineral magnetic characterization of the upper pleniglacial nussloch loess sequence (Germany): An insight into local environmental processes (2014) *Geophysical Journal International*, 199 (3), pp. 1463-1480.
- 4) Ma, M., Liu, X., Pillans, B.J., Hu, S., Lü, B., Liu, H. Magnetic properties of dashing rocks loess at timaru, south island, new Zealand (2013) *Geophysical Journal International*, 195 (1), pp. 75-85.
- 5) Pueyo Anchuela, Ó., Ramajo Cordero, J., Gil Imaz, A., Meléndez Hevia, G. Analysis of anisotropy of magnetic susceptibility in iron-oolitic beds: A potential tool for paleocurrent identification (2013) *International Journal of Earth Sciences*, 102 (4), pp. 1131-1149.
- 6) Ma, M., Liu, X., Hesse, P.P., Lü, B., Guo, X., Chen, J. Magnetic properties of loess deposits in Australia and their environmental significance (2013) *Quaternary International*, 296, pp. 198-205.
- 7) Baumgart, P., Hambach, U., Meszner, S., Faust, D. An environmental magnetic fingerprint of periglacial loess: Records of Late Pleistocene loess-palaeosol sequences from Eastern Germany (2013) *Quaternary International*, 296, pp. 82-93.
- 8) Liu, X.M., Liu, Z., Lü, B., Marković, S.B., Chen, J.S., Guo, H., Ma, M.M., Zhao, G.Y., Feng, H. The magnetic properties of Serbian loess and its environmental significance (2013) *Chinese Science Bulletin*, 58 (3), pp. 353-363.
- 9) Wei, H.-T., Banerjee, S.K., Xia, D.-S., Jackson, M.J., Jia, J., Chen, F.-H. Magnetic characteristics of loess-paleosol sequences on the north slope of the Tianshan Mountains, northwestern China and their paleoclimatic implications (2013) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 56 (1), pp. 150-158.
- 10) Liu, Y., Shi, Z., Deng, C., Su, H., Zhang, W. Mineral magnetic investigation of the Taledo loess-palaeosol sequence since the last interglacial in the Yili Basin in the Asian interior (2012) *Geophysical Journal International*, 190 (1), pp. 267-277.
- 11) Chen, Q., Liu, X.M., Heller, F., Hirt, A.M., Lü, B., Guo, X.L., Mao, X.G., Chen, J.S., Zhao, G.Y., Feng, H., Guo, H. Susceptibility variations of multiple origins of loess from the Ily Basin (NW China) (2012) *Chinese Science Bulletin*, 57 (15), pp. 1844-1855.
- 12) Liu, W.M., Sun, J.M. High-resolution anisotropy of magnetic susceptibility record in the central Chinese Loess Plateau and its palaeoenvironment implications (2012) *Science China Earth Sciences*, 55 (3), pp. 488-494.
- 13) Maher, B.A. The magnetic properties of Quaternary aeolian dusts and sediments, and their palaeoclimatic significance (2011) *Aeolian Research*, 3 (2), pp. 87-144.
- 14) Chlachula, J., Little, E. A high-resolution Late Quaternary climatostratigraphic record from Iskitim, Priobie Loess Plateau, SW Siberia. (2011) *Quaternary International*, 240 (1-2), pp. 139-149.
- 14) Guo, X.-L., Liu, X.-M., Lü, B., Tang, D.-P., Mao, X.-G., Chen, J.-S., Chen, X.-Y. Comparison of topsoil magnetic properties between the loess region in Tianshan Mountains and Loess Plateau, China, and its environmental significance (2011) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 54 (7), pp. 1854-1862.

- 15) Bábek, O., Chlachula, J., Grygar, T.M. Non-magnetic indicators of pedogenesis related to loess magnetic enhancement and depletion: Examples from the Czech Republic and southern Siberia (2011) *Quaternary Science Reviews*, 30 (7-8), pp. 967-979.
- 16) Jia, J., Xia, D., Wei, H., Wang, B., Liu, X. A magnetic investigation of a loess/paleosol sequences record in Ili area (2010) *Frontiers of Earth Science in China*, 4 (3), pp. 259-268.
- 17) Liu, X.M., Shaw, J., Jiang, J.Z., Bloemendal, J., Hesse, P., Rolph, T., Mao, X.G. Analysis on variety and characteristics of maghemite (2010) *Science China Earth Sciences*, 53 (8), pp. 1153-1162.
- 18) Sandrin, A., Edfelt, Å., Waight, T.E., Berggren, R., Elming, S.-Å. Physical properties and petrologic description of rock samples from an IOCG mineralized area in the northern Fennoscandian Shield, Sweden (2009) *Journal of Geochemical Exploration*, 103 (2-3), pp. 80-96.
- 19) Ďurža, O., Dlapa, P. Magnetic susceptibility record of loess/paleosol sequence: Case study from South-West Slovakia (2009) *Contributions to Geophysics and Geodesy*, 39 (1), pp. 83-94.
- 20) Bradák, B. Application of anisotropy of magnetic susceptibility (AMS) for the determination of paleo-wind directions and paleo-environment during the accumulation period of Bag Tephra, Hungary. (2009) *Quaternary International*, 198 (1-2), pp. 77-84.
- 21) Jordanova, D., Hus, J., Evlogiev, J., Geeraerts, R. Palaeomagnetism of the loess/palaeosol sequence in Viatovo (NE Bulgaria) in the Danube basin (2008) *Physics of the Earth and Planetary Interiors*, 167 (1-2), pp. 71-83.
- 22) Liu, X.M., Liu, T.S., Paul, H., Xia, D.S., Jiri, C., Wang, G. Two pedogenic models for paleoclimatic records of magnetic susceptibility from Chinese and Siberian loess (2008) *Science in China, Series D: Earth Sciences*, 51 (2), pp. 284-293.
- 23) Kravchinsky, V.A., Zykina, V.S., Zykina, V.S. Magnetic indicator of global paleoclimate cycles in Siberian loess-paleosol sequences (2008) *Earth and Planetary Science Letters*, 265 (3-4), pp. 498-514.
- 24) Liu, Q., Deng, C., Torrent, J., Zhu, R. Review of recent developments in mineral magnetism of the Chinese loess (2007) *Quaternary Science Reviews*, 26 (3-4), pp. 368-385.
- 25) Vasquez, C.A., Nami, H.G. Rock magnetic study of fluvial Holocene soil from Buenos Aires province (Argentina) (2006) *Earth, Planets and Space*, 58 (10), pp. 1381-1387.
- 26) Carter-Stiglitz, B., Banerjee, S.K., Gourlan, A., Oches, E. A multi-proxy study of Argentina loess: Marine oxygen isotope stage 4 and 5 environmental record from pedogenic hematite (2006) *Palaeogeography, Palaeoclimatology, Palaeoecology*, 239 (1-2), pp. 45-62.
- 27) Liu, Q., Yu, Y., Deng, C., Pan, Y., Zhu, R. Enhancing weak magnetic fabrics using field-impressed anisotropy: Application to the Chinese loess (2005) *Geophysical Journal International*, 162 (2), pp. 381-389.
- 28) Matasova, G.G., Kazansky, A.Yu., Bortnikova, S.B., Airijants, A.A. The use of magnetic methods in an environmental study of areas polluted with non-magnetic wastes of the mining industry (Salair region, Western Siberia, Russia) (2005) *Geochemistry: Exploration, Environment, Analysis*, 5 (1), pp. 75-89.

Kapicka A., Petrovsky E., **Jordanova N.**, Podrazsky V., 2001. *Magnetic parameters of forest top soils in Krkonoše mountains, Czech Republic. Physics and Chemistry of the Earth, Part A: Solid Earth and Geodesy*, (11-12) 917-922

Цитирана в:

- 1) Magiera, T., Parzentny, H., Róg, L., Chybiorz, R., Wawer, M. Spatial variation of soil magnetic susceptibility in relation to different emission sources in southern Poland (2015) *Geoderma*, 255-256, pp. 94-103.
- 2) Łukasik, A., Szuszkiewicz, M., Magiera, T. Impact of artifacts on topsoil magnetic susceptibility enhancement in urban parks of the Upper Silesian conurbation datasets (2015) *Journal of Soils and Sediments*, 15 (8), pp. 1836-1846.
- 3) Quijano, L., Chaparro, M.A.E., Marié, D.C., Gaspar, L., Navas, A., 2014. Relevant magnetic and soil parameters as potential indicators of soil conservation status of Mediterranean agroecosystems. *Geophysical Journal International*, Volume 198, Issue 3, 1805-1817.
- 4) Zuna, M., Mihaljevič, M., Šebek, O., Ettler, V., Handley, M., Navrátil, T., Goliáš, V. Recent lead deposition trends in the Czech Republic as recorded by peat bogs and tree rings. (2011) *Atmospheric Environment*, 45 (28), pp. 4950-4958.
- 5) Blaha, U., Appel, E., Stanjek, H. Determination of anthropogenic boundary depth in industrially polluted soil and semi-quantification of heavy metal loads using magnetic susceptibility (2008) *Environmental Pollution*, 156 (2), pp. 278-289.

- 6) Zhang, C., Huang, B., Piper, J.D.A., Luo, R. Biomonitoring of atmospheric particulate matter using magnetic properties of *Salix matsudana* tree ring cores (2008) *Science of the Total Environment*, 393 (1), pp. 177-190.
- 7) Hanesch, M., Rantitsch, G., Hemetsberger, S., Scholger, R. Lithological and pedological influences on the magnetic susceptibility of soil: Their consideration in magnetic pollution mapping (2007) *Science of the Total Environment*, 382 (2-3), pp. 351-363.
- 8) Suteerasak, T., Bhongsuwan, T. Magnetic properties of bottom sediment from different geological areas (2006) *Songklanakarin Journal of Science and Technology*, 28 (5), pp. 1135-1148.
- 9) Fialová, H., Maier, G., Petrovský, E., Kapička, A., Boyko, T., Scholger, R. Magnetic properties of soils from sites with different geological and environmental settings (2006) *Journal of Applied Geophysics*, 59 (4), pp. 273-283.

Grygar T., Bezduška P., Vorma P., **Jordanova N.**, Krtil P., 2001. *Spinel solid solutions in the Li-Fe-Mn-O system. Journal of Solid State Chemistry*, (1) 152-160

Цитирана в:

- 1) Al-Tabbakh, A.A.A., Kamarulzaman, N. Evaluation of the electrochemical capacity of spinel $\text{Li}_{1.0348}\text{Mn}_{1.9152}\text{Fe}_{0.0494}\text{O}_4$ compound from combined X-ray diffraction and particle size distribution measurements. (2014) *Journal of Solid State Electrochemistry*, 18 (9), pp. 2411-2418.
- 2) Gracia, M., Marco, J.F., Gancedo, J.R., Ortiz, J., Pastene, R., Gautier, J.L. Characterization of the lithium-manganese ferrite LiFeMnO_4 prepared by two different methods. (2010) *Journal of Physical Chemistry C*, 114 (29), pp. 12792-12799.
- 3) Kikkawa, J., Akita, T., Tabuchi, M., Shikano, M., Tatsumi, K., Kohyama, M. Formation and disappearance of spinel nanograins in $\text{Li}_{1.2-x}\text{Mn}_{0.4}\text{Fe}_{0.4}\text{O}_2$ ($0 \leq x \leq 0.99$) during extraction and insertion of Li ions (2009) *Journal of the Electrochemical Society*, 156 (11), pp. A839-A845.
- 4) Wende, C., Langbein, H. Synthesis and characterization of compounds $\text{Li}_x\text{Mn}_{1-x}\text{Fe}_2\text{O}_4$ with spinel structure in the quasiternary system " $\text{LiO}_{0.5}\text{-MnO}_x\text{-FeO}_x$ " (2006) *Crystal Research and Technology*, 41 (1), pp. 18-26.
- 5) Scholz, F., Schröder, U., Gulaboski, R. Electrochemistry of immobilized particles and droplets (2005) *Electrochemistry of Immobilized Particles and Droplets*, pp. 1-290.

Schibler L., Boyko T., Ferdyn M., Gajda B., Holl S., **Jordanova N.**, Rosler W. *Topsoil magnetic susceptibility mapping: Data reproducibility and compatibility, measurement strategy* *Studia Geophysica et Geodaetica*, 46 (1), 2002, 43-57.

Цитирана в:

- 1) Magiera, T., Parzentny, H., Róg, L., Chybiorz, R., Wawer, M. Spatial variation of soil magnetic susceptibility in relation to different emission sources in southern Poland (2015) *Geoderma*, 255-256, pp. 94-103.
- 2) Zawadzki, J., Fabijańczyk, P., Magiera, T., Rachwał, M. Micro-scale spatial correlation of magnetic susceptibility in soil profile in forest located in an industrial area (2015) *Geoderma*, 249-250, pp. 61-68.
- 3) Zawadzki, J., Fabijańczyk, P., Magiera, T., Rachwał, M. Geostatistical microscale study of magnetic susceptibility in soil profile and magnetic indicators of potential soil pollution (2015) *Water, Air, and Soil Pollution*, 226 (5), art. no. 226,
- 4) Quijano, L., Chaparro, M.A.E., Marié, D.C., Gaspar, L., Navas, A. Relevant magnetic and soil parameters as potential indicators of soil conservation status of Mediterranean agroecosystems. (2014) *Geophysical Journal International*, 198 (3), pp. 1805-1817.
- 5) Guedes, A., Murray, R.C., Ribeiro, H., Sant'Ovaia, H., Valentim, B., Rodrigues, A., Leal, S., Noronha, F. The potential application of magnetic susceptibility as a technique for soil forensic examinations. (2013) *Geological Society Special Publication*, 384 (1), pp. 65-73.
- 6) Lourenço, A.M., Rocha, F., Gomes, C.R. Relationships between magnetic parameters, chemical composition and clay minerals of topsoils near Coimbra, central Portugal. (2012) *Natural Hazards and Earth System Science*, 12 (8), pp. 2545-2555.
- 7) Zawadzki, J., Magiera, T., Fabijańczyk, P., Kusza, G. Geostatistical 3-dimensional integration of measurements of soil magnetic susceptibility. (2012) *Environmental Monitoring and Assessment*, 184 (5), pp. 3267-3278.

- 8) Kucer, N., Sabikoglu, I., Can, N. Measurements of environmental pollution in industrial area using magnetic susceptibility method. (2012) *Acta Physica Polonica A*, 121 (1), pp. 20-22.
- 9) Viscarra Rossel, R.A., Adamchuk, V.I., Sudduth, K.A., McKenzie, N.J., Lobsey, C. Proximal Soil Sensing. An Effective Approach for Soil Measurements in Space and Time. (2011) *Advances in Agronomy*, 113, pp. 237-282
- 10) Wang, B., Xia, D., Yu, Y., Jia, J., Tian, S., Liu, X. Use of environmental magnetism to monitor pollution in the river sediment of an urban area. (2011) *Huanjing Kexue Xuebao/Acta Scientiae Circumstantiae*, 31 (9), pp. 1979-1991.
- 11) Magiera, T., Jankowski, M., Switoniak, M., Rachwal, M. Study of forest soils on an area of magnetic and geochemical anomaly in north-eastern Poland. (2011) *Geoderma*, 160 (3-4), pp. 559-568.
- 12) Bidegain, J.C., Chaparro, M.A.E., Marié, D.C., Jurado, S. Air pollution caused by manufacturing coal from petroleum coke in Argentina. (2011) *Environmental Earth Sciences*, 62 (4), pp. 847-855.
- 13) Fürst, C., Lorz, C., Zirlwagen, D., Makeschin, F. Testing the indicative value of magnetic susceptibility measurements for concluding on site potentials and risks provoked by fly ash deposition. (2010) *Environmental Management*, 46 (6), pp. 894-907.
- 14) Fürst, C., Lorz, C., Zirlwagen, D., Makeschin, F. Mapping of ferrimagnetic susceptibility for screening of fly ash deposition. (2010) *WIT Transactions on Ecology and the Environment*, 136, pp. 379-393.
- 15) D'Emilio, M., Caggiano, R., Coppola, R., MacChiato, M., Ragosta, M. Magnetic susceptibility measurements as proxy method to monitor soil pollution: The case study of S. Nicola di Melfi. (2010) *Environmental Monitoring and Assessment*, 169 (1-4), pp. 619-630.
- 16) Fürst, C., Zirlwagen, D., Lorz, C. Regionalization of magnetic susceptibility measurements based on a multiple regression approach. (2010) *Water, Air, and Soil Pollution*, 208 (1-4), pp. 129-151.
- 17) Canbay, M. Investigation of the relation between heavy metal contamination of soil and its magnetic susceptibility. (2010) *International Journal of Physical Sciences*, 5 (5), pp. 393-400.
- 18) Chlupáčová, M., Hanák, J., Müller, P. Magnetic susceptibility of cambisol profiles in the vicinity of the Víř dam, Czech Republic. (2010) *Studia Geophysica et Geodaetica*, 54 (1), pp. 153-184.
- 19) Li, P., Qiang, X.-K., Xu, X.-W., Li, X.-B., Sun, Y.-F. Magnetic properties of street dust: A case in Xi'an city, Shaanxi province, China. (2010) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 53 (1), pp. 156-163.
- 20) Canbay, M., Aydin, A., Kurtulus, C. Magnetic susceptibility and heavy-metal contamination in topsoils along the Izmit Gulf coastal area and IZAYTAS (Turkey). (2010) *Journal of Applied Geophysics*, 70 (1), pp. 46-57.
- 21) Zawadzki, J., Magiera, T., Fabijańczyk, P. Geostatistical evaluation of magnetic indicators of forest soil contamination with heavy metals (2009) *Studia Geophysica et Geodaetica*, 53 (1), pp. 133-149.
- 22) Magiera, T., Kapička, A., Petrovský, E., Strzyszcz, Z., Fialová, H., Rachwał, M. Magnetic anomalies of forest soils in the Upper Silesia-Northern Moravia region (2008) *Environmental Pollution*, 156 (3), pp. 618-627.
- 23) Chaparro, M.A.E., Sinito, A.M., Ramasamy, V., Marinelli, C., Chaparro, M.A.E., Mullainathan, S., Murugesan, S. Magnetic measurements and pollutants of sediments from Cauvery and Palaru River, India (2008) *Environmental Geology*, 56 (2), pp. 425-437.
- 24) Kapička, A., Petrovský, E., Fialová, H., Podrážský, V., Dvořák, I. High resolution mapping of anthropogenic pollution in the Giant Mountains National Park using soil magnetometry (2008) *Studia Geophysica et Geodaetica*, 52 (2), pp. 271-284.
- 25) Sharma, A.P., Tripathi, B.D. Magnetic mapping of fly-ash pollution and heavy metals from soil samples around a point source in a dry tropical environment (2008) *Environmental Monitoring and Assessment*, 138 (1-3), pp. 31-39.
- 26) North, R.E., Simms, J.E. Determination of soil magnetic susceptibility from electromagnetic induction measurements (2007) *Proceedings of the Symposium on the Application of Geophysics to Engineering and Environmental Problems*, SAGEEP, 1, pp. 253-264.
- 27) Zawadzki, J., Fabijańczyk, P., Magiera, T. The influence of forest stand and organic horizon development on soil surface measurement of magnetic susceptibility (2007) *Polish Journal of Soil Science*, 40 (2), pp. 113-124.
- 28) Zawadzki, J., Fabijańczyk, P. Use of variograms for field magnetometry analysis in Upper Silesia Industrial Region (2007) *Studia Geophysica et Geodaetica*, 51 (4), pp. 535-550.
- 29) Magiera, T., Strzyszcz, Z., Rachwal, M. Mapping particulate pollution loads using soil magnetometry in urban forests in the Upper Silesia Industrial Region, Poland (2007) *Forest Ecology and Management*, 248 (1-2), pp. 36-42.

- 30) Magiera, T., Zawadzki, J. Using of high-resolution topsoil magnetic screening for assessment of dust deposition: Comparison of forest and arable soil datasets (2007) *Environmental Monitoring and Assessment*, 125 (1-3), pp. 19-28.
- 31) D'Emilio, M., Chianese, D., Coppola, R., Macchiato, M., Ragosta, M. Magnetic susceptibility measurements as proxy method to monitor soil pollution: Development of experimental protocols for field surveys (2007) *Environmental Monitoring and Assessment*, 125 (1-3), pp. 137-146.
- 32) Chaparro, M.A.E., Gogorza, C.S.G., Chaparro, M.A.E., Irurzun, M.A., Sinito, A.M. Review of magnetism and heavy metal pollution studies of various environments in Argentina (2006) *Earth, Planets and Space*, 58 (10), pp. 1411-1422.
- 33) Fialová, H., Maier, G., Petrovský, E., Kapička, A., Boyko, T., Scholger, R. Magnetic properties of soils from sites with different geological and environmental settings (2006) *Journal of Applied Geophysics*, 59 (4), pp. 273-283.
- 34) Maier, G., Scholger, R., Schön, J. The influence of soil moisture on magnetic susceptibility measurements (2006) *Journal of Applied Geophysics*, 59 (2), pp. 162-175.
- 35) Magiera, T., Strzyszczyński, Z., Kapička, A., Petrovsky, E. Discrimination of lithogenic and anthropogenic influences on topsoil magnetic susceptibility in Central Europe (2006) *Geoderma*, 130 (3-4), pp. 299-311.
- 36) Chianese, D., D'Emilio, M., Bavusi, M., Lapenna, V., Macchiato, M. Magnetic and ground probing radar measurements for soil pollution mapping in the industrial area of Val Basento (Basilicata Region, Southern Italy): A case study (2006) *Environmental Geology*, 49 (3), pp. 389-404.
- 37) Park, C.B. Shear-wave velocity (VS) profiling by surface wave (MASW) method (2005) *Proceedings of the Symposium on the Application of Geophysics to Engineering and Environmental Problems*, SAGEEP, 1, pp. 656-657.
- 38) Spiteri, C., Kalinski, V., Rösler, W., Hoffmann, V., Appel, E. Magnetic screening of a pollution hotspot in the Lausitz area, Eastern Germany: Correlation analysis between magnetic proxies and heavy metal contamination in soils (2005) *Environmental Geology*, 49 (1), pp. 1-9.
- 39) Chaparro, M.A.E., Lirio, J.M., Nuñez, H., Gogorza, C.S.G., Sinito, A.M. Preliminary magnetic studies of lagoon and stream sediments from Chascomús Area (Argentina) - Magnetic parameters as indicators of heavy metal pollution and some results of using an experimental method to separate magnetic phases (2005) *Environmental Geology*, 49 (1), pp. 30-43.

Wehland F., Panaiotu C., Appel E., Hoffmann V., Jordanova D., **Jordanova N.**, Denut I., 2002. *The dam breakage of Baia Mare - A pilot study of magnetic screening.*, *Physics and Chemistry of the Earth*, (25-31) 1371-1376.

Цитирана в:

- 1) Štirbanović, Z., Miljanović, I., Marković, Z. Application of rough set theory for choosing optimal location for flotation tailings dump. (2013) *Archives of Mining Sciences*, 58 (3), pp. 893-900.
- 2) Szabó, E., Sipos, P., Kovács, B., András, D., Gyori, Z. Recent results to the evaluation of the long-term effects of metal pollution in Tisza river. (2012) *Acta Phytopathologica et Entomologica Hungarica*, 47 (2), pp. 355-362.
- 3) Ani, E.-C., Cristea, V.M., Agachi, P.S. Mathematical models to support pollution counteraction in case of accidents. (2012) *Environmental Engineering and Management Journal*, 11 (1), pp. 13-20.
- 4) Sakan, S., Dordević, D., Dević, G., Relić, D., Andelković, I., Duričić, J. A study of trace element contamination in river sediments in Serbia using microwave-assisted aqua regia digestion and multivariate statistical analysis. (2011) *Microchemical Journal*, 99 (2), pp. 492-502.
- 5) Ani, E.-C., Avramenko, Y., Kraslawski, A., Agachi, P.S. Identification of pollution sources in the Romanian Somes River using graphical analysis of concentration profiles. (2011) *Asia-Pacific Journal of Chemical Engineering*, 6 (5), pp. 801-812.
- 6) Ramasamy, V., Suresh, G., Venkatachalapathy, R., Ponnusamy, V., Meenakshisundaram, V. Magnetic susceptibility and radiological hazardous nature of the river sediments - Spectroscopical approach. (2010) *Acta Physica Polonica A*, 118 (4), pp. 701-711.
- 7) Bird, G., Brewer, P.A., Macklin, M.G., Nikolova, M., Kotsev, T., Mollov, M., Swain, C. Pb isotope evidence for contaminant-metal dispersal in an international river system: The lower Danube catchment, Eastern Europe. (2010) *Applied Geochemistry*, 25 (7), pp. 1070-1084.

- 8) Duan, X.M., Hu, S.Y., Yan, H.T., Blaha, U., Roesler, W., Appel, E., Sun, W.H. Relationship between magnetic parameters and heavy element contents of arable soil around a steel company, Nanjing. (2010) *Science China Earth Sciences*, 53 (3), pp. 411-418.
- 9) Bird, G., Brewer, P.A., Macklin, M.G. Management of the Danube drainage basin: Implications of contaminant metal dispersal for the implementation of the EU Water Framework Directive. (2010) *International Journal of River Basin Management*, 8 (1), pp. 63-78.
- 10) Dold, B. Sustainability in metal mining: From exploration, over processing to mine waste management (2008) *Reviews in Environmental Science and Biotechnology*, 7 (4 SPEC. ISS.), pp. 275-285.
- 11) Yang, T., Liu, Q., Chan, L., Liu, Z. Magnetic signature of heavy metals pollution of sediments: Case study from the East Lake in Wuhan, China (2007) *Environmental Geology*, 52 (8), pp. 1639-1650.
- 12) Fletcher, D.E., Hopkins, W.A., Saldaña, T., Baionno, J.A., Arribas, C., Standora, M.M., Fernández-Delgado, C. Geckos as indicators of mining pollution (2006) *Environmental Toxicology and Chemistry*, 25 (9), pp. 2432-2445.
- 13) Shen, M.-J., Hu, S.-Y., Blaha, U., Yan, H.-T., Rösler, W., Appel, E., Hoffmann, V. Magnetic responses to heavy metal pollution and its statistics significance for site 722 soil vertical profile in eastern Beijing (2006) *Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science - Journal of China University of Geosciences*, 31 (3), pp. 399-404.
- 14) Orešćanin, V., Lulić, S., Medunić, G., Mikelić, L. Granulometric and chemical composition of the Danube river sediments, Batina village, Croatia (2005) *Geologia Croatica*, 58 (2), pp. 185-194.
- 15) Yan, H.-T., Hu, S.-Y., Appel, E., Hoffmann, V., Zhu, Y.-X. Magnetic responses to vertical migration of fly ash in a soil profile (2005) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 48 (6), pp. 1392-1399.
- 16) Schmidt, A., Yarnold, R., Hill, M., Ashmore, M. Magnetic susceptibility as proxy for heavy metal pollution: A site study (2005) *Journal of Geochemical Exploration*, 85 (3), pp. 109-117.

Jordanova N., Kovacheva M., Hedley I., Kostadinova M. *On the suitability of baked clay for archaeomagnetic studies as deduced from detailed rock-magnetic studies* *Geophysical Journal International*, 153 (1), 2003, 146-158.

Цитирана в:

- 1) Kondopoulou, D., Aidona, E., Ioannidis, N., Polymeris, G.S., Tsolakis, S. Archaeomagnetic study and thermoluminescence dating of Protobyzantine kilns (Megali Kypsa, North Greece) (2015) *Journal of Archaeological Science: Reports*, 2, pp. 156-168.
- 2) Nordiana, M.M., Saad, S., Saidin, M., Kamaruddin, N.A. Archaeomagnetic studies of anomaly at Sungai Batu, Lembah Bujang, Kedah (Malaysia). (2014) *Electronic Journal of Geotechnical Engineering*, 19 J, pp. 2315-2323.
- 3) De Marco, E., Tema, E., Lanos, P., Kondopoulou, D. An updated catalogue of Greek archaeomagnetic data for the last 4500 years and a directional secular variation curve. (2014) *Studia Geophysica et Geodaetica*, 58 (1), pp. 121-147.
- 4) Kondopoulou, D., Zananiri, I., Rathossi, C., De Marco, E., Spatharas, V., Hasaki, E. An archaeometric and archaeological approach to Hellenistic–Early Roman ceramic workshops in Greece: Contribution to dating. (2014) *Radiocarbon*, 56 (4), pp. S27-S38.
- 5) Rivas Ortiz, J.F., Guerrero, B.O., Rebolledo, E.S., Sedov, S., Pérez, S.S. Magnetic mineralogy of volcanic soils in a toposequence from Teotihuacan Valley [Mineralogía magnética de suelos volcánicos en una toposecuencia del valle de teotihuacán] (2012) *Boletín de la Sociedad Geológica Mexicana*, 64 (1), pp. 1-20.
- 6) Catanzariti, G., Gómez-Paccard, M., McIntosh, G., Pavón-Carrasco, F.J., Chauvin, A., Osete, M.L. New archaeomagnetic data recovered from the study of Roman and Visigothic remains from central Spain (3rd-7th centuries). (2012) *Geophysical Journal International*, 188 (3), pp. 979-993.
- 7) Carrancho, Á., Villalaín, J.J. Different mechanisms of magnetisation recorded in experimental fires: Archaeomagnetic implications. (2011) *Earth and Planetary Science Letters*, 312 (1-2), pp. 176-187.
- 8) Spatharas, V., Kondopoulou, D., Aidona, E., Efthimiadis, K.G. New magnetic mineralogy and archaeointensity results from Greek kilns and baked clays. (2011) *Studia Geophysica et Geodaetica*, 55 (1), pp. 131-157.

- 9) Carrancho, Á., Villalaín, J.J., Angelucci, D.E., Dekkers, M.J., Vallverdú, J., Vergès, J.M. Rock-magnetic analyses as a tool to investigate archaeological fired sediments: A case study of mirador cave (Sierra de Atapuerca, Spain) (2009) *Geophysical Journal International*, 179 (1), pp. 79-96.
- 10) Donadini, F., Kovacheva, M., Kostadinova, M., Hedley, I.G., Pesonen, L.J. Palaeointensity determination on an early medieval kiln from Switzerland and the effect of cooling rate (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 449-457.
- 11) De Marco, E., Spatharas, V., Gómez-Paccard, M., Chauvin, A., Kondopoulou, D. New archaeointensity results from archaeological sites and variation of the geomagnetic field intensity for the last 7 millennia in Greece (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 578-595.
- 12) De Marco, E., Spassov, S., Kondopoulou, D., Zananiri, I., Gerofoka, E. Archaeomagnetic study and dating of a Hellenistic site in Katerini (N. Greece) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 481-495.
- 13) Herries, A.I.R., Kovacheva, M., Kostadinova, M. Mineral magnetism and archaeomagnetic dating of a mediaeval oven from Zlatna Livada, Bulgaria (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 496-510.
- 14) Donadini, F., Kovacheva, M., Kostadinova, M., Casas, Ll., Pesonen, L.J. New archaeointensity results from Scandinavia and Bulgaria. Rock-magnetic studies inference and geophysical application (2007) *Physics of the Earth and Planetary Interiors*, 165 (3-4), pp. 229-247.
- 15) Herries, A.I.R., Kovacheva, M., Kostadinova, M., Shaw, J. Archaeo-directional and -intensity data from burnt structures at the Thracian site of Halka Bunar (Bulgaria): The effect of magnetic mineralogy, temperature and atmosphere of heating in antiquity (2007) *Physics of the Earth and Planetary Interiors*, 162 (3-4), pp. 199-216.
- 16) Spassov, S., Hus, J. Estimating baking temperatures in a Roman pottery kiln by rock magnetic properties: Implications of thermochemical alteration on archaeointensity determinations (2006) *Geophysical Journal International*, 167 (2), pp. 592-604.
- 17) Casas, Ll., Shaw, J., Gich, M., Share, J.A. High-quality microwave archaeointensity determinations from an early 18th century AD English brick kiln (2005) *Geophysical Journal International*, 161 (3), pp. 653-661.

Henry B., Jordanova D., **Jordanova N.**, Souque C., Robion P. Anisotropy of magnetic susceptibility of heated rocks *Tectonophysics*, 366 (3-4), 2003, 241-258.

Цитирана в:

- 1) Timur, E. Magnetic susceptibility and VLF-R investigations for determining geothermal blowout contaminated area: a case study from Alaşehir (Manisa/Turkey). (2014) *Environmental Earth Sciences*, 72 (7), pp. 2497-2510.
- 2) Boiron, T., Bascou, J., Camps, P., Ferré, E.C., Maurice, C., Guy, B., Gerbe, M.-C., Launeau, P. Internal structure of basalt flows: Insights from magnetic and crystallographic fabrics of the La Palisse volcanics, French Massif Central. (2013) *Geophysical Journal International*, 193 (2), pp. 585-602.
- 3) Urrutia-Fucugauchi, J., Delgadillo-Peralta, M., Pérez-Cruz, L., Velasco-Villarreal, M. Heating-induced changes in the anisotropy of magnetic susceptibility of impact breccias, Chicxulub Crater (Mexico). (2012) *Studia Geophysica et Geodaetica*, 56 (3), pp. 769-787.
- 4) Humbert, F., Robion, P., Louis, L., Bartier, D., Ledéser, B., Song, S.-R. Magnetic inference of in situ open microcracks in sandstone samples from the Taiwan Chelungpu Fault Drilling Project (TCDP). (2012) *Journal of Asian Earth Sciences*, 45, pp. 179-189.
- 5) Wassmer, P., Gomez, C. Development of the AMS method for unconsolidated sediments. Application to tsunami deposits [Développement de la méthode AMS pour les sédiments non consolidés. Application aux dépôts de tsunami]. (2011) *Geomorphologie: Relief, Processus, Environnement*, (3), pp. 279-290.
- 6) Zhang, S., Cañón-Tapia, E., Walderhaug, H.J. Magnetic fabric and its significance in the sills and lava flows from Taimyr fold-belt, Arctic Siberia. (2011) *Tectonophysics*, 505 (1-4), pp. 68-85.
- 7) Hastie, W.W., Aubourg, C., Watkeys, M.K. When an 'inverse' fabric is not inverse: An integrated AMS-SPO study in MORB-like dykes. (2011) *Terra Nova*, 23 (1), pp. 49-55.
- 8) Elitok, O., Kamaci, Z., Dolmaz, M.N., Yilmaz, K., Şener, M. Relationship between chemical composition and magnetic susceptibility in the alkaline volcanics from the Isparta area, SW Turkey. (2010) *Journal of Earth System Science*, 119 (6), pp. 853-860.

- 9) Roperch, P., Carlotto, V., Chauvin, A. Using anisotropy of magnetic susceptibility to better constrain the tilt correction in paleomagnetism: A case study from southern Peru. (2010) *Tectonics*, 29 (6), art. no. TC6005.
- 10) Tripathy, N.R., Srivastava, H.B., Mamtani, M.A. Evaluation of a regional strain gradient in mylonitic quartzites from the footwall of the Main Central Thrust Zone (Garhwal Himalaya, India): Inferences from finite strain and AMS analyses (2009) *Journal of Asian Earth Sciences*, 34 (1), pp. 26-37.
- 11) Zhang, S., Walderhaug, J.H., Yang, Y. Rock magnetism and magnetic anisotropy in folded sills and basaltic flows: A case study of volcanics from the Taimyr Peninsula, Northern Russia (2008) *Chinese Science Bulletin*, 53 (5), pp. 759-767.
- 12) Rathi, G., Sangode, S.J., Kumar, R., Ghosh, S.K. Magnetic fabrics under high-energy fluvial regime of the Himalayan Foreland Basin, NW Himalaya (2007) *Current Science*, 92 (7), pp. 933-944.
- 13) Martín-Hernández, F., Ferré, E.C. Separation of paramagnetic and ferrimagnetic anisotropies: A review (2007) *Journal of Geophysical Research: Solid Earth*, 112 (3), art. no. B03105, .
- 14) Zhang, S., Walderhaug, H.J. Rock magnetic and magnetic anisotropy of igneous rocks from Taimyr Peninsula, Arctic Russia (2007) *Geomathematics and GIS Analysis of Resources, Environment and Hazards - Annual Conference of the International Association for Mathematical Geology, IAMG 2007*, pp. 411-414.
- 15) Bouchez, J.L., Mintsu Mi Nguema, T., Esteban, L., Siqueira, R., Scrivener, R. The tourmaline-bearing granite pluton of Bodmin (Cornwall, UK): Magnetic fabric study and regional inference (2006) *Journal of the Geological Society*, 163 (4), pp. 607-616.
- 16) Silva, P.F., Henry, B., Marques, F.O., Mateus, A., Madureira, P., Lourenço, N., Miranda, J.M. Variation of magnetic properties in sedimentary rocks hosting the Foum Zguid dyke (southern Morocco): Combined effects of re-crystallization and Fe-metasomatism (2006) *Earth and Planetary Science Letters*, 241 (3-4), pp. 978-992.
- 17) Bascou, J., Camps, P., Dautria, J.M. Magnetic versus crystallographic fabrics in a basaltic lava flow (2005) *Journal of Volcanology and Geothermal Research*, 145 (1-2), pp. 119-135.
- 18) Li, Y.-X., Kodama, K.P. Assessing thermal effects on magnetic fabrics of sedimentary rocks: Results from synthetic and natural samples (2005) *Geophysical Research Letters*, 32 (4), pp. 1-4.

Kapicka A., **Jordanova N.**, Petrovsky E., Podrazsky V. *Magnetic study of weakly contaminated forest soils* *Water, Air, and Soil Pollution*, 148 (1-4), 2003, 31-44.

Цитирана в:

- 1) Wang, B., Xia, D.S., Yu, Y., Jia, J., Xu, S.J. Magnetic properties of river sediments and their relationship with heavy metals and organic matter in the urban area in Lanzhou, China. (2013) *Environmental Earth Sciences*, 70 (2), pp. 605-614.
- 2) Gołuchowska, B., Strzyszczyk, Z., Kusza, G. Magnetic susceptibility and heavy metal content in dust from the lime plant and the cement plant in Opole voivodeship. (2012) *Archives of Environmental Protection*, 38 (2), pp. 71-80.
- 3) Yang, T., Liu, Q., Zeng, Q., Chan, L. Relationship between magnetic properties and heavy metals of urban soils with different soil types and environmental settings: Implications for magnetic mapping. (2012) *Environmental Earth Sciences*, 66 (2), pp. 409-420.
- 4) El Baghdadi, M., Jakani, K., Barakat, A., Bay, Y. Magnetic susceptibility and heavy metal contamination in agricultural soil of Tadla plain. (2011) *Journal of Materials and Environmental Science*, 2 (SUPPL. 1), pp. 513-519.
- 5) Yang, T., Zeng, Q., Liu, Z., Liu, Q. Magnetic properties of the road dusts from two parks in Wuhan city, China: Implications for mapping urban environment. (2011) *Environmental Monitoring and Assessment*, 177 (1-4), pp. 637-648.
- 6) Magiera, T., Jankowski, M., Switoniak, M., Rachwał, M. Study of forest soils on an area of magnetic and geochemical anomaly in north-eastern Poland. (2011) *Geoderma*, 160 (3-4), pp. 559-568.
- 7) Bartel, A.A., Bidegain, J.C., Sinito, A.M. Magnetic parameter analysis of a climosequence of soils in the southern pampean region, Argentina. (2011) *Geofísica Internacional*, 50 (1), pp. 9-22.
- 8) D'Emilio, M., Caggiano, R., Coppola, R., MacChiato, M., Ragosta, M. Magnetic susceptibility measurements as proxy method to monitor soil pollution: The case study of S. Nicola di Melfi. (2010) *Environmental Monitoring and Assessment*, 169 (1-4), pp. 619-630.

- 9) Huliselan, E.K., Bijaksana, S., Srigutomo, W., Kardena, E. Scanning electron microscopy and magnetic characterization of iron oxides in solid waste landfill leachate. (2010) *Journal of Hazardous Materials*, 179 (1-3), pp. 701-708.
- 10) Bučko, M.S., Magiera, T., Pesonen, L.J., Janus, B. Magnetic, geochemical, and microstructural characteristics of road dust on roadsides with different traffic volumes-case study from Finland. (2010) *Water, Air, and Soil Pollution*, 209 (1-4), pp. 295-306.
- 11) Canbay, M. Investigation of the relation between heavy metal contamination of soil and its magnetic susceptibility. (2010) *International Journal of Physical Sciences*, 5 (5), pp. 393-400.
- 12) Rosowiecka, O., Nawrocki, J. Assessment of soils pollution extent in surroundings of ironworks based on magnetic analysis. (2010) *Studia Geophysica et Geodaetica*, 54 (1), pp. 185-194.
- 13) Chlupáčová, M., Hanák, J., Müller, P. Magnetic susceptibility of cambisol profiles in the vicinity of the Víř dam, Czech Republic. (2010) *Studia Geophysica et Geodaetica*, 54 (1), pp. 153-184.
- 14) Canbay, M., Aydin, A., Kurtulus, C. Magnetic susceptibility and heavy-metal contamination in topsoils along the Izmit Gulf coastal area and IZAYTAS (Turkey). (2010) *Journal of Applied Geophysics*, 70 (1), pp. 46-57

Jordanova N.V., Jordanova D.V., Veneva L., Yorova K., Petrovsky E. *Magnetic response of soils and vegetation to heavy metal pollution - A case study. Environmental Science and Technology*, 37 (19), 2003, 4417-4424.

Цитирана в:

- 1) Wawer, M., Magiera, T., Ojha, G., Appel, E., Bučko, M.S., Kusza, G. Characteristics of current roadside pollution using test-monitoring plots (2015) *Science of the Total Environment*, 505, pp. 795-804.
- 2) Golden, N., Morrison, L., Gibson, P.J., Potito, A.P., Zhang, C. Spatial patterns of metal contamination and magnetic susceptibility of soils at an urban bonfire site (2015) *Applied Geochemistry*, 52, pp. 86-96.
- 3) Lourenço, A., Esteves, I., Rocha, A., Abrantes, I., Gomes, C. Relation between magnetic parameters and nematode abundance in agricultural soils of Portugal—a multidisciplinary study in the scope of environmental magnetism (2015) *Environmental Monitoring and Assessment*, 187 (4), 15 p.
- 4) Xia, D., Wang, B., Yu, Y., Jia, J., Nie, Y., Wang, X., Xu, S. Combination of magnetic parameters and heavy metals to discriminate soil-contamination sources in Yinchuan - A typical oasis city of Northwestern China. (2014) *Science of the Total Environment*, 485-486 (1), pp. 83-92.
- 5) Rodríguez-Germade, I., Mohamed, K.J., Rey, D., Rubio, B., García, T. The influence of weather and climate on the reliability of magnetic properties of tree leaves as proxies for air pollution monitoring. (2014) *Science of the Total Environment*, 468-469, pp. 892-902.
- 6) Uzu, G., Schreck, E., Xiong, T., Macouin, M., Lévêque, T., Fayomi, B., Dumat, C. Urban market gardening in Africa: Foliar uptake of metal(loid)s and their bioaccessibility in vegetables; Implications in terms of health risks. (2014) *Water, Air, and Soil Pollution*, 225 (11), art. no. 2185, .
- 7) Bhattacharjee, A., Mandal, H., Roy, M., Kusz, J., Zubko, M. Magnetic particulate matters in the ashes of few commonly used Indian cigarettes. (2014) *Environmental Monitoring and Assessment*, 186 (11), pp. 7399-7411.
- 8) Castañeda-Miranda, A.G., Böhnelt, H.N., Molina-Garza, R.S., Chaparro, M.A.E. Magnetic evaluation of TSP-filters for air quality monitoring. (2014) *Atmospheric Environment*, 96, pp. 163-174.
- 9) Salo, H., Vaahtovuori, E. Enviromagnetic methods and their use in studies of spatial and temporal changes in airborne pollution load using the moss bag technique [Ympäristömagneettiset menetelmät ja niiden käyttö ympäristön ilmaperäisen kuormituksen spatiaalisten ja ajallisten muutosten tutkimuksessa sammalpallotekniikan avulla]. (2013) *Terra*, 125 (4), pp. 191-206.
- 10) Zhu, Z., Sun, G., Bi, X., Li, Z., Yu, G. Identification of trace metal pollution in urban dust from kindergartens using magnetic, geochemical and lead isotopic analyses. (2013) *Atmospheric Environment*, 77, pp. 9-15.
- 11) Reyes, B.A., Mejía, V., Goguitchaichvili, A., Escobar, J., Bayona, G., Bautista, F., Morales, J.C., Ihl, T.J. Reconnaissance environmental magnetic study of urban soils, dust and leaves from Bogotá, Colombia. (2013) *Studia Geophysica et Geodaetica*, 57 (4), pp. 741-754.
- 12) El-Hasan, T., Lataifeh, M. Field and dual magnetic susceptibility proxies for heavy metal pollution assessment in the urban soil of Al-Karak City, South Jordan. (2013) *Environmental Earth Sciences*, 69 (7), pp. 2299-2310.
- 13) Rai, P.K. Environmental magnetic studies of particulates with special reference to biomagnetic monitoring using roadside plant leaves. (2013) *Atmospheric Environment*, 72, pp. 113-129.

- 14) Zhu, Z., Li, Z., Bi, X., Han, Z., Yu, G. Response of magnetic properties to heavy metal pollution in dust from three industrial cities in China. (2013) *Journal of Hazardous Materials*, 246-247, pp. 189-198.
- 15) Chaparro, M.A.E., Lavernia, J.M., Chaparro, M.A.E., Sinito, A.M. Biomonitoring of urban air pollution: Magnetic studies and SEM observations of corticolous foliose and microfoliose lichens and their suitability for magnetic monitoring. (2013) *Environmental Pollution*, 172, pp. 61-69.
- 16) Long, Q., Zhou, J.-Z., Meng, J., Da, L.-J. Magnetic response of street tree leaves to particulate pollution in Shanghai. (2012) *Huanjing Kexue/Environmental Science*, 33 (12), pp. 4188-4193.
- 17) Sant'Ovaia, H., Lacerda, M.J., Gomes, C. Particle pollution - An environmental magnetism study using biocollectors located in northern Portugal. (2012) *Atmospheric Environment*, 61, pp. 340-349.
- 18) Liu, Q., Roberts, A.P., Larrasoana, J.C., Banerjee, S.K., Guyodo, Y., Tauxe, L., Oldfield, F. Environmental magnetism: Principles and applications. (2012) *Reviews of Geophysics*, 50 (4), art. no. RG4002.
- 19) Sapkota, B., Cioppa, M.T. Using magnetic and chemical measurements to detect atmospherically-derived metal pollution in artificial soils and metal uptake in plants. (2012) *Environmental Pollution*, 170, pp. 131-144.
- 20) Zhu, Z., Han, Z., Bi, X., Yang, W. The relationship between magnetic parameters and heavy metal contents of indoor dust in e-waste recycling impacted area, Southeast China. (2012) *Science of the Total Environment*, 433, pp. 302-308.
- 21) Basavaiah, N., Blaha, U., Das, P.K., Deenadayalan, K., Sadashiv, M.B., Schulz, H. Evaluation of environmental magnetic pollution screening in soils of basaltic origin: Results from Nashik Thermal Power Station, Maharashtra, India. (2012) *Environmental Science and Pollution Research*, 19 (7), pp. 3028-3038.
- 22) Zhang, C., Qiao, Q., Appel, E., Huang, B. Discriminating sources of anthropogenic heavy metals in urban street dusts using magnetic and chemical methods. (2012) *Journal of Geochemical Exploration*, 119-120, pp. 60-75.
- 23) El Baghdadi, M., Barakat, A., Sajieddine, M., Nadem, S. Heavy metal pollution and soil magnetic susceptibility in urban soil of Beni Mellal City (Morocco). (2012) *Environmental Earth Sciences*, 66 (1), pp. 141-155.
- 24) Dankoub, Z., Ayoubi, S., Khademi, H., Lu, S.-G. Spatial Distribution of Magnetic Properties and Selected Heavy Metals in Calcareous Soils as Affected by Land Use in the Isfahan Region, Central Iran. (2012) *Pedosphere*, 22 (1), pp. 33-47.
- 25) Yan, H.T., Hu, S.Y., Blaha, U., Rösler, W., Duan, X.M., Appel, E. Paddy soil - A suitable target for monitoring heavy metal pollution by magnetic proxies. (2011) *Journal of Applied Geophysics*, 75 (2), pp. 211-219.
- 26) Zhang, C., Qiao, Q., Piper, J.D.A., Huang, B. Assessment of heavy metal pollution from a Fe-smelting plant in urban river sediments using environmental magnetic and geochemical methods. (2011) *Environmental Pollution*, 159 (10), pp. 3057-3070.
- 27) Yan, H.T., Hu, S.Y., Blaha, U., Rosler, W., Appel, E. Magnetic survey of soil pollution around meishan steel mill in Nanjing, China. (2011) 2011 International Conference on Computer Science and Service System, CSSS 2011 - Proceedings, art. no. 5974875, pp. 4154-4160.
- 28) Blaha, U., Basavaiah, N., Deenadayalan, K., Borole, D.V., Mohite, R.D. Onset of industrial pollution recorded in Mumbai mudflat sediments, using integrated magnetic, chemical, ²¹⁰Pb dating, and microscopic methods. (2011) *Environmental Science and Technology*, 45 (2), pp. 686-692.
- 29) Bidegain, J.C., Chaparro, M.A.E., Marié, D.C., Jurado, S. Air pollution caused by manufacturing coal from petroleum coke in Argentina. (2011) *Environmental Earth Sciences*, 62 (4), pp. 847-855.
- 30) Marié, D.C., Chaparro, M.A.E., Gogorza, C.S.G., Navas, A., Sinito, A.M. Vehicle-derived emissions and pollution on the road autovia 2 investigated by rock-magnetic parameters: A case study from Argentina. (2010) *Studia Geophysica et Geodaetica*, 54 (1), pp. 135-152.
- 31) Liu, Q., Zeng, Q., Yang, T., Qiu, N., Chan, L. Magnetic properties of street dust from Chibi City, Hubei Province, China: Its implications for urban environment (2009) *Journal of Earth Science*, 20 (5), pp. 848-857.
- 32) Yang, T., Liu, Q., Zeng, Q., Chan, L. Environmental magnetic responses of urbanization processes: Evidence from lake sediments in East Lake, Wuhan, China (2009) *Geophysical Journal International*, 179 (2), pp. 873-886.
- 33) Blundell, A., Hannam, J.A., Dearing, J.A., Boyle, J.F. Detecting atmospheric pollution in surface soils using magnetic measurements: A reappraisal using an England and Wales database (2009) *Environmental Pollution*, 157 (10), pp. 2878-2890.

- 34) Zagurskii, A.M., Ivanov, A.V., Shoba, S.A. Submicromorphology of soil magnetic fractions (2009) *Eurasian Soil Science*, 42 (9), pp. 1044-1052.
- 35) Alagarsamy, R. Environmental magnetism and application in the continental shelf sediments of India (2009) *Marine Environmental Research*, 68 (2), pp. 49-58.
- 36) Morton-Bermea, O., Hernandez, E., Martinez-Pichardo, E., Soler-Arechalde, A.M., Santa-Cruz, R.L., Gonzalez-Hernandez, G., Beramendi-Orosco, L., Urrutia-Fucugauchi, J. Mexico City topsoils: Heavy metals vs. magnetic susceptibility (2009) *Geoderma*, 151 (3-4), pp. 121-125.
- 37) Zawadzki, J., Magiera, T., Fabijańczyk, P. Geostatistical evaluation of magnetic indicators of forest soil contamination with heavy metals (2009) *Studia Geophysica et Geodaetica*, 53 (1), pp. 133-149.
- 38) Blaha, U., Appel, E., Stanjek, H. Determination of anthropogenic boundary depth in industrially polluted soil and semi-quantification of heavy metal loads using magnetic susceptibility (2008) *Environmental Pollution*, 156 (2), pp. 278-289.
- 39) Blaha, U., Sapkota, B., Appel, E., Stanjek, H., Rösler, W. Micro-scale grain-size analysis and magnetic properties of coal-fired power plant fly ash and its relevance for environmental magnetic pollution studies (2008) *Atmospheric Environment*, 42 (36), pp. 8359-8370.
- 40) Kapička, A., Petrovský, E., Fialová, H., Podrázský, V., Dvořák, I. High resolution mapping of anthropogenic pollution in the Giant Mountains National Park using soil magnetometry (2008) *Studia Geophysica et Geodaetica*, 52 (2), pp. 271-284.
- 41) Sharma, A.P., Tripathi, B.D. Magnetic mapping of fly-ash pollution and heavy metals from soil samples around a point source in a dry tropical environment (2008) *Environmental Monitoring and Assessment*, 138 (1-3), pp. 31-39.
- 42) Yang, T., Liu, Q., Chan, L., Cao, G. Magnetic investigation of heavy metals contamination in urban topsoils around the East Lake, Wuhan, China (2007) *Geophysical Journal International*, 171 (2), pp. 603-612.
- 43) Zawadzki, J., Fabijańczyk, P. Use of variograms for field magnetometry analysis in Upper Silesia Industrial Region (2007) *Studia Geophysica et Geodaetica*, 51 (4), pp. 535-550.
- 44) Yang, T., Liu, Q., Chan, L., Liu, Z. Magnetic signature of heavy metals pollution of sediments: Case study from the East Lake in Wuhan, China (2007) *Environmental Geology*, 52 (8), pp. 1639-1650.
- 45) Wang, X.-S., Qin, Y. Use of multivariate statistical analysis to determine the relationship between the magnetic properties of urban topsoil and its metal, S, and Br content (2006) *Environmental Geology*, 51 (4), pp. 509-516.
- 46) Lu, S.G., Bai, S.Q. Study on the correlation of magnetic properties and heavy metals content in urban soils of Hangzhou City, China (2006) *Journal of Applied Geophysics*, 60 (1), pp. 1-12.
- 47) Fialová, H., Maier, G., Petrovský, E., Kapička, A., Boyko, T., Scholger, R. Magnetic properties of soils from sites with different geological and environmental settings (2006) *Journal of Applied Geophysics*, 59 (4), pp. 273-283.
- 48) Hanesch, M., Stanjek, H., Petersen, N. Thermomagnetic measurements of soil iron minerals: The role of organic carbon (2006) *Geophysical Journal International*, 165 (1), pp. 53-61.
- 49) D'Emilio, M., Macchiato, M., Coppola, R., Loperte, A., Ragosta, M. Pollution levels in the industrial area of Potenza (Southern Italy) (2006) *Fresenius Environmental Bulletin*, 15 (1), pp. 36-42.
- 50) Wang, X.S., Qin, Y. Correlation between magnetic susceptibility and heavy metals in urban topsoil: A case study from the city of Xuzhou, China (2005) *Environmental Geology*, 49 (1), pp. 10-18.
- 51) Lu, S.-G., Bai, S.-Q., Cai, J.-B., Xu, C. Magnetic properties and heavy metal contents of automobile emission particulates (2005) *Journal of Zhejiang University: Science*, 6 B (8), pp. 731-735.

Kostadinova M., **Jordanova N.**, Jordanova D., Kovacheva M. , 2004. Preliminary study on the effect of water glass impregnation on the rock-magnetic properties of baked clay . *Studia Geophysica et Geodaetica*, 48 (3) , pp. 637-646

Цитирана в:

- 1) Lurcock, P.C., Wilson, G.S., 2013. The palaeomagnetism of glauconitic sediments. *Global and Planetary Change*, 110, pp. 278-288.
- 2) Trapanese, A., Batt, C.M., Schnepf, E. Sampling methods in archaeomagnetic dating: A comparison using case studies from Wörterberg, Eisenerz and Gams Valley (Austria) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 414-426.
- 3) Kostadinova, M., Kovacheva, M. Case study of the Bulgarian Neolithic archaeological site of Piperkov Chiflik and its archaeomagnetic dating (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 511-522.

- 4) Herries, A.I.R., Kovacheva, M., Kostadinova, M. Mineral magnetism and archaeomagnetic dating of a mediaeval oven from Zlatna Livada, Bulgaria (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 496-510.
- 5) Gómez-paccard, M., Catanzariti, G., Ruiz-Martínez, V.C., McIntosh, G., Núñez, J.I., Osete, M.L., Chauvin, A., Lanos, Ph., Tarling, D.H., Bernal-Casasola, D., Thiriot, J., Sáez-Espigares, A., García-Villanueva, I., Gisbert-Santonja, J.A., Hervás, M.A., Jiménez-Castillo, P., Mesquida-García, M., Navarro, I., Orfila-Pons, M., Ramírez-González, I., Retuerce, M., Urbina, D., Urquijo, C. A catalogue of Spanish archaeomagnetic data (2006) *Geophysical Journal International*, 166 (3), pp. 1125-1143.

Veneva L., Hoffmann V., Jordanova D., **Jordanova N.**, Fehr Th., 2004. *Rock magnetic, mineralogical and microstructural characterization of fly ashes from Bulgarian power plants and the nearby anthropogenic soils. Physics and Chemistry of the Earth, (13-14 SPEC. ISS.) 1011-102*

Цитирана в:

- 1) Magiera, T., Parzentny, H., Róg, L., Chybiorz, R., Wawer, M. Spatial variation of soil magnetic susceptibility in relation to different emission sources in southern Poland (2015) *Geoderma*, 255-256, pp. 94-103.
- 2) Cowan, E.A., Seramur, K.C., Hageman, S.J. Magnetic susceptibility measurements to detect coal fly ash from the Kingston Tennessee spill in Watts Bar Reservoir. (2013) *Environmental Pollution*, 174, pp. 179-188.
- 3) Vesali Naseh, M.R., Karbassi, A., Ghazaban, F., Baghvand, A., Mohammadizadeh, M.J. Magnetic susceptibility as a proxy to heavy metal content in the sediments of Anzali Wetland, Iran. (2012) *Iranian Journal of Environmental Health Science and Engineering*, 9 (34),
- 4) Lourenço, A.M., Rocha, F., Gomes, C.R. Relationships between magnetic parameters, chemical composition and clay minerals of topsoils near Coimbra, central Portugal. (2012) *Natural Hazards and Earth System Science*, 12 (8), pp. 2545-2555.
- 5) Zhang, C., Qiao, Q., Appel, E., Huang, B. Discriminating sources of anthropogenic heavy metals in urban street dusts using magnetic and chemical methods. (2012) *Journal of Geochemical Exploration*, 119-120, pp. 60-75.
- 6) Yang, T., Liu, Q., Zeng, Q., Chan, L. Relationship between magnetic properties and heavy metals of urban soils with different soil types and environmental settings: Implications for magnetic mapping. (2012) *Environmental Earth Sciences*, 66 (2), pp. 409-420.
- 7) Salo, H., Bučko, M.S., Vaahtovuori, E., Limo, J., Mäkinen, J., Pesonen, L.J. Biomonitoring of air pollution in SW Finland by magnetic and chemical measurements of moss bags and lichens. (2012) *Journal of Geochemical Exploration*, 115, pp. 69-81.
- 8) Nowaczyk, N.R. Dissolution of titanomagnetite and sulphidization in sediments from Lake Kinneret, Israel. (2011) *Geophysical Journal International*, 187 (1), pp. 34-44.
- 9) Huliselan, E.K., Bijaksana, S., Srigutomo, W., Kardena, E. Scanning electron microscopy and magnetic characterization of iron oxides in solid waste landfill leachate. (2010) *Journal of Hazardous Materials*, 179 (1-3), pp. 701-708.
- 10) French, B.M., Koeberl, C. The convincing identification of terrestrial meteorite impact structures: What works, what doesn't, and why. (2010) *Earth-Science Reviews*, 98 (1-2), pp. 123-170.
- 11) Zhang, C.-X., Huang, B.-C., Liu, Q.-S. Magnetic properties of different pollution receptors around steel plants and their environmental significance (2009) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 52 (11), pp. 2826-2839.
- 12) Lu, S.G., Chen, Y.Y., Shan, H.D., Bai, S.Q. Mineralogy and heavy metal leachability of magnetic fractions separated from some Chinese coal fly ashes (2009) *Journal of Hazardous Materials*, 169 (1-3), pp. 246-255.
- 13) Alagarsamy, R. Environmental magnetism and application in the continental shelf sediments of India (2009) *Marine Environmental Research*, 68 (2), pp. 49-58.
- 14) Sagnotti, L., Taddeucci, J., Winkler, A., Cavallo, A. Compositional, morphological, and hysteresis characterization of magnetic airborne particulate matter in Rome, Italy (2009) *Geochemistry, Geophysics, Geosystems*, 10 (8), art. no. Q08Z06, .
- 15) Shen, M., Hu, S., Blaha, U., Yan, H., Rösler, W., Appel, E., Hoffmann, V. Magnetic properties of urban soil profile and their significance for traffic pollution - Case study of the capital airport expressway in Beijing (2008) *Frontiers of Earth Science in China*, 2 (4), pp. 400-407.

- 16) Magiera, T., Kapička, A., Petrovský, E., Strzyszczyński, Z., Fialová, H., Rachwał, M. Magnetic anomalies of forest soils in the Upper Silesia-Northern Moravia region (2008) *Environmental Pollution*, 156 (3), pp. 618-627.
- 17) Blaha, U., Sapkota, B., Appel, E., Stanjek, H., Rösler, W. Micro-scale grain-size analysis and magnetic properties of coal-fired power plant fly ash and its relevance for environmental magnetic pollution studies (2008) *Atmospheric Environment*, 42 (36), pp. 8359-8370.
- 18) Jeleńska, M., Hasso-Agopsowicz, A., Kadzialko-Hofmokl, M., Kopcewicz, B., Sukhorada, A., Bondar, K., Matviishina, Z. Magnetic structure of polluted soil profiles from Eastern Ukraine (2008) *Acta Geophysica*, 56 (4), pp. 1043-1064.
- 19) Lu, S.-G., Bai, S.-Q. Magnetic characterization and magnetic mineralogy of the Hangzhou urban soils and its environmental implications (2008) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 51 (3), pp. 762-769.
- 20) Szönyi, M., Sagnotti, L., Hirt, A.M. A refined biomonitoring study of airborne particulate matter pollution in Rome, with magnetic measurements on *Quercus Ilex* tree leaves (2008) *Geophysical Journal International*, 173 (1), pp. 127-141.
- 21) Sharma, A.P., Tripathi, B.D. Magnetic mapping of fly-ash pollution and heavy metals from soil samples around a point source in a dry tropical environment (2008) *Environmental Monitoring and Assessment*, 138 (1-3), pp. 31-39.
- 22) Yang, T., Liu, Q., Chan, L., Cao, G. Magnetic investigation of heavy metals contamination in urban topsoils around the East Lake, Wuhan, China (2007) *Geophysical Journal International*, 171 (2), pp. 603-612.
- 23) Motelay-Massei, A., Ollivon, D., Garban, B., Tiphagne-Larcher, K., Zimmerlin, I., Chevreuil, M. PAHs in the bulk atmospheric deposition of the Seine river basin: Source identification and apportionment by ratios, multivariate statistical techniques and scanning electron microscopy (2007) *Chemosphere*, 67 (2), pp. 312-321.
- 24) Shen, M.-J., Hu, S.-Y., Blaha, Y., Yan, H.-T., Rösler, W., Hoffmann, V. A magnetic study of a polluted soil profile at the Shijingshan industrial area, Western Beijing, China (2006) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 49 (6), pp. 1665-1673.
- 25) Fialová, H., Maier, G., Petrovský, E., Kapička, A., Boyko, T., Scholger, R. Magnetic properties of soils from sites with different geological and environmental settings (2006) *Journal of Applied Geophysics*, 59 (4), pp. 273-283.

Kovacheva M., Hedley I., **Jordanova N.**, Kostadinova M., Gigov V., 2004. *Archaeomagnetic dating of archaeological sites from Switzerland and Bulgaria.* , *Journal of Archaeological Science*, (10) 1463-1479.

Цитирана в:

- 1) Ech-Chakrouni, S., Hus, J., Spassov, S. Constraints of archaeomagnetic dating and field intensity determinations in three ancient tile kilns in Belgium. (2013) *Studia Geophysica et Geodaetica*, 57 (4), pp. 585-604.
- 2) Hervé, G., Chauvin, A., Lanos, P. Geomagnetic field variations in Western Europe from 1500BC to 200AD. Part II: New intensity secular variation curve. (2013) *Physics of the Earth and Planetary Interiors*, 218, pp. 51-65.
- 3) Fanjat, G., Camps, P., Alva Valdivia, L.M., Sougrati, M.T., Cuevas-Garcia, M., Perrin, M. First archeointensity determinations on Maya incense burners from Palenque temples, Mexico: New data to constrain the Mesoamerica secular variation curve. (2013) *Earth and Planetary Science Letters*, 363, pp. 168-180.
- 4) Matau, F., Nica, V., Postolache, P., Ursachi, I., Cotiuga, V., Stancu, A. Physical study of the cucuteni pottery technology. (2013) *Journal of Archaeological Science*, 40 (2), pp. 914-925.
- 5) Donadini, F., Motschi, A., Rösch, C., Hajdas, I. Combining an archaeomagnetic and radiocarbon study: Dating of medieval fireplaces at the Mühlegasse, Zürich. (2012) *Journal of Archaeological Science*, 39 (7), pp. 2153-2166.
- 6) Warriar, A.K., Sandeep, K., Harshavardhana, B.G., Shankar, R., Pappu, S., Akhilesh, K., Prabhu, C.N., Gunnell, Y. A rock magnetic record of Pleistocene rainfall variations at the Palaeolithic site of Attirampakkam, Southeastern India. (2011) *Journal of Archaeological Science*, 38 (12), pp. 3681-3693.
- 7) Downey, W.S. Orientations of minoan buildings on crete may indicate the first recorded use of the magnetic compass. (2011) *Mediterranean Archaeology and Archaeometry*, 11 (1), pp. 9-20.

- 8) Quesnel, Y., Jrad, A., Mocci, F., Gattacceca, J., Mathé, P.-E., Parisot, J.-C., Hermitte, D., Dumas, V., Dussouillez, P., Walsh, K., Miramont, C., Bonnet, S., Uehara, M. Geophysical signatures of a roman and early medieval necropolis. (2011) *Archaeological Prospection*, 18 (2), pp. 105-115.
- 9) Haltia-Hovi, E., Nowaczyk, N., Saarinen, T. Environmental influence on relative palaeointensity estimates from Holocene varved lake sediments in Finland. (2011) *Physics of the Earth and Planetary Interiors*, 185 (1-2), pp. 20-28.
- 10) Stark, F., Cassidy, J., Hill, M.J., Shaw, J., Sheppard, P. Establishing a first archaeointensity record for the SW Pacific. (2010) *Earth and Planetary Science Letters*, 298 (1-2), pp. 113-124.
- 11) Donadini, F., Korte, M., Constable, C. Millennial variations of the geomagnetic field: From data recovery to field reconstruction. (2010) *Space Science Reviews*, 155 (1-4), pp. 219-246.
- 12) Batayneh, A.T. The use of magnetometry and pole-dipole resistivity for locating Nabataean Hawar archeological site in the SW-Jordan. (2010) *Archaeological and Anthropological Sciences*, 2 (3), pp. 151-156.
- 13) Haltia-Hovi, E., Nowaczyk, N., Saarinen, T. Holocene palaeomagnetic secular variation recorded in multiple lake sediment cores from eastern Finland. (2010) *Geophysical Journal International*, 180 (2), pp. 609-622.
- 14) Gallet, Y., Genevey, A., Le Goff, M., Warmé, N., Gran-Aymerich, J., Lefèvre, A. On the use of archeology in geomagnetism, and vice-versa: Recent developments in archeomagnetism (2009) *Comptes Rendus Physique*, 10 (7), pp. 630-648.
- 15) Schnepf, E., Lanos, P., Chauvin, A. Geomagnetic paleointensity between 1300 and 1750 A.D. derived from a bread oven floor sequence in Lübeck, Germany (2009) *Geochemistry, Geophysics, Geosystems*, 10 (8), art. no. Q08003, .
- 16) Lodge, A., Holme, R. Towards a new approach to archaeomagnetic dating in Europe using geomagnetic field modelling (2009) *Archaeometry*, 51 (2), pp. 309-322.
- 17) Ben-Yosef, E., Tauxe, L., Ron, H., Agnon, A., Avner, U., Najjar, M., Levy, T.E. A new approach for geomagnetic archaeointensity research: insights on ancient metallurgy in the Southern Levant (2008) *Journal of Archaeological Science*, 35 (11), pp. 2863-2879.
- 18) Donadini, F., Kovacheva, M., Kostadinova, M., Hedley, I.G., Pesonen, L.J. Palaeointensity determination on an early medieval kiln from Switzerland and the effect of cooling rate (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 449-457.
- 19) Gómez-Paccard, M., Beamud, E. Recent achievements in archaeomagnetic dating in the Iberian Peninsula: application to Roman and Mediaeval Spanish structures (2008) *Journal of Archaeological Science*, 35 (5), pp. 1389-1398.
- 20) De Marco, E., Spassov, S., Kondopoulou, D., Zananiri, I., Gerofoka, E. Archaeomagnetic study and dating of a Hellenistic site in Katerini (N. Greece) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 481-495.
- 21) Tema, E., Lanza, R. Archaeomagnetic study of a lime kiln at Bazzano (northern Italy) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 534-543.
- 22) Casas, L., Linford, P., Shaw, J. Archaeomagnetic dating of Dogmersfield Park brick kiln (Southern England) (2007) *Journal of Archaeological Science*, 34 (2), pp. 205-213.
- 23) Schnepf, E., Lanos, P. A preliminary secular variation reference curve for archaeomagnetic dating in Austria (2006) *Geophysical Journal International*, 166 (1), pp. 91-96.
- 24) Schnepf, E., Lanos, P. Archaeomagnetic secular variation in Germany during the past 2500 years (2005) *Geophysical Journal International*, 163 (2), pp. 479-490.
- 25) Hus, J., Geeraerts, R. Origin of deviations between the remanent magnetisation and inducing geomagnetic field direction in kilns and implications on archaeomagnetic dating (2005) *Studia Geophysica et Geodaetica*, 49 (2), pp. 233-253.

Jordanova N., Kovacheva M., Kostadinova M., 2004. Archaeomagnetic investigation and dating of Neolithic archaeological site (Kovachevo) from Bulgaria. *Physics of the Earth and Planetary Interiors*, (2-3 SPEC.ISS.) 89-102

Цитирана в:

- 1) Tema, E., Polymeris, G., Morales, J., Goguitchaichvili, A., Tsaknaki, V. Dating of ancient kilns: A combined archaeomagnetic and thermoluminescence analysis applied to a brick workshop at Kato Achaia, Greece (2015) *Journal of Cultural Heritage*, 16 (4), pp. 496-507.

- 2) Ech-Chakrouni, S., Hus, J., Spassov, S. Constraints of archaeomagnetic dating and field intensity determinations in three ancient tile kilns in Belgium. (2013) *Studia Geophysica et Geodaetica*, 57 (4), pp. 585-604.
- 3) Rivas Ortiz, J.F., Guerrero, B.O., Rebolledo, E.S., Sedov, S., Pérez, S.S. Magnetic mineralogy of volcanic soils in a toposequence from Teotihuacan Valley [Mineralogía magnética de suelos volcánicos en una toposecuencia del valle de teotihuacán] (2012) *Boletín de la Sociedad Geológica Mexicana*, 64 (1), pp. 1-20.
- 4) Aidona, E., Kondopoulou, D. First archaeomagnetic results and dating of Neolithic structures in northern Greece. (2012) *Studia Geophysica et Geodaetica*, 56 (3), pp. 827-844.
- 5) Tema, E., Kondopoulou, D. Secular variation of the Earth's magnetic field in the Balkan region during the last eight millennia based on archaeomagnetic data. (2011) *Geophysical Journal International*, 186 (2), pp. 603-614.
- 6) Ben-Yosef, E., Tauxe, L., Levy, T.E. Archaeomagnetic dating of copper smelting site f2 in the timna valley (israel) and its implications for the modelling of ancient technological developments. (2010) *Archaeometry*, 52 (6), pp. 1110-1121.
- 7) Carrancho, Á., Villalain, J.J., Angelucci, D.E., Dekkers, M.J., Vallverdú, J., Vergès, J.M. Rock-magnetic analyses as a tool to investigate archaeological fired sediments: A case study of mirador cave (Sierra de Atapuerca, Spain) (2009) *Geophysical Journal International*, 179 (1), pp. 79-96.
- 8) Gallet, Y., Genevey, A., Le Goff, M., Warmé, N., Gran-Aymerich, J., Lefèvre, A. On the use of archeology in geomagnetism, and vice-versa: Recent developments in archeomagnetism (2009) *Comptes Rendus Physique*, 10 (7), pp. 630-648.
- 9) Ben-Yosef, E., Tauxe, L., Ron, H., Agnon, A., Avner, U., Najjar, M., Levy, T.E. A new approach for geomagnetic archaeointensity research: insights on ancient metallurgy in the Southern Levant (2008) *Journal of Archaeological Science*, 35 (11), pp. 2863-2879.
- 10) Manoharan, C., Veeramuthu, K., Venkatachalapathy, R., Ilango, R. Studies on rock magnetic and paleointensity of some archaeological artifacts from Tamilnadu, India (2008) *Journal of Zhejiang University: Science A*, 9 (7), pp. 988-993.
- 11) De Marco, E., Spassov, S., Kondopoulou, D., Zananiri, I., Gerofoka, E. Archaeomagnetic study and dating of a Hellenistic site in Katerini (N. Greece) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 481-495.
- 12) Tema, E., Lanza, R. Archaeomagnetic study of a lime kiln at Bazzano (northern Italy) (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 534-543.
- 13) Kostadinova, M., Kovacheva, M. Case study of the Bulgarian Neolithic archaeological site of Piperkov Chiflik and its archaeomagnetic dating (2008) *Physics and Chemistry of the Earth*, 33 (6-7), pp. 511-522.

Henry, B., Jordanova, D., **Jordanova, N.**, Le Goff, M., 2005. *Thermal transformations of magnetic mineralogy of rocks revealed by difference of the hysteresis loops measured after stepwise heating. Geophys. J. Int.*, 162, 64-78.

Цитирана в:

- 1) Gómez-García, C., Martín-Hernandez, F., López García, J.A., Martínez-Pagán, P., Manteca, J.I., Carmona, C. Rock magnetic characterization of the mine tailings in Portman Bay (Murcia, Spain) and its contribution to the understanding of the bay infilling process (2015) *Journal of Applied Geophysics*, 120, pp. 48-59.
- 2) Urrutia-Fucugauchi, J., Delgadillo-Peralta, M., Pérez-Cruz, L., Velasco-Villarreal, M. Heating-induced changes in the anisotropy of magnetic susceptibility of impact breccias, Chicxulub Crater (Mexico) (2012) *Studia Geophysica et Geodaetica*, 56 (3), pp. 769-787.
- 3) Qin, H., He, H., Liu, Q., Cai, S. Palaeointensity just at the onset of the Cretaceous normal superchron (2011) *Physics of the Earth and Planetary Interiors*, 187 (3-4), pp. 199-211.
- 4) Hill, M.J., Pan, Y., Davies, C.J. An assessment of the reliability of palaeointensity results obtained from the Cretaceous aged Suhongtu section, Inner Mongolia, China (2008) *Physics of the Earth and Planetary Interiors*, 169 (1-4), pp. 76-88.
- 5) Krása, D., Matzka, J. Inversion of titanomaghemite in oceanic basalt during heating (2007) *Physics of the Earth and Planetary Interiors*, 160 (2), pp. 169-179.
- 6) Carporzen, L., Gilder, S.A., Hart, R.J. Origin and implications of two Verwey transitions in the basement rocks of the Vredefort meteorite crater, South Africa (2006) *Earth and Planetary Science Letters*, 251 (3-4), pp. 305-317.

- 7) Carporzen, L., Gilder, S.A. Evidence for coeval late triassic terrestrial impacts from the Rochechouart (France) meteorite crater (2006) *Geophysical Research Letters*, 33 (19), art. no. L19308, .
- 8) Krása, D., Herrero-Bervera, E. Alteration induced changes of magnetic fabric as exemplified by dykes of the Koolau volcanic range (2005) *Earth and Planetary Science Letters*, 240 (2), pp. 445-453.

Jordanova D., Jordanova N., Hoffmann V., 2006. Magnetic mineralogy and grain-size dependence of hysteresis parameters of single spherules from industrial waste products. Physics of the Earth and Planetary Interiors, (3-4) 255-26

Цитирана в:

- 1) Szuszkiewicz, M., Magiera, T., Kapička, A., Petrovský, E., Grison, H., Gołuchowska, B. Magnetic characteristics of industrial dust from different sources of emission: A case study of Poland (2015) *Journal of Applied Geophysics*, 116, pp. 84-92.
- 2) Famera, M., Babek, O., Matys Grygar, T., Novakova, T. Distribution of heavy-metal contamination in regulated river-channel deposits: A magnetic susceptibility and grain-size approach; River morava, Czech republic. (2013) *Water, Air, and Soil Pollution*, 224 (5), art. no. 1525, .
- 3) Zhang, C., Qiao, Q., Appel, E., Huang, B. Discriminating sources of anthropogenic heavy metals in urban street dusts using magnetic and chemical methods. (2012) *Journal of Geochemical Exploration*, 119-120, pp. 60-75.
- 4) Yang, T., Liu, Q., Zeng, Q., Chan, L. Relationship between magnetic properties and heavy metals of urban soils with different soil types and environmental settings: Implications for magnetic mapping. (2012) *Environmental Earth Sciences*, 66 (2), pp. 409-420.
- 5) El Baghdadi, M., Jakani, K., Barakat, A., Bay, Y. Magnetic susceptibility and heavy metal contamination in agricultural soil of Tadla plain. (2011) *Journal of Materials and Environmental Science*, 2 (SUPPL. 1), pp. 513-519.
- 6) Niyogi, A., Pati, J.K., Patel, S.C., Panda, D., Patil, S.K. Anthropogenic and impact spherules: Morphological similarity and chemical distinction - a case study from India and its implications. (2011) *Journal of Earth System Science*, 120 (6), pp. 1043-1054.
- 7) Kapička, A., Kodešová, R., Petrovský, E., Hůlka, Z., Grison, H., Kaška, M. Experimental study of fly-ash migration by using magnetic method. (2011) *Studia Geophysica et Geodaetica*, 55 (4), pp. 683-696.
- 8) Blaha, U., Basavaiah, N., Deenadayalan, K., Borole, D.V., Mohite, R.D. Onset of industrial pollution recorded in Mumbai mudflat sediments, using integrated magnetic, chemical, 210Pb dating, and microscopic methods. (2011) *Environmental Science and Technology*, 45 (2), pp. 686-692.
- 9) Huliselan, E.K., Bijaksana, S., Srigutomo, W., Kardena, E. Scanning electron microscopy and magnetic characterization of iron oxides in solid waste landfill leachate. (2010) *Journal of Hazardous Materials*, 179 (1-3), pp. 701-708.
- 10) Yang, T., Liu, Q., Li, H., Zeng, Q., Chan, L. Anthropogenic magnetic particles and heavy metals in the road dust: Magnetic identification and its implications. (2010) *Atmospheric Environment*, 44 (9), pp. 1175-1185.
- 11) Zhang, C.-X., Huang, B.-C., Liu, Q.-S. Magnetic properties of different pollution receptors around steel plants and their environmental significance (2009) *Chinese Journal of Geophysics (Acta Geophysica Sinica)*, 52 (11), pp. 2826-2839.
- 12) Yang, T., Liu, Q., Zeng, Q., Chan, L. Environmental magnetic responses of urbanization processes: Evidence from lake sediments in East Lake, Wuhan, China (2009) *Geophysical Journal International*, 179 (2), pp. 873-886.
- 13) Sagnotti, L., Taddeucci, J., Winkler, A., Cavallo, A. Compositional, morphological, and hysteresis characterization of magnetic airborne particulate matter in Rome, Italy (2009) *Geochemistry, Geophysics, Geosystems*, 10 (8), art. no. Q08Z06, .
- 14) Blaha, U., Sapkota, B., Appel, E., Stanjek, H., Rösler, W. Micro-scale grain-size analysis and magnetic properties of coal-fired power plant fly ash and its relevance for environmental magnetic pollution studies (2008) *Atmospheric Environment*, 42 (36), pp. 8359-8370.
- 15) Szönyi, M., Sagnotti, L., Hirt, A.M. A refined biomonitoring study of airborne particulate matter pollution in Rome, with magnetic measurements on Quercus Ilex tree leaves (2008) *Geophysical Journal International*, 173 (1), pp. 127-141.

Jordanova N., Jordanova D., Henry B., Le Goff M., Dimov D., Tsacheva T. , 2006. Magnetism of cigarette ashes. *Journal of Magnetism and Magnetic Materials*, 301 (1) , pp. 50-66.

Цитирана в:

- 1) Bhattacharjee, A., Mandal, H., Roy, M., Kusz, J., Zubko, M. Magnetic particulate matters in the ashes of few commonly used Indian cigarettes. (2014) *Environmental Monitoring and Assessment*, 186 (11), pp. 7399-7411.
- 2) Krol, E., Gorka-Kostrubiec, B., Jelenska, M. The magnetometric study of indoor air pollution inside flats located in Warsaw and its suburbs. (2013) *Environmental Engineering IV - Proceedings of the Conference on Environmental Engineering IV*, pp. 323-328.
- 3) Jeleńska, M., Górka-Kostrubiec, B., Król, E. Magnetic properties of dust as indicators of indoor air pollution: Preliminary results. (2011) *Management of Indoor Air Quality*, pp. 129-136.
- 4) Bhattacharjee, A., Mandal, H., Roy, M., Chini, T.K. A preliminary study on the nature of particulate matters in vehicle fuel wastes. (2011) *Environmental Monitoring and Assessment*, 176 (1-4), pp. 473-481.
- 5) D'Emilio, M., Caggiano, R., Coppola, R., MacChiato, M., Ragosta, M. Magnetic susceptibility measurements as proxy method to monitor soil pollution: The case study of S. Nicola di Melfi. (2010) *Environmental Monitoring and Assessment*, 169 (1-4), pp. 619-630.
- 6) Mitchell, R., Maher, B.A. Evaluation and application of biomagnetic monitoring of traffic-derived particulate pollution (2009) *Atmospheric Environment*, 43 (13), pp. 2095-2103.
- 7) Cadot, O., Caneschi, A., Rovai, D., Sangregorio, C., Sessoli, R., Sorace, L. From multidomain particles to organic radicals: The multifaceted magnetic properties of tobacco and cigarette ash (2008) *Inorganica Chimica Acta*, 361 (14-15), pp. 3882-3886.
- 8) Talyzin, A.V., Dzwilewski, A. Ferromagnetism in C 60 polymers: Pure carbon or contamination with metallic impurities? (2007) *Journal of Nanoscience and Nanotechnology*, 7 (4-5), pp. 1151-1161.
- 9) Zulfiqar, S., Shabbir, S., Ishaq, M., Shaukat, M.S., Sarwar, M.I. Metal distribution in Pakistani and foreign brands of cigarette ash (2006) *Bulletin of Environmental Contamination and Toxicology*, 77 (5), pp. 679-686.

Knab, M., Hoffmann, V., Petrovsky, E., Kapicka, A., Jordanova, N., Appel, E., 2006. Surveying the anthropogenic impact of the Moldau river sediments and nearby soils using magnetic susceptibility. *ENVIRONMENTAL GEOLOGY* 49 (4), 527-535 DOI: 10.1007/s00254-005-0080-5

Цитирана в:

- 1) Chaparro, Marcos A. E.; Suresh, G.; Chaparro, Mauro A. E.; et al., 2013. Magnetic studies and elemental analysis of river sediments: a case study from the Ponnaiyar River (Southeastern India) . *ENVIRONMENTAL EARTH SCIENCES* Volume: 70 Issue: 1 Pages: 201-213 DOI: 10.1007/s12665-012-2116-y .
- 2) Famera, Martin; Babek, Ondrej; Grygar, Tomas Matys; et al., 2013. Distribution of Heavy-Metal Contamination in Regulated River-Channel Deposits: a Magnetic Susceptibility and Grain-Size Approach; River Morava, Czech Republic. *WATER AIR AND SOIL POLLUTION* Volume: 224 Issue: 5 Article Number: 1525 DOI: 10.1007/s11270-013-1525-1.
- 3) Novakova, Tereza; Matys Grygar, Tomas; Babek, Ondrej; et al., 2013. Distinguishing regional and local sources of pollution by trace metals and magnetic particles in fluvial sediments of the Morava River, Czech Republic. *JOURNAL OF SOILS AND SEDIMENTS* Volume: 13 Issue: 2 Pages: 460-473 DOI: 10.1007/s11368-012-0632-8.
- 4) Kanu, M.O., Meludu, O.C., Oniku, S.A. , 2014. Comparative study of top soil magnetic susceptibility variation based on some human activities. *GEOFISICA INTERNACIONAL*, Volume: 53 , Issue: 4 , 411-423
- 5) Grygar, T. Matys; Novakova, T.; Mihaljevic, M.; et al. Surprisingly small increase of the sedimentation rate in the floodplain of Morava River in the Straznice area, Czech Republic, in the last 1300 years *CATENA* Volume: 86 Issue: 3 Pages: 192-207 Published: SEP 2011
- 6) Chaparro, Marcos A. E.; Chaparro, Mauro A. E.; Rajkumar, P.; et al. Magnetic parameters, trace elements, and multivariate statistical studies of river sediments from southeastern India: a case study from the Vellar River *ENVIRONMENTAL EARTH SCIENCES* Volume: 63 Issue: 2 Pages: 297-310 Published: MAY 2011

- 7) Suresh, G.; Ramasamy, V.; Meenakshisundaram, V.; et al. A relationship between the natural radioactivity and mineralogical composition of the Ponnaiyar river sediments, India JOURNAL OF ENVIRONMENTAL RADIOACTIVITY Volume: 102 Issue: 4 Pages: 370-377 Published: APR 2011
- 8) Sandeep, K.; Shankar, R.; Krishnaswamy, J. Assessment of suspended particulate pollution in the Bhadra River catchment, Southern India: an environmental magnetic approach ENVIRONMENTAL EARTH SCIENCES Volume: 62 Issue: 3 Pages: 625-637 Published: FEB 2011
- 9) Ramasamy, V.; Suresh, G.; Venkatachalapathy, R.; et al. Magnetic Susceptibility and Radiological Hazardous Nature of the River Sediments - Spectroscopical Approach ACTA PHYSICA POLONICA A Volume: 118 Issue: 4 Pages: 701-711 Published: OCT 2010
- 10) Grygar, Tomas; Svetlik, Ivo; Lisa, Lenka; et al. Geochemical tools for the stratigraphic correlation of floodplain deposits of the Morava River in Straznicke Pomoravi, Czech Republic from the last millennium CATENA Volume: 80 Issue: 2 Pages: 106-121 Published: FEB 15 2010
- 11) Yang, Tao; Liu, Qingsheng; Zeng, Qingli; et al. Environmental magnetic responses of urbanization processes: evidence from lake sediments in East Lake, Wuhan, China GEOPHYSICAL JOURNAL INTERNATIONAL Volume: 179 Issue: 2 Pages: 873-886 Published: NOV 2009
- 12) Chaparro, Marcos A. E.; Sinito, Ana M.; Ramasamy, V.; et al. Magnetic measurements and pollutants of sediments from Cauvery and Palaru River, India ENVIRONMENTAL GEOLOGY Volume: 56 Issue: 2 Pages: 425-437 Published: NOV 2008
- 13) Chaparro, Marcos A. E.; Chaparro, Mauro A. E.; Marinelli, Claudia; et al. Multivariate techniques as alternative statistical tools applied to magnetic proxies for pollution: a case study from Argentina and Antarctica ENVIRONMENTAL GEOLOGY Volume: 54 Issue: 2 Pages: 365-371 Published: MAR 2008
- 14) Yang, Tao; Liu, Qingsheng; Chan, Lungsang; et al. Magnetic signature of heavy metals pollution of sediments: case study from the East Lake in Wuhan, China ENVIRONMENTAL GEOLOGY Volume: 52 Issue: 8 Pages: 1639-1650 Published: AUG 2007
- 15) Chaparro, Marcos A. E.; Gogorza, Claudia S. G.; Chaparro, Mauro A. E.; et al. Review of magnetism and heavy metal pollution studies of various environments in Argentina Conference: Conference on Paleomagnetism and Tectonics in Latinamerica Location: New Orleans, LA Date: MAY, 2005 EARTH PLANETS AND SPACE Volume: 58 Issue: 10 Pages: 1411-1422 Published: 2006

Henry B., Jordanova D., **Jordanova N.**, Hus J., Bascou J., Funaki M., Dimov D. , 2007. Alternating field-impressed AMS in rocks. *Geophysical Journal International*, 168 (2) , pp. 533-540.

Цитирана в:

- 1) Schöbel, S., de Wall, H., Rolf, C., 2013. AMS in basalts: Is there a need for prior demagnetization? *Geophysical Journal International*, 195 (3), pp. 1509-1518
- 2) Schöbel, S. , De Wall, H., 2014. AMS-NRM interferences in the Deccan basalts: Toward an improved understanding of magnetic fabrics in flood basalts. *Journal of Geophysical Research: Solid Earth*, Volume 119, Issue 4, 2651-2678.

Jordanova D., **Jordanova N.**, Henry B., Hus J., Bascou J., Funaki M., Dimov D. , 2007. Changes in mean magnetic susceptibility and its anisotropy of rock samples as a result of alternating field demagnetization . *Earth and Planetary Science Letters*, 255 (3-4) , pp. 390-401.

Цитирана в:

- 1) Schöbel, S., de Wall, H., Rolf, C., 2013. AMS in basalts: Is there a need for prior demagnetization? *Geophysical Journal International*, 195 (3), pp. 1509-1518
- 2) Schöbel, S. , De Wall, H., 2014. AMS-NRM interferences in the Deccan basalts: Toward an improved understanding of magnetic fabrics in flood basalts. *Journal of Geophysical Research: Solid Earth*, Volume 119, Issue 4, 2651-2678.
- 3) Paramasivam, K., Ramasamy, V., Suresh, G. Impact of sediment characteristics on the heavy metal concentration and their ecological risk level of surface sediments of Vaigai river, Tamilnadu, India (2014) *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 137, pp. 397-407.

- 4) Liu, Q.-S., Deng, C.-L. Magnetic susceptibility and its environmental significances (2009) Chinese Journal of Geophysics (Acta Geophysica Sinica), 52 (4), pp. 1041-1048.

Jordanova N., Jordanova D., Tsacheva T. Application of magnetometry for delineation of anthropogenic pollution in areas covered by various soil types (2008) Geoderma, 144 (3-4), pp. 557-571.

Цитирана в:

- 1) Magiera, T., Parzentny, H., Róg, L., Chybiorz, R., Wawer, M. Spatial variation of soil magnetic susceptibility in relation to different emission sources in southern Poland (2015) Geoderma, 255-256, pp. 94-103.
- 2) Wawer, M., Magiera, T., Ojha, G., Appel, E., Kusza, G., Hu, S., Basavaiah, N. Traffic-Related Pollutants in Roadside Soils of Different Countries in Europe and Asia (2015) Water, Air, and Soil Pollution, 226 (7), art. no. 216, .
- 3) Szuszkiewicz, M., Magiera, T., Kapička, A., Petrovský, E., Grison, H., Gołuchowska, B. Magnetic characteristics of industrial dust from different sources of emission: A case study of Poland (2015) Journal of Applied Geophysics, 116, pp. 84-92.
- 4) Cejudo-Ruiz, R., Bautista, F., Quintana, P., del Carmen Delgado-Carranza, M., Aguilar, D., Goguitchaichvili, A., Morales-Contreras, J.J. Correlation between potentially toxic elements and magnetic properties in Mexico City soils for the identification of contaminated sites: Definition of threshold values [Correlación entre elementos potencialmente tóxicos y propiedades magnéticas en suelos de la Ciudad de México para la identificación de sitios contaminados: Definición de umbrales magnéticos] (2015) Revista Mexicana de Ciencias Geológicas, 32 (1), pp. 50-61.
- 5) Warriar, A.K., Shankar, R., Manjunatha, B.R., Harshavardhana, B.G. Mineral magnetism of atmospheric dust over southwest coast of India: Impact of anthropogenic activities and implications to public health. (2014) Journal of Applied Geophysics, 102, pp. 1-9.
- 6) Singh, K.T., Nayak, G.N., Fernandes, L.L., Borole, D.V., Basavaiah, N. Changing environmental conditions in recent past - Reading through the study of geochemical characteristics, magnetic parameters and sedimentation rate of mudflats, central west coast of India. (2014) Palaeogeography, Palaeoclimatology, Palaeoecology, 397, pp. 61-74.
- 7) Uzu, G., Schreck, E., Xiong, T., Macouin, M., Lévêque, T., Fayomi, B., Dumat, C. Urban market gardening in Africa: Foliar uptake of metal(loid)s and their bioaccessibility in vegetables; Implications in terms of health risks. (2014) Water, Air, and Soil Pollution, 225 (11), art. no. 2185, .
- 8) Dytłow, S.K., Górka-Kostrubiec, B. Magnetic parameters as an indicator of the processes occurring in the degraded chernozem developed in loess from Miechow area [Parametry magnetyczne jako wskaźnik procesów zachodzących w czarnoziemie zdegradowanym uformowanym na miechowskim płacie lessowym]. (2014) Scientific Review Engineering and Environmental Sciences, 23 (2), pp. 170-184.
- 9) Reyes, B.A., Mejía, V., Goguitchaichvili, A., Escobar, J., Bayona, G., Bautista, F., Morales, J.C., Ihl, T.J. Reconnaissance environmental magnetic study of urban soils, dust and leaves from Bogotá, Colombia. (2013) Studia Geophysica et Geodaetica, 57 (4), pp. 741-754.
- 10) Han, G.-Z., Zhang, G.-L. Changes in magnetic properties and their pedogenetic implications for paddy soil chronosequences from different parent materials in south China. (2013) European Journal of Soil Science, 64 (4), pp. 435-444.
- 11) El-Hasan, T., Lataifeh, M. Field and dual magnetic susceptibility proxies for heavy metal pollution assessment in the urban soil of Al-Karak City, South Jordan. (2013) Environmental Earth Sciences, 69 (7), pp. 2299-2310.
- 12) Reyes, B.A., Bautista, F., Goguitchaichvili, A., Contreras, J.J.M., Owen, P.Q., Carvallo, C., Battu, J. Rock-magnetic properties of topsoils and urban dust from Morelia (>800,000 inhabitants), Mexico: Implications for anthropogenic pollution monitoring in Mexico's medium size cities. (2013) Geofisica Internacional, 52 (2), pp. 121-133.
- 13) Morsy, M., Rashed, M. Integrated magnetic, gravity, and GPR surveys to locate the probable source of hydrocarbon contamination in Sharm El-Sheikh area, south Sinai, Egypt. (2013) Journal of Applied Geophysics, 88, pp. 131-138.
- 14) Rossel, R.A.V., Adamchuk, V.I. Proximal soil sensing. (2013) Precision Agriculture for Sustainability and Environmental Protection, pp. 99-118.
- 15) Yang, T., Liu, Q., Zeng, Q., Chan, L. Relationship between magnetic properties and heavy metals of urban soils with different soil types and environmental settings: Implications for magnetic mapping. (2012) Environmental Earth Sciences, 66 (2), pp. 409-420

- 16) Mokhtari Karchegani, P., Ayoubi, S., Lu, S.G., Honarju, N. Use of magnetic measures to assess soil redistribution following deforestation in hilly region. (2011) *Journal of Applied Geophysics*, 75 (2), pp. 227-236.
- 17) Yan, H.T., Hu, S.Y., Blaha, U., Rösler, W., Duan, X.M., Appel, E. Paddy soil - A suitable target for monitoring heavy metal pollution by magnetic proxies. (2011) *Journal of Applied Geophysics*, 75 (2), pp. 211-219.
- 18) Viscarra Rossel, R.A., Adamchuk, V.I., Sudduth, K.A., McKenzie, N.J., Lobsey, C. Proximal Soil Sensing. An Effective Approach for Soil Measurements in Space and Time. (2011) *Advances in Agronomy*, 113, pp. 237-282.
- 19) Yan, H.T., Hu, S.Y., Blaha, U., Rosler, W., Appel, E. Magnetic survey of soil pollution around meishan steel mill in Nanjing, China. (2011) 2011 International Conference on Computer Science and Service System, CSSS 2011 - Proceedings, art. no. 5974875, pp. 4154-4160.
- 20) Magiera, T., Jabłońska, M., Strzyszczyński, Z., Rachwał, M. Morphological and mineralogical forms of technogenic magnetic particles in industrial dusts. (2011) *Atmospheric Environment*, 45 (25), pp. 4281-4290.
- 21) Reyes, B.A., Bautista, F., Goguitchaichvili, A., Morton, O. Magnetic monitoring of top soils of Merida (Southern Mexico). (2011) *Studia Geophysica et Geodaetica*, 55 (2), pp. 377-388.
- 22) Meena, N.K., Maiti, S., Shrivastava, A. Discrimination between anthropogenic (pollution) and lithogenic magnetic fraction in urban soils (Delhi, India) using environmental magnetism. (2011) *Journal of Applied Geophysics*, 73 (2), pp. 121-129.
- 23) D'Emilio, M., Caggiano, R., Coppola, R., MacChiato, M., Ragosta, M. Magnetic susceptibility measurements as proxy method to monitor soil pollution: The case study of S. Nicola di Melfi. (2010) *Environmental Monitoring and Assessment*, 169 (1-4), pp. 619-630.
- 24) Bučko, M.S., Magiera, T., Pesonen, L.J., Janus, B. Magnetic, geochemical, and microstructural characteristics of road dust on roadsides with different traffic volumes-case study from Finland. (2010) *Water, Air, and Soil Pollution*, 209 (1-4), pp. 295-306.
- 25) Duan, X.M., Hu, S.Y., Yan, H.T., Blaha, U., Roesler, W., Appel, E., Sun, W.H. Relationship between magnetic parameters and heavy element contents of arable soil around a steel company, Nanjing. (2010) *Science China Earth Sciences*, 53 (3), pp. 411-418.
- 26) Blundell, A., Hannam, J.A., Dearing, J.A., Boyle, J.F. Detecting atmospheric pollution in surface soils using magnetic measurements: A reappraisal using an England and Wales database (2009) *Environmental Pollution*, 157 (10), pp. 2878-2890.
- 27) Grunwald, S. Multi-criteria characterization of recent digital soil mapping and modeling approaches (2009) *Geoderma*, 152 (3-4), pp. 195-207.
- 28) Viscarra Rossel, R.A., Cattle, S.R., Ortega, A., Fouad, Y. In situ measurements of soil colour, mineral composition and clay content by vis-NIR spectroscopy (2009) *Geoderma*, 150 (3-4), pp. 253-266.

Georgiev N., Henry B., **Jordanova N.**, Froitzheim N., Jordanova D., Ivanov Z., Dimov D., 2009. *The emplacement mode of upper Cretaceous plutons from the southwestern part of the Sredna Gora Zone (Bulgaria): Structural and AMS study.* , *Geologica Carpathica*, (1) 15-33

Цитирана в:

- 1) Merabet, N.-E., Mahdjoub, Y., Abtout, A., Henry, B., Kahoui, M., Maouche, S., Lamali, A., Ayache, M. The Paleoproterozoic Djebel Drissa ring complex (Eglab shield, Algeria): Post-collisional intrusions in a transtensional tectonic setting (2014) *Tectonophysics*, 629 (C), pp. 197-210.
- 2) Zananiri, I., Kondopoulou, D., Dimitriadis, S., Kiliadis, A. Insights into the geotectonic evolution of the southern Rhodope as inferred from a combined AMS, microtextural and paleomagnetic study of the Tertiary Symvolon and Vrontou plutons. (2013) *Tectonophysics*, 595-596, pp. 106-124.
- 3) Burg, J.-P. Rhodope: From mesozoic convergence to cenozoic extension. Review of petro-structural data in the geochronological frame. (2012) *Journal of the Virtual Explorer*, 42, p. 1.
- 4) Liati, A., Gebauer, D., Fanning, C.M. Geochronology of the Alpine UHP Rhodope Zone: A Review of Isotopic Ages and constraints on the Geodynamic Evolution. (2011) *Ultrahigh-Pressure Metamorphism*, pp. 295-324.

- 5) Naydenov, K., Peytcheva, I., Von Quadt, A., Sarov, S., Kolcheva, K., Dimov, D. The Maritsa strike-slip shear zone between Kostenets and Krichim towns, South Bulgaria - Structural, petrographic and isotope geochronology study (2013) *Tectonophysics*, 595-596, pp. 69-89.
- 6) Nagel, T.J., Schmidt, S., Janák, M., Froitzheim, N., Jahn-Awe, S., Georgiev, N. The exposed base of a collapsing wedge: The Nestos Shear Zone (Rhodope Metamorphic Province, Greece) (2011) *Tectonics*, 30 (4), art. no. TC4009, .
- 7) Nouar, O., Henry, B., Liégeois, J.P., Derder, M.E.M., Bayou, B., Bruguier, O., Ouabadi, A., Amenna, M., Hemmi, A., Ayache, M. Eburnean and Pan-African granitoids and the Raghane mega-shear zone evolution: Image analysis, U-Pb zircon age and AMS study in the Arokam Ténéré (Tuareg shield, Algeria) (2011) *Journal of African Earth Sciences*, 60 (3), pp. 133-152.
- 8) Jahn-Awe, S., Froitzheim, N., Nagel, T.J., Frei, D., Georgiev, N., Pleuger, J. Structural and geochronological evidence for Paleogene thrusting in the western Rhodopes, SW Bulgaria: Elements for a new tectonic model of the Rhodope Metamorphic Province (2010) *Tectonics*, 29 (3), art. no. TC3008, .

*Kovacheva M., Boyadziev Y., Kostadinova-Avramova M., **Jordanova N.**, Donadini F.*
Updated archeomagnetic data set of the past 8 millennia from the Sofia laboratory, Bulgaria
 (2009) *Geochemistry, Geophysics, Geosystems*, 10 (5), art. no. Q05002

Цитирана в:

- 1) Brown, M.C., Donadini, F., Korte, M., Nilsson, A., Korhonen, K., Lodge, A., Lengyel, S.N., Constable, C.G. GEOMAGIA50.v3: 1. general structure and modifications to the archeological and volcanic database Recent advances in environmental magnetism and paleomagnetism (2015) *Earth, Planets and Space*, 67 (1), art. no. 83,
- 2) Kondopoulou, D., Aidona, E., Ioannidis, N., Polymeris, G.S., Tsolakis, S. Archaeomagnetic study and thermoluminescence dating of Protobyzantine kilns (Megali Kypsa, North Greece) (2015) *Journal of Archaeological Science: Reports*, 2, pp. 156-168.
- 3) Zolitschka, B., Francus, P., Ojala, A.E.K., Schimmelmänn, A. Varves in lake sediments - a review (2015) *Quaternary Science Reviews*, 117, pp. 1-41.
- 4) Osete, M.L., Catanzariti, G., Chauvin, A., Pavón-Carrasco, F.J., Roperch, P., Fernández, V.M. First archaeomagnetic field intensity data from Ethiopia, Africa (1615±12AD) (2015) *Physics of the Earth and Planetary Interiors*, 242, pp. 24-35.
- 5) Kapper, K.L., Donadini, F., Hirt, A.M. Holocene archeointensities from mid European ceramics, slags, burned sediments and cherts (2015) *Physics of the Earth and Planetary Interiors*, 241, pp. 21-36.
- 6) Livermore, P.W., Fournier, A., Gallet, Y. Core-flow constraints on extreme archeomagnetic intensity changes. (2014) *Earth and Planetary Science Letters*, 387, pp. 145-156.
- 7) Gallet, Y., D'Andrea, M., Genevey, A., Pinnock, F., Le Goff, M., Matthiae, P. Archaeomagnetism at Ebla (Tell Mardikh, Syria). New data on geomagnetic field intensity variations in the Near East during the Bronze Age. (2014) *Journal of Archaeological Science*, 42 (1), pp. 295-304.
- 8) De Marco, E., Tema, E., Lanos, P., Kondopoulou, D. An updated catalogue of Greek archaeomagnetic data for the last 4500 years and a directional secular variation curve. (2014) *Studia Geophysica et Geodaetica*, 58 (1), pp. 121-147.
- 9) Pavón-Carrasco, F.J., Gómez-Paccard, M., Hervé, G., Osete, M.L., Chauvin, A. Intensity of the geomagnetic field in Europe for the last 3 ka: Influence of data quality on geomagnetic field modeling. (2014) *Geochemistry, Geophysics, Geosystems*, 15 (6), pp. 2515-2530.
- 10) Casas, L., Prevosti, M., Fouzai, B., Álvarez, A. Archaeomagnetic study and dating at five sites from Catalonia (NE Spain). (2014) *Journal of Archaeological Science*, 41, pp. 856-867.
- 11) Ech-Chakrouni, S., Hus, J., Spassov, S. Constraints of archaeomagnetic dating and field intensity determinations in three ancient tile kilns in Belgium. (2013) *Studia Geophysica et Geodaetica*, 57 (4), pp. 585-604.
- 12) Carrancho, A., Villalaín, J.J., Pavón-Carrasco, F.J., Osete, M.L., Straus, L.G., Vergès, J.M., Carretero, J.M., Angelucci, D.E., González Morales, M.R., Arsuaga, J.L., Bermúdez de Castro, J.M., Carbonell, E. First directional European palaeosecular variation curve for the Neolithic based on archaeomagnetic data. (2013) *Earth and Planetary Science Letters*, 380, pp. 124-137.

- 13) Genevey, A., Gallet, Y., Thébaud, E., Jesset, S., Le Goff, M. Geomagnetic field intensity variations in Western Europe over the past 1100 years. (2013) *Geochemistry, Geophysics, Geosystems*, 14 (8), pp. 2858-2872.
- 14) Hervé, G., Chauvin, A., Lanos, P. Geomagnetic field variations in Western Europe from 1500BC to 200AD. Part I: Directional secular variation curve. (2013) *Physics of the Earth and Planetary Interiors*, 218, pp. 1-13.
- 15) Hervé, G., Chauvin, A., Lanos, P. Geomagnetic field variations in Western Europe from 1500BC to 200AD. Part II: New intensity secular variation curve. (2013) *Physics of the Earth and Planetary Interiors*, 218, pp. 51-65.
- 16) Gómez-Paccard, M., Beamud, E., McIntosh, G., Larrasoana, J.C. New archaeomagnetic data recovered from the study of three roman kilns from north-east Spain: A contribution to the Iberian palaeosecular variation curve. (2013) *Archaeometry*, 55 (1), pp. 159-177.
- 17) Fanjat, G., Aidona, E., Kondopoulou, D., Camps, P., Rathossi, C., Poidras, T. Archeointensities in Greece during the Neolithic period: New insights into material selection and secular variation curve. (2013) *Physics of the Earth and Planetary Interiors*, 215, pp. 29-42. Cited 2 times.
- 18) Fanjat, G., Camps, P., Alva Valdivia, L.M., Sougrati, M.T., Cuevas-Garcia, M., Perrin, M. First archeointensity determinations on Maya incense burners from Palenque temples, Mexico: New data to constrain the Mesoamerica secular variation curve. (2013) *Earth and Planetary Science Letters*, 363, pp. 168-180.
- 19) Tema, E., Gómez-Paccard, M., Kondopoulou, D., Almar, Y. Intensity of the Earth's magnetic field in Greece during the last five millennia: New data from Greek pottery. (2012) *Physics of the Earth and Planetary Interiors*, 202-203, pp. 14-26.
- 20) Aidona, E., Kondopoulou, D. First archaeomagnetic results and dating of Neolithic structures in northern Greece. (2012) *Studia Geophysica et Geodaetica*, 56 (3), pp. 827-844.
- 21) Gómez-Paccard, M., McIntosh, G., Chauvin, A., Beamud, E., Pavón-Carrasco, F.J., Thiriot, J. Archaeomagnetic and rock magnetic study of six kilns from North Africa (Tunisia and Morocco). (2012) *Geophysical Journal International*, 189 (1), pp. 169-186.
- 22) Calvo-Rathert, M., Carrancho, Á., Stark, F., Villalain, J.J., Hill, M. Are burnt sediments reliable recorders of geomagnetic field strength? (2012) *Quaternary Research*, 77 (2), pp. 326-330.
- 23) Catanzariti, G., Gómez-Paccard, M., McIntosh, G., Pavón-Carrasco, F.J., Chauvin, A., Osete, M.L. New archaeomagnetic data recovered from the study of Roman and Visigothic remains from central Spain (3rd-7th centuries). (2012) *Geophysical Journal International*, 188 (3), pp. 979-993.
- 24) Clelland, S.-J., Batt, C.M. Geomagnetic secular variation as recorded in British lake sediments and its application to archaeomagnetic studies. (2012) *Physics of the Earth and Planetary Interiors*, 194-195, pp. 85-97.
- 25) Tema, E., Kondopoulou, D. Secular variation of the Earth's magnetic field in the Balkan region during the last eight millennia based on archaeomagnetic data. (2011) *Geophysical Journal International*, 186 (2), pp. 603-614.
- 26) Hervé, G., Schnepf, E., Chauvin, A., Lanos, P., Nowaczyk, N. Archaeomagnetic results on three Early Iron Age salt-kilns from Moyenvic (France). (2011) *Geophysical Journal International*, 185 (1), pp. 144-156.
- 27) Suttie, N., Holme, R., Hill, M.J., Shaw, J. Consistent treatment of errors in archeointensity implies rapid decay of the dipole prior to 1840. (2011) *Earth and Planetary Science Letters*, 304 (1-2), pp. 13-21.
- 28) Malfatti, J., Principe, C., Gattiglia, G. Archaeomagnetic investigation of a metallurgical furnace in Pisa (Italy). (2011) *Journal of Cultural Heritage*, 12 (1), pp. 1-10.
- 29) Haltia-Hovi, E., Nowaczyk, N., Saarinen, T. Environmental influence on relative palaeointensity estimates from Holocene varved lake sediments in Finland. (2011) *Physics of the Earth and Planetary Interiors*, 185 (1-2), pp. 20-28.
- 30) Spatharas, V., Kondopoulou, D., Aidona, E., Efthimiadis, K.G. New magnetic mineralogy and archeointensity results from Greek kilns and baked clays. (2011) *Studia Geophysica et Geodaetica*, 55 (1), pp. 131-157.
- 31) Pavón-Carrasco, F.J., Rodríguez-González, J., Osete, M.L., Torta, J.M. A Matlab tool for archaeomagnetic dating. (2011) *Journal of Archaeological Science*, 38 (2), pp. 408-419.
- 32) Pavón-Carrasco, F.J., Osete, M.L., Torta, J.M. Regional modeling of the geomagnetic field in Europe from 6000 to 1000 B.C. (2010) *Geochemistry, Geophysics, Geosystems*, 11 (11), art. no. Q11008, .

- 33) Duran, M.P., Goguitchaichvili, A., Morales, J., Reyes, B.A., Valdivia, L.M.A., Oliveros-Morales, A., Calvo-Rathert, M., Moran, T.G., Robles-Camacho, J. Magnetic properties and Archeointensity of Earth's magnetic field recovered from El Opeño, earliest funeral architecture known in Western Mesoamerica. (2010) *Studia Geophysica et Geodaetica*, 54 (4), pp. 575-593.
- 34) Barletta, F., St-Onge, G., Stoner, J.S., Lajeunesse, P., Locat, J. A high-resolution Holocene paleomagnetic secular variation and relative paleointensity stack from eastern Canada. (2010) *Earth and Planetary Science Letters*, 298 (1-2), pp. 162-174.
- 35) Hagstrum, J.T., Blinman, E. Archeomagnetic dating in western North America: An updated reference curve based on paleomagnetic and archeomagnetic data sets. (2010) *Geochemistry, Geophysics, Geosystems*, 11 (6), art. no. Q06009, .
- 36) Tema, E., Goguitchaichvili, A., Camps, P. Archaeointensity determinations from Italy: New data and the Earth's magnetic field strength variation over the past three millennia. (2010) *Geophysical Journal International*, 180 (2), pp. 596-608.
- 37) Gallet, Y., Genevey, A., Le Goff, M., Warmé, N., Gran-Aymerich, J., Lefèvre, A. On the use of archeology in geomagnetism, and vice-versa: Recent developments in archeomagnetism (2009) *Comptes Rendus Physique*, 10 (7), pp. 630-648.
- 38) Donadini, F., Korte, M., Constable, C.G. Geomagnetic field for 0-3 ka: 1. New data sets for global modeling (2009) *Geochemistry, Geophysics, Geosystems*, 10 (6), art. no. Q06007,

*Kovacheva, M. , Chauvin, A., **Jordanova, N.**, Lanos, P., Karloukovski, V. Remanence anisotropy effect on the palaeointensity results obtained from various archaeological materials, excluding pottery Earth, Planets and Space, Volume 61, Issue 6, 2009, Pages 711-732*

Цитирана в:

- 1) Yamamoto, Y., Torii, M., Natsuhara, N. Archeointensity study on baked clay samples taken from the reconstructed ancient kiln: Implication for validity of the Tsunakawa-Shaw paleointensity method (2015) *Earth, Planets and Space*, 67 (1), art. no. 63, .
- 2) Osete, M.L., Catanzariti, G., Chauvin, A., Pavón-Carrasco, F.J., Roperch, P., Fernández, V.M. First archaeomagnetic field intensity data from Ethiopia, Africa (1615±12AD) (2015) *Physics of the Earth and Planetary Interiors*, 242, pp. 24-35.
- 3) Kapper, K.L., Donadini, F., Hirt, A.M. Holocene archeointensities from mid European ceramics, slags, burned sediments and cherts (2015) *Physics of the Earth and Planetary Interiors*, 241, pp. 21-36.
- 4) Shaar, R., Tauxe, L., Ben-Yosef, E., Kassianidou, V., Lorentzen, B., Feinberg, J.M., Levy, T.E. Decadal-scale variations in geomagnetic field intensity from ancient Cypriot slag mounds (2015) *Geochemistry, Geophysics, Geosystems*, 16 (1), pp. 195-214.
- 5) Pavón-Carrasco, F.J., Gómez-Paccard, M., Hervé, G., Osete, M.L., Chauvin, A. Intensity of the geomagnetic field in Europe for the last 3 ka: Influence of data quality on geomagnetic field modeling (2014) *Geochemistry, Geophysics, Geosystems*, 15 (6), pp. 2515-2530.
- 6) Fouzai, B., Casas, L., Laridhi Ouazaa, N., Fantar, M., Alvarez, A. Archaeomagnetic data from three Punic sites in Tunisia. (2013) *Journal of Archaeological Science*, 40 (4), pp. 1703-1714.
- 7) Gómez-Paccard, M., Beamud, E., Mc Intosh, G., Larrasoana, J.C. New archaeomagnetic data recovered from the study of three roman kilns from north-east Spain: A contribution to the Iberian palaeosecular variation curve. (2013) *Archaeometry*, 55 (1), pp. 159-177.
- 8) Hartmann, G.A., Genevey, A., Gallet, Y., Trindade, R.I.F., Le Goff, M., Najjar, R., Etchevarne, C., Afonso, M.C. New historical archeointensity data from Brazil: Evidence for a large regional non-dipole field contribution over the past few centuries. (2011) *Earth and Planetary Science Letters*, 306 (1-2), pp. 66-76.
- 9) Spatharas, V., Kondopoulou, D., Aidona, E., Efthimiadis, K.G. New magnetic mineralogy and archaeointensity results from Greek kilns and baked clays. (2011) *Studia Geophysica et Geodaetica*, 55 (1), pp. 131-157.
- 10) Hartmann, G.A., Genevey, A., Gallet, Y., Trindade, R.I.F., Etchevarne, C., Le Goff, M., Afonso, M.C. Archeointensity in Northeast Brazil over the past five centuries. (2010) *Earth and Planetary Science Letters*, 296 (3-4), pp. 340-352.

Jordanova D., Petrov P., Hoffmann V., Gocht T., Panaiotu C., Tsacheva T., **Jordanova N.**, 2010. *Magnetic Signature of Different Vegetation Species in Polluted Environment. Studia Geophysica et Geodaetica*, 54 (3) , pp. 417-442.

Цитирана в:

- 1) Wawer, M., Magiera, T., Ojha, G., Appel, E., Kusza, G., Hu, S., Basavaiah, N. Traffic-Related Pollutants in Roadside Soils of Different Countries in Europe and Asia (2015) *Water, Air, and Soil Pollution*, 226 (7), art. no. 216, .
- 2) Vuković, G., Urošević, M.A., Tomašević, M., Samson, R., Popović, A. Biomagnetic monitoring of urban air pollution using moss bags (*Sphagnum girgensohnii*) (2015) *Ecological Indicators*, 52, pp. 40-47.
- 3) Salo, H. Preliminary enviromagnetic comparison of the moss, lichen, and filter fabric bags to air pollution monitoring. (2014) *Fennia*, 192 (2), pp. 154-163.
- 4) Dytlow, S.K., Gorka-Kostrubiec, B. Magnetometry application to the analysis of air pollutants accumulated on tree leaves. (2013) *Environmental Engineering IV - Proceedings of the Conference on Environmental Engineering IV*, pp. 317-322.
- 5) Yin, G., Hu, S., Cao, L., Roesler, W., Appel, E. Magnetic properties of tree leaves and their significance in atmospheric particle pollution in Linfen City, China. (2013) *Chinese Geographical Science*, 23 (1), pp. 59-72.
- 6) Chaparro, M.A.E., Lavernia, J.M., Chaparro, M.A.E., Sinito, A.M. Biomonitors of urban air pollution: Magnetic studies and SEM observations of corticolous foliose and microfoliose lichens and their suitability for magnetic monitoring. (2013) *Environmental Pollution*, 172, pp. 61-69.
- 7) Sant'Ovaia, H., Lacerda, M.J., Gomes, C. Particle pollution - An environmental magnetism study using biocollectors located in northern Portugal. (2012) *Atmospheric Environment*, 61, pp. 340-349.
- 8) Salo, H., Bučko, M.S., Vaahtovuori, E., Limu, J., Mäkinen, J., Pesonen, L.J. Biomonitoring of air pollution in SW Finland by magnetic and chemical measurements of moss bags and lichens. (2012) *Journal of Geochemical Exploration*, 115, pp. 69-81.

Jordanova D., **Jordanova N.**, Petrov P., Tsacheva T., 2010. *Soil development of three Chernozem-like profiles from North Bulgaria revealed by magnetic studies. Catena*, (2-3) 158-169

Цитирана в:

- 1) Scheidt, S., Hambach, U., Rolf, C. A consistent magnetic polarity stratigraphy of late Neogene to Quaternary fluvial sediments from the Heidelberg Basin (Germany): A new time frame for the Plio-Pleistocene palaeoclimatic evolution of the Rhine Basin (2015) *Global and Planetary Change*, 127, pp. 103-116.
- 2) Jakšić, O., Kodešová, R., Kubiš, A., Stehlíková, I., Drábek, O., Kapička, A. Soil aggregate stability within morphologically diverse areas (2015) *Catena*, 127, pp. 287-299.
- 3) Wang, Q., Gao, Z., Chang, B., Liu, F. Deep tillage with organic materials returning to field improving soil physical characters of calcic chernozem (2015) *Nongye Gongcheng Xuebao/Transactions of the Chinese Society of Agricultural Engineering*, 31 (10), pp. 161-166.
- 4) Dytlow, S.K., Gorka-Kostrubiec, B. 2014. Magnetic parameters as an indicator of the processes occurring in the degraded chernozem developed in loess from Miechow area. *Scientific Review Engineering and Environmental Sciences*, Volume 23, Issue 2, 170-184.
- 5) Lourenço, A.M., Sequeira, E., Sant'Ovaia, H., Gomes, C.R., 2014. Magnetic, geochemical and pedological characterisation of soil profiles from different environments and geological backgrounds near Coimbra, Portugal. *Geoderma*, Volume 213, 408-418.
- 6) Lourenço, A.M., Rocha, F., Gomes, C.R. Relationships between magnetic parameters, chemical composition and clay minerals of topsoils near Coimbra, central Portugal. (2012) *Natural Hazards and Earth System Science*, 12 (8), pp. 2545-2555.
- 7) Girault, F., Poitou, C., Perrier, F., Koirala, B.P., Bhattarai, M. Soil characterization using patterns of magnetic susceptibility versus effective radium concentration. (2011) *Natural Hazards and Earth System Sciences*, 11 (8), pp. 2285-2293.

Henry B., Naydenov K., Dimov D., Jordanova D., **Jordanova N.**, 2012. *Relations between the emplacement and fabric-forming conditions of the Kapitan-Dimitriev pluton and the Maritsa shear zone (Central Bulgaria): Magnetic and visible fabrics analysis. International Journal of Earth Sciences*, 101 (3) , pp. 747-759.

Цитирана в:

- 1) Sen, K., Collins, A.S., 2013. Dextral transpression and late Eocene magmatism in the trans-Himalayan Ladakh Batholith (North India): Implications for tectono-magmatic evolution of the Indo-Eurasian collisional arc. *International Journal of Earth Sciences*, 102 (7), pp. 1895-1909.

Jordanova N., Jordanova D., Petrov P., 2011. Magnetic imprints of pedogenesis in Planosols and Stagnic Alisol from Bulgaria. *Geoderma*, (3-4) 477-489

Цитирана в:

- 1) Jakšik, O., Kodešová, R., Kubiš, A., Stehlíková, I., Drábek, O., Kapička, A. Soil aggregate stability within morphologically diverse areas (2015) *Catena*, 127, pp. 287-299.
- 2) Till, J.L., Guyodo, Y., Lacroix, F., Ona-Nguema, G., Brest, J., 2014. Magnetic comparison of abiogenic and biogenic alteration products of lepidocrocite. *Earth and Planetary Science Letters*, Volume 395, 149-158
- 3) Lu, S.-G., Zhu, L., Yu, J.-Y. Mineral magnetic properties of Chinese paddy soils and its pedogenic implications. (2012) *Catena*, 93, pp. 9-17.
- 4) Sandeep, K., Warriar, A.K., Harshavardhana, B.G., Shankar, R. Rock magnetic investigations of surface and sub-surface soil samples from five lake catchments in tropical southern India. (2012) *International Journal of Environmental Research*, 6 (1), pp. 1-18.

Grison H., Petrovsky E., Jordanova N., Kapicka A., 2011. Strongly magnetic soil developed on a non-magnetic rock basement: A case study from NW Bulgaria. *Studia Geophysica et Geodaetica*, (4) 697-716

Цитирана в:

- 1) Bian, Y., Ouyang, T., Zhu, Z., Huang, N., Wan, H., Li, M., 2014. Magnetic properties of agricultural soil in the Pearl River Delta, South China - Spatial distribution and influencing factor analysis. *Journal of Applied Geophysics*, Volume 107, 36-44.
- 2) Lu, S.G., Chen, D.J., Wang, S.Y., Liu, Y.D. Rock magnetism investigation of highly magnetic soil developed on calcareous rock in Yun-Gui Plateau, China: Evidence for pedogenic magnetic minerals. (2012) *Journal of Applied Geophysics*, 77, pp. 39-50.

Jordanova D., Jordanova N., Atanasova A., Tsacheva T., Petrov P., 2011. Soil tillage erosion estimated by using magnetism of soils-a case study from Bulgaria. *Environmental Monitoring and Assessment*, (1-4) 381-394

Цитирана в:

- 1) Wysocka-Czubaszek, A., Czubaszek, R., 2014. Tillage erosion: The principles, controlling factors and main implications for future research. *Journal of Ecological Engineering*, Volume 15, Issue 4, 150-159
- 2) Quijano, L., Chaparro, M.A.E., Marié, D.C., Gaspar, L., Navas, A., 2014. Relevant magnetic and soil parameters as potential indicators of soil conservation status of Mediterranean agroecosystems. *Geophysical Journal International*, Volume 198, Issue 3, 1805-181
- 3) Kapička, A., Dlouha, S., Grison, H., Jakšik, O., Petrovsky, E., Kodesova, R. Magnetic properties of soils - A basis for erosion study at agricultural land in Southern Moravia. (2013) *International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology Management, SGEM*, pp. 577-584.
- 4) Menshov, O., Sukhorada, A., Homenko, R., Kruglov, O. Ultradetailed environmental magnetic investigations in Ukraine. (2012) *Near Surface Geoscience* 2012, .

Jordanova D., Jordanova N., Lanos P., Petrov P., Tsacheva T., 2012. Magnetism of outdoor and indoor settled dust and its utilization as a tool for revealing the effect of elevated particulate air pollution on cardiovascular mortality, , *Geochemistry, Geophysics, Geosystems*, (8)

Цитирана в:

- 1) Górka-Kostrubiec, B. The magnetic properties of indoor dust fractions as markers of air pollution inside buildings (2015) *Building and Environment*, 90, pp. 186-195.
- 2) Wawer, M., Magiera, T., Ojha, G., Appel, E., Kusza, G., Hu, S., Basavaiah, N. Traffic-Related Pollutants in Roadside Soils of Different Countries in Europe and Asia (2015) *Water, Air, and Soil Pollution*, 226 (7), art. no. 216,
- 3) Gorka-Kostrubiec, B., Jelenska, M., Krol, E., 2014. Magnetic signature of indoor air pollution: Household dust study. *ACTA GEOPHYSICA*, Volume: 62 , Issue: 6 , 1478-1503.

- 4) Eltouny, N., Ariya, P.A., 2014. Competing reactions of selected atmospheric gases on Fe₃O₄ nanoparticles surfaces. PHYSICAL CHEMISTRY CHEMICAL PHYSICS, Volume: 16, Issue: 42 , 23056-23066 .
- 5) Eltouny, N., Ariya, P.A., 2014. Enhanced Reactivity toward Oxidation by Water Vapor: Interactions of Toluene and NO₂ on Hydrated Magnetite Nanoparticles. JOURNAL OF PHYSICAL CHEMISTRY C, Volume: 118 , Issue: 41 , Pages: 23654-23663.
- 6) Revuelta, M.A., McIntosh, G. , Pey, J., Pérez, N., Querol, X., Alastuey, A., 2014. Partitioning of magnetic particles in PM₁₀, PM_{2.5} and PM₁ aerosols in the urban atmosphere of Barcelona (Spain). Environmental Pollution, Volume 188, 109-117.

Henry B., Naydenov K., Dimov D., Jordanova D., **Jordanova N.** , 2012. Relations between the emplacement and fabric-forming conditions of the Kapitan-Dimitriev pluton and the Maritsa shear zone (Central Bulgaria): Magnetic and visible fabrics analysis. International Journal of Earth Sciences, 101 (3) , pp. 747-759.

Цитирана в:

- 1) Mondal, T.K., Mamtani, M.A. Fabric analysis in rocks of the Gadag region (southern India) - Implications for time relationship between regional deformation and gold mineralization (2014) Tectonophysics, 629 (C), pp. 238-249.
- 2) Sen, K., Collins, A.S., 2013. Dextral transpression and late Eocene magmatism in the trans-Himalayan Ladakh Batholith (North India): Implications for tectono-magmatic evolution of the Indo-Eurasian collisional arc. International Journal of Earth Sciences, 102 (7), pp. 1895-1909.
- 3) Mondal, T.K. , Mamtani, M.A., 2014. Fabric analysis in rocks of the Gadag region (southern India) - Implications for time relationship between regional deformation and gold mineralization. TECTONOPHYSICS, Volume: 629 , 238-249.

Jordanova D., Goddu S.R., Kotsev T., **Jordanova N.** , 2013. Industrial contamination of alluvial soils near Fe-Pb mining site revealed by magnetic and geochemical studies. Geoderma, 192 (1) , pp. 237-248.

Цитирана в:

- 1) Amossé, J., Le Bayon, R.-C., Gobat, J.-M. Are urban soils similar to natural soils of river valleys? (2015) Journal of Soils and Sediments, 15 (8), pp. 1716-1724.
- 2) Adamo, P., Mingo, A., Coppola, I., Motti, R., Stinca, A., Agrelli, D. Plant colonization of brownfield soil and post-washing sludge: effect of organic amendment and environmental conditions (2015) International Journal of Environmental Science and Technology, 12 (6), pp. 1811-1824.
- 3) Fernández-Calviño, D., Garrido-Rodríguez, B., Cutillas-Barreiro, L., Araújo-Nespereira, P., Arias-Estévez, M., Fernández-Sanjurjo, M.J., Álvarez-Rodríguez, E., Núñez-Delgado, A. Influence of mussel shell on As and Cr competitive and non-competitive sorption-desorption kinetics in a mine soil: Stirred flow chamber experiments (2014) Geoderma, 232-234, pp. 300-308.
- 4) Wang, B., Xia, D., Yu, Y., Jia, J., Xu, S. Detection and differentiation of pollution in urban surface soils using magnetic properties in arid and semi-arid regions of northwestern China (2014) Environmental Pollution, 184, pp. 335-346.
- 5) Hossain, M.A., Ali, N.M., Islam, M.S., Hossain, H.M.Z. Spatial distribution and source apportionment of heavy metals in soils of Gebeng industrial city, Malaysia (2014) Environmental Earth Sciences, 73 (1), pp. 115-126.
- 6) Ameen, N.N., Klueglein, N., Appel, E., Petrovský, E., Kappler, A., Leven, C. Effect of hydrocarbon-contaminated fluctuating groundwater on magnetic properties of shallow sediments (2014) Studia Geophysica et Geodaetica, 58 (3), pp. 442-460.
- 7) Wang, B., Xia, D.-S., Yu, Y., Jia, J., Xu, S.-J. Magnetic properties of urban soils from typical oasis cities and their environmental implications (2014) Chinese Journal of Geophysics (Acta Geophysica Sinica), 57 (3), pp. 891-905.
- 8) Izquierdo, M., Tye, A.M., Chenery, S.R., 2013. Lability, solubility and speciation of Cd, Pb and Zn in alluvial soils of the River Trent catchment UK. Environmental Sciences: Processes and Impacts, 15 (10), pp. 1844-1858.

Jordanova D., **Jordanova N.**, Werban U. 2013. *Environmental significance of magnetic properties of Gley soils near Rosslau (Germany, Environmental Earth Sciences, (5) 1719-1732.*

Цитирана в:

- 1) Hartemink, A.E. The use of soil classification in journal papers between 1975 and 2014 (2015) *Geoderma Regional*, 5, art. no. 52, pp. 127-139.
- 2) Aydin, A., Akyol, E. Observing urban soil pollution using magnetic susceptibility (2015) *International Journal of Environmental Research*, 9 (1), pp. 295-302.
- 3) Quijano, L. , Chaparro, M.A.E., Marié, D.C., Gaspar, L., Navas, A., 2014. Relevant magnetic and soil parameters as potential indicators of soil conservation status of Mediterranean agroecosystems. *Geophysical Journal International*, Volume 198, Issue 3, 1805-181.

Jordanova N., Jordanova D., Liu Q., Hu P., Petrov P., Petrovsky E. , 2013. *Soil formation and mineralogy of a Rhodic Luvisol - insights from magnetic and geochemical studies . Global and Planetary Change, 110 , pp. 397-413.*

Цитирана в:

- 1) Hošek, J., Hambach, U., Lisá, L., Grygar, T.M., Horáček, I., Meszner, S., Knésl, I. An integrated rock-magnetic and geochemical approach to loess/paleosol sequences from Bohemia and Moravia (Czech Republic): Implications for the Upper Pleistocene paleoenvironment in central Europe (2015) *Palaeogeography, Palaeoclimatology, Palaeoecology*, 418, pp. 344-358.
- 2) Egli, R., Florindo, F., Roberts, A.P., 2013. Introduction to 'Magnetic iron minerals in sediments and their relation to geologic processes, climate, and the geomagnetic field'. *Global and Planetary Change*, 110, pp. 259-263.

Georgiev N., Henry B., **Jordanova N.**, Jordanova D., Naydenov K., 2014. *Emplacement and fabric-forming conditions of plutons from structural and magnetic fabric analysis: A case study of the Plana pluton (Central Bulgaria). Tectonophysics, 629, 138–154.*

Цитирана в:

- 1) Almqvist, B.S.G., Henry, B., Jackson, M.J., Werner, T., Lagroix, F. Methods and applications of magnetic anisotropy: A special issue in recognition of the career of Graham J. Borradaile (2014) *Tectonophysics*, 629, pp. 1-5.

Kovacheva M., Kostadinova-Avramova M., **Jordanova N.** , Lanos Ph., Boyadzhiev Y., 2014. *Extended and revised archaeomagnetic database and secular variation curves from Bulgaria for the last eight millennia. Physics of the Earth and Planetary Interiors, 236, 79–94*

Цитирана в:

- 1) Brown, M.C., Donadini, F., Korte, M., Nilsson, A., Korhonen, K., Lodge, A., Lengyel, S.N., Constable, C.G. GEOMAGIA50.v3: 1. general structure and modifications to the archeological and volcanic database Recent advances in environmental magnetism and paleomagnetism (2015) *Earth, Planets and Space*, 67 (1), art. no. 83, .
- 2) Gallet, Y., Molist Montaña, M., Genevey, A., Clop García, X., Thébault, E., Gómez Bach, A., Le Goff, M., Robert, B., Nachasova, I. New Late Neolithic (c. 7000-5000 BC) archeointensity data from Syria. Reconstructing 9000years of archeomagnetic field intensity variations in the Middle East (2015) *Physics of the Earth and Planetary Interiors*, 238, pp. 89-103.